

IMPLEMENTATION + ORGANIZER PILOT + FINAL AUDIT

Conference Ops

A complete handoff for prospective event organizers, product evaluators, and the team operating the Cloudflare pilot.

STATUS	RELEASE	AUDIT
Invite-only pilot ready	5bb4338 / pilot-clarified-2026-08-08	367 tests + 30 browser journeys



OPEN THE ORGANIZER PILOT

<https://conference-ops-pilot-app.techfren.workers.dev>

Create and verify your own account, then create an isolated event workspace.

Prepared August 8, 2026 | Cloudflare Workers, D1, R2, Queues, Email, and Terraform

01 / ORIENTATION

What this handoff contains

This document replaces the earlier staging-only handoff. It describes the persistent, non-demo organizer pilot, how prospective clients use it, what was tested, which defects were fixed, the exact deployed release, and the remaining boundaries.

**Trial
verdict**

GO for a small, named, monitored 30-day evaluation. Do not broadly publish the Workers.dev URL until route-level rate limiting and bot protection are added.

Audience	Use this section
Prospective organizer	Pages 3-9: create an event, configure the program, and run the lifecycle.
Product evaluator	Pages 10-12: coverage, live evidence, closed defects, and open gaps.
Operator/engineer	Pages 13-16: architecture, release identity, verification, and follow-up.

Important boundaries

- Cloudflare D1 is authoritative. Airtable was intentionally not implemented, because it was optional and a second write authority would weaken the pilot.
- Acelevents is intentionally skipped under the final clarification. Protected exports remain available for portable data handoff.
- Use synthetic or representative trial data. The pilot does not yet include formal purge automation or malware scanning.
- Credentials and invitation/verification links must be shared separately, never pasted into feedback.

Create an isolated organizer workspace

Each verified account receives its own organization and event workspace. The new-event action creates useful workflow defaults instead of a blank database.

Step	Organizer action	What the system creates
1	Open the pilot, create an account, and verify the delivered email.	A Better Auth account and secure session.
2	Choose Create event and enter organization, event, slug, purpose, timezone, venue, dates, CFP close, website, and accent.	A private event scoped to that organization.
3	Open Control Room and Event details; verify the values after reload.	A draft CFP, active review lane, room/track, two onboarding forms, five tasks, five message templates, and two reminder rules.

Validation

CFP close must be before the event start. The browser now shows an inline error and disables Create; the API independently enforces the relationship.

Recommended test setup

- Use a distinct email account for reviewer testing. Self-review is deliberately blocked.
- Create one representative proposal and one direct session, then keep the rest of the dataset small.
- Use the event-scoped URLs generated by the app; private navigation retains eventId and role.
- The organizer account is arash@appricot.io. Use Forgot password in the approved inbox if a new session is needed; never distribute that credential to reviewers or speakers.

Follow the nine-step organizer runway

#	Runway step	Proof to capture
1	Confirm event details	Dates, timezone, venue, purpose, and public slug.
2	Publish the CFP	Review fields, participant rules, deadline, and confirmation.
3	Invite a reviewer	Add a committee member before testing review.
4	Receive a proposal	Use a separate account and save before final submit.
5	Complete a review	Score the configured rubric and submit the recommendation.
6	Accept a proposal	Use accept queue before final acceptance.
7	Complete onboarding	Claim profile, headshot, tasks, and required file.
8	Place a session	Confirm rooms/tracks and choose a valid time.
9	Publish agenda	Release scheduled additions and inspect public views.

Live proof

The audit event completed 9/9 steps: one submitted 4.5/5 review, one accepted/public session, one public speaker, three completed tasks, delivered acceptance/calendar messages, and all exports.

Build a real form and prove self-service

The form builder stores private draft versions separately from the published version. Existing applicant drafts remain pinned to the version they started with.

Organizer form checklist

- Edit welcome, proposal, participant, and confirmation copy.
- Keep one required track question. Use Dropdown for one track or Multi-select for one or more; selected tracks are the server-authoritative review routes.
- Add text, long text, email, URL, select, multiselect, checkbox, or informational fields; test one equals/contains condition.
- Preview the draft, save it, reload it, publish it, then open the public link in a separate account.

Applicant flow

Stage	Behavior
Welcome/account	Event-specific copy, scoped browser draft, verified account gate, self-enrollment.
Proposal	Dynamic fields, visible-only validation, combined text budget, server allowlist.
Speakers	Primary owner plus distinct-email co-speakers; participant min/max.
Review	Five Edit controls, consent gate, pinned version notice, save/submit.
After submit	Confirmation queued, portal link, clean Submit another session, edit/withdraw status.

Final fix

The prominent Submit another session action now clears both the submitted receipt and the prior ?edit= context. Optional URL questions persist only when they are actually part of the published form.

05 / PROGRAM SETUP

Configure routing, onboarding, messages, and reminders

Program setup is the organizer control center added from the final clarification. It turns the seeded workflow into an operable event plan.

Panel	Organizer action	Runtime effect
Review routing	Map every CFP track to one or more reviewers.	New submissions receive the union of eligible reviewers across their selected tracks.
Onboarding plan	Create/edit/remove profile, file, questionnaire, or calendar tasks.	Final acceptance creates the session, speaker access, and the configured task instances.
Communications	Edit submission, approve, deny, reminder, and calendar templates; tune two reminder rules.	Cloudflare Email sends from the persisted template through the durable outbox and Queue.
Readiness assistant	Ask what needs attention and follow the event-scoped action.	A small read-only agent inspects actual proposals, reviews, sessions, and tasks; it never mutates data.

CO Conference Ops

7-8 OCT 2026
CO Final QA
Online QA Room

OPERATE

Control room

Proposals

Review desk

BUILD

CFP builder

Program setup

Schedule board

DELIVER

Speaker ops

Publish & send

PUBLIC

Agenda

Speaker gallery

CFP CLOSES
Sep 6, 10:00 AM PDT

VIEWING AS
A A

Jump to a workflow

Live workspace Agenda Published

Configure the workflow behind the forms.

Map tracks to reviewers, define automatic speaker onboarding, write the emails that really send, and inspect readiness from one organizer workspace.

Review routing
Tracks → reviewers

Onboarding plan
Forms, files, profile

Communications
Templates & reminders

Readiness assistant
Grounded next actions

CLOUDFLARE EMAIL + DURABLE OUTBOX

Write the messages the workflow actually sends.

Submission confirmations, decisions, task reminders, and calendar REQUEST invites are persisted before queue delivery. Supported variables are shown beside the editor.

Submission confirmation
Configured

Acceptance decision
Configured

Decline decision
Configured

Task reminder
Configured

Calendar invitation
Configured

Template name

Email subject

Plain-text body

Acceptance decision

You are speaking at {{event.name}}

Hi {{speaker.name}}, your proposal {{proposal.title}} has been accepted. Open onboarding: {{speaker.portal_url}}, {{decision.feedback}}

Edit HTML body

Variables

{{event.name}}

{{speaker.name}}

{{proposal.title}}

{{decision.feedback}}

{{speaker.portal_url}}

{{task.count}}

{{session.title}}

{{decision.room}}

Live pilot: configurable acceptance email and scheduled reminder controls.

PILOT-CLARIFIED-2026-08-08 / 6

Route, score, and decide deliberately

Review is assignment-scoped and data-driven. The active round supplies the rubric; the selected category supplies the reviewer group.

Action	System rule
Invite reviewer	Adds event membership, group membership, and backfills eligible submitted proposals.
Save review	Stores criterion scores, recommendation, note, and in-progress status.
Submit review	Computes the weighted total server-side and locks the assignment read-only.
Stage decision	Moves to accept/decline/waitlist queue with explicit save and audit context.
Final accept	Records the decision, creates one linked unscheduled session, activates claimed speakers, instantiates every configured task, and queues the configured decision email.
Schedule	Placement remains a separate organizer action so rooms, tracks, and conflicts are deliberate.

Integrity

Owners and claimed co-speakers cannot review their own proposal. Applicants and speakers do not receive internal reviewer-group or score fields in their workspace projection.

Live evidence

- Distinct reviewer account created and verified from delivered email.
- Invitation claim backfilled the eligible proposal.
- Rubric draft survived reload; final 4.5/5 review became read-only.
- Organizer moved under_review to accept_queue, then accepted and converted it.

07 / SPEAKER READINESS

Claim access, complete the profile, finish proposal work

Speaker work is attached to the accepted proposal. A returning person can therefore receive separate slide/document tasks for separate sessions.

Area	How to use it	Visibility
Claim	Open the event-specific claim link with the verified speaker email.	Authenticated owner only.
Profile	Add bio, title, company, city, pronouns, publication consent, and headshot.	Public only after consent and a published session.
Form task	Complete the requested acknowledgement or structured answer.	Speaker and organizer.
Hotel / flight	Answer the organizer-authored hotel stay and flight reimbursement questionnaires.	Speaker and organizer.
File task	Upload/replace PDF, PPT/PPTX, DOC/DOCX, or text as allowed.	Private organizer/speaker access.
Speaker Ops	Search roster, inspect exact task/profile exception, remind, reopen, complete, download.	Organizer only.

Live proof

Headshot and profile saved, a private artifact uploaded and downloaded, all three tasks completed, organizer reopen/complete worked, and the public gallery rendered the eligible profile.

Model the venue, resolve conflicts, place the program

Rooms, tracks, and sessions are event-scoped. Placement is checked in the browser and at the D1 mutation boundary.

Control	Behavior
Rooms & tracks	Create, rename, color/capacity edit, and guarded delete when unused.
Accepted conversion	Creates a proposal-linked session with the accepted speaker roster.
Direct session	Guaranteed/sponsor/program entries; non-break/networking entries require a speaker.
Place/Reschedule	Choose room, track and half-hour slot across the event window.
Conflict	Detect room, track, and speaker overlap; adjacency is valid.
Override	Require a durable reason and commit placement+audit atomically.

Final fix

Two overridden sessions can occupy one cell without overlapping later rows or intercepting controls. Both stacked cards opened their Reschedule dialog in the post-deploy live test.

Publication contract

- New scheduled sessions remain private until Publish.
- A placement edit to an already published session updates the live program immediately.
- Every material invite-field change increments the session calendar sequence.

Release the public program and send deliberate messages

Capability	Implemented contract
Agenda publish	Atomic preflight: sessions must exist, belong to event, be scheduled, and be conflict-safe.
Public agenda	Published-only sessions with room, track, time, speakers, day and favorites.
Speaker gallery	Published profiles attached to published sessions; private email and keys excluded.
Embed	Exact event-scoped iframe route; framing relaxed only there.
Communications	Recipient preview, durable outbox before Queue dispatch, stable idempotency, bounded retry.
Calendar	RFC 5545 METHOD:REQUEST with stable UID and incremented SEQUENCE.
Exports	Protected speakers.csv, sessions.csv, and program.json with accepted/public filters.

Safety

Review recipient evidence before any manual bulk send. Final approval automatically queues the configured decision email only after the guarded acceptance transaction succeeds.

Integration boundary

- Airtable: not implemented; D1 is authoritative.
- Accelevents: intentionally skipped per the final requirements clarification; protected exports are still available.
- Payments, multilingual, CRM/marketing, and general CMS features are out of scope.

What was exercised

Evidence lane	Coverage	Result
Source inventory	18 routes; 39 API routes plus Better Auth; 145 interactive source definitions.	Mapped
Organizer controls	67 named checkpoints: buttons, links, dialogs, guards, disabled states, persistence, mobile.	Logged
Live role lifecycle	45 structured checks across organizer, applicant, reviewer, speaker.	9/9
Backend/release	49 capability groups and 37 anonymous authorization checks.	Pass
Integrated tests	78 files, 367 unit/API/component tests.	Pass
Browser regression	Desktop and mobile projects.	30 pass / 6 intentional skip
Production-path smoke	Better Auth + local D1 full lifecycle, migrations, queues intents, FK check.	Pass
Live post-deploy	Role switch, stacked reschedule, health, readiness, D1 integrity.	Pass

Honest status

No audit can literally prove every future data combination. This release combines source inventory, per-control browser logs, production-path mutations, live multi-account evidence, and adversarial security/release reviews.

11 / CLOSED FINDINGS

Defects found during the final browser audit

Finding	Cause	Final state
Role selector	Duplicate user IDs across roles	Role-qualified option values; live organizer/speaker switch passed.
Submit another	Old ?edit= context survived success	Canonical start-new reset; regression passed.
Reschedule	Stacked cards overflowed and stole clicks	Flex stack/gap; live dialog passed.
Project URL	Phantom hardcoded field was not in published form	Stable built-in IDs plus generic response round-trip.
Deadline	Only API relationship validation	Inline timezone-aware gate and disabled Create.
Dialog/focus	Nested Escape and palette return incomplete	Topmost-only Escape and explicit trigger focus.
Accent	Visual state only	aria-pressed on setup/details swatches.
Password reset	Email link returned to sign-in without a new-password step	Token-aware two-field reset form; delivered-email live retest passed.
Persona scope	Organizer selector exposed other event users as personas	Production switcher now lists only roles belonging to the signed-in identity.
State credential	Account-wide R2 S3 scope	Bucket-only key and zero-drift plan.
Release identity	Uncommitted deployed source	Commit 5bb4338 and tag pilot-clarified-2026-08-08 pushed to GitHub.

12 / REMAINING GAPS

What must happen before wider production use

**Only open
P1**

Add Cloudflare Workers route-level rate limiting and Turnstile/CAPTCHA for signup, sign-in, password reset, event creation, and uploads before broadly publishing the URL.

Important production follow-up

- Alert on failed/dead outbox rows, Queue age, DLQ messages, Cron freshness, email quota, and D1 errors.
- Redact token-bearing payloads after successful send and define outbox/data retention.
- Back up and hash Terraform state before applies; retain and rehearse a previous known-good rollback.
- Add malware scanning/quarantine and a workspace purge flow before untrusted production uploads.
- Add explicit calendar cancel/resend controls if customer operations require managed cancellation.

Accepted pilot boundaries

- Visible workspaces poll on focus and about every 25 seconds; no sub-second mutation broadcast.
- Calendar delivery is email/ICS REQUEST, not direct Google/Microsoft account insertion.
- Use named testers, synthetic data, and operator monitoring during the 30-day window.

Cloudflare-native runtime and hybrid IaC

Layer	Ownership	Purpose
App Worker + Assets	Wrangler	React client, Hono API, Better Auth, public pages and embed.
D1	Terraform + migrations	Authoritative event, CFP, proposal, review, task, session, auth and outbox data.
Private R2	Terraform	Headshots, slides, and supporting documents.
Queue + DLQ	Terraform; Jobs consumer via Wrangler	Immediate delivery transport; D1 outbox remains authoritative.
Jobs Worker + Cron	Wrangler	Email/calendar delivery, deadline/task reminders, retries, lease recovery, dead convergence.
Realtime Worker/DO	Wrangler	Readiness and WebSocket lifecycle; business UI currently polls.
Terraform state	Private R2 S3 backend	D1/R2/Queue/DLQ desired state with prevent_destroy.

Ownership rule

Terraform owns long-lived stateful resources. Wrangler owns Worker code, bindings, routes, compatibility, assets, and deploy versions. Secrets remain outside Git.

Exact deployed identity and rollback context

Artifact	Identity
Git	main 5bb4338e17b22da1d0470df627ae5b923a8d3a59
Tag	pilot-clarified-2026-08-08
App	440effc2-dd07-4962-8b37-45c2589d6c9d
Jobs	e332c3d0-681f-429a-bf7f-7f0c91d95e0c
Realtime	2247813b-9f1b-4070-89de-73d0eb681713
D1	93e7a1e4-352a-4696-b3bd-3fe7681f1488; migrations 0000-0006
Public origin	https://conference-ops-pilot-app.techfren.workers.dev

Release sequence

- Render fail-closed environment configs into the protected release directory.
- Run prerequisites, build, Vite deploy-config check, and exact secret-file dry-runs.
- Apply additive D1 migrations before code that depends on them.
- Deploy Jobs before App when both change; deploy Realtime when its lifecycle or shared token changes.
- Verify health, authenticated readiness, Worker version, D1 quick/FK checks, then run targeted live controls.

Recovery

Do not destroy or roll back D1 through Terraform. Use Worker version rollback for code and D1 Time Travel/export for a diagnosed data incident.

How independent lanes confirmed the release

Lane	Independent responsibility
Requirements/architecture	Document+video scope, integration feasibility, Cloudflare IaC, screenshot workflows.
Implementation specialists	Forms, submissions, review, tasks, files, venues, schedule, public program, communications.
Security/release auditors	Tenant boundaries, mutation atomicity, secrets, migrations, config, rollback, edge privacy.
UX/browser auditors	Desktop/mobile, focus, dialogs, navigation, dead controls, public and role-specific routes.
Backend release audit	49 capability groups, 37 authorization boundaries, D1/R2/Queue/Email/Terraform checks.
Organizer control audit	67 named checkpoints with persistence, cancel/destructive guards, accessibility and mobile.
Role lifecycle audit	Real organizer/applicant/reviewer/speaker accounts and every lifecycle handoff.
Final remediation	Reschedule stacking, Project URL contract, event validation, focus/Escape, semantic accents.
Clarification integration	Track union routing, minimum review outcomes, automatic acceptance activation, organizer task/form/message/reminder configuration, and read-only agent.
Root integration	Password recovery and persona-scope live fixes, clean release gate, commit/tag/push, three-Worker deploy, D1 migration, live retest, manifest and PDF.

The full named task ledger is in output/audit/agent-work-log.md.

Files, routes, and feedback protocol

Organizer-facing files

Item	Location
Pilot	https://conference-ops-pilot-app.techfren.workers.dev
Organizer guide	https://conference-ops-pilot-app.techfren.workers.dev/conference-ops-organizer-trial-guide.pdf
Create event	https://conference-ops-pilot-app.techfren.workers.dev/events/new
Local full handoff	output/pdf/conference-ops-final-handoff.pdf

Audit evidence

- <output/audit/final-feature-audit.md>
- <output/audit/organizer-control-matrix.csv>
- <output/audit/role-lifecycle-evidence.json>
- <output/audit/backend-release-ledger.json>
- <output/audit/pilot-release-manifest.json>

Useful feedback

- What were you trying to accomplish?
- Which event slug, role, and page URL were involved?
- What happened, what did you expect, and at approximately what time?
- Attach a screenshot, but remove passwords and private verification/invitation links.

Start here

Open <https://conference-ops-pilot-app.techfren.workers.dev>, create your account, and follow the Control Room runway. The pilot is ready for named organizer evaluation.