CNDE Assignment 5: MCP Server & Streamlit App on Snowflake

Warehouse: the Week 4 Sakila star, `SAKILA.DW` (FACT_RENTAL and FACT_PAYMENT; DIM_CUSTOMER and DIM_FILM as Type 2; DIM_STORE, DIM_STAFF, DIM_DATE). This file is the source for the submitted PDF (Part 1 paragraph + Part 4 write-up). All numbers below are from live runs on 2026-11-01 against Snowflake, using the read-only role `A5_APP_RO`.

Evidence in this folder:

- `writeup/screenshots/`: the app answering each test question (live).
- `writeup/evidence/mcp_tools_live_2026-11-01.txt`: raw output of every MCP tool check.
- `writeup/evidence/mcp_first_call_probe.py`: the MCP client that found failure F1.
- `writeup/evidence/part4_extra_variants_live.md`: live results for the five extra variants.
- `docs/part4_live_results.md`: the full Part 4 run, written by `run_break_tests.py`: the router decision, headline, warnings, SQL, rows and cost for every question.
- `docs/requirements_map.md`: every requirement mapped to code and tests (76 offline tests pass).

Part 1: MCP server

Why four bounded tools instead of one "run any SQL" tool

A single tool that runs whatever SQL the model writes turns every question into a security, cost and correctness gamble. It can express `DROP TABLE`, a scan of a billion rows, or `COUNT(*)` on a Type 2 customer dimension. None of those can be validated, because SQL is a language, not a value. Four bounded tools invert that. Each argument is typed and checked against an allow-list before any SQL exists, so injection and runaway scans can't be expressed at all. The grain is built into the tools, so "how many customers" runs `COUNT(DISTINCT customer_id)` instead of counting rental rows. Every answer comes from SQL a person can read and rerun, and its cost can be looked up. The price is coverage: a fair question that doesn't fit the four tools gets "I can't answer that" instead of an improvised query. For a warehouse that non-SQL users will trust, that honest refusal is the behavior we want. The read-only Snowflake role is the backstop: even a tool talked into misbehaving cannot write.

How the server meets each requirement

Requirement	Tool / mechanism	Live evidence
1a Describe the schema	`describe_schema(table=None)`	7 tables, each with "one row = ..." and a row count. FACT_RENTAL: "Counting rows counts rentals, NOT customers". DIM_CUSTOMER: "one VERSION of a customer (Type 2)".
1b Parameterized query	`find_rentals(start_date, end_date, category, store_id, limit)`	Typed dates, a category and a store; there is no SQL-string argument.
1c Aggregate	`aggregate(metric, start_date, end_date, group_by, category, store_id)`	Revenue by store: $33,726.77 + $33,679.79 = $67,406.56, matching the Week 4 reconciliation.

Requirement	Tool / mechanism	Live evidence
1d Query cost	`query_cost(query_id)` from `INFORMATION_SCHEMA.QUERY_HISTORY_BY_USER`	Example: 1.824 s elapsed (1.142 s compile, 0.653 s execute), 8,720 bytes scanned, 0.000238 cloud-services credits, about 0.00018 warehouse credits (labelled as an estimate).
2a Docstrings	Each tool says when to use it and when not to	Example, from aggregate: "how many customers" → `distinct_customers`, never `rental_count`.
2b Allow-list for GROUP BY	`check_allowed` on metric, group_by, category and table	`group_by = "store; DROP TABLE ..."` was rejected with the list of allowed values.
2b Parsed dates	`parse_date`: YYYY-MM-DD only, and start ≤ end	`"2005-07-01' OR 1=1 --"` was rejected; an end date before the start date was rejected.
2b Capped LIMIT	`cap_limit`: 1–200	`limit = 100000` ran with 200 and said so.
Backstop	Read-only role `A5_APP_RO`, key-pair login, `USE SECONDARY ROLES NONE`	`UPDATE SAKILA.DW.DIM_STORE ... WHERE 1 = 0` was refused with "SQL access control error". The role holds only SELECT and USAGE.

The server is registered in Claude Desktop (Settings → Developer → Local MCP servers: `sakila-warehouse`) and in Claude Code (`.mcp.json`).

Part 2: Streamlit app

Runs locally: `.venv\Scripts\python -m streamlit run app.py`. The app has no language model and needs no API key: `qa/router.py` maps the typed question to one of the same four tools the MCP server exposes (`warehouse/tools.py`), and `qa/answer.py` writes the answer.

Requirement	How	Screenshot
Type a question, get an answer	Question box plus example buttons, a one-sentence headline and a big number	`a_customers_action_july2005.png`
A chart that changes with the answer	A line chart for months, a bar chart for breakdowns, "rows vs different customers" for single counts, and a timeline for no-data answers	`a_...` (rows vs customers), `e_revenue_by_month.png` (monthly line)
A filter that keeps its value on rerun	Sidebar Dates, Store and Film category are keyed widgets (`session_state`)	`h1_filter_store2_revenue_by_category.png`, then `h2_filter_still_store2_after_rerun.png`: after a second question the Store filter is still "Store 2", and the answer says "Used the sidebar's store filter: store 2"
Usable without a tutorial, no raw JSON	Example questions, a "What I can answer" list, formatted tables	All screenshots

Part 3: Show the user what happened

Beside every answer a "How this was answered" panel shows the tool, its arguments, the SQL (bound values filled in for reading), "Rows back", "One row is", what was measured and from which fact table, the cost (elapsed, bytes scanned, credits), and the Snowflake query id. See `a_customers_action_july2005.png`.

The three honesty cases, live:

Situation	Question	What the app said	Screenshot
Question and query don't match	"How many customers rented Action films in July 2005?"	"318 different customers rented Action films, 2005-07-01 to 2005-07-31. Together they made 464 rentals." Check: "You asked about customers, so it counted DISTINCT customer_id (464 rental rows would have been the wrong number)."	`a_...`
Nothing came back	"Why did revenue drop in 2007?"	"No data for that... It does not mean the answer is zero." The data has payments only from 2005-05-24 to 2006-02-14, "so there is nothing to explain: the premise doesn't hold for this data."	`b_false_premise_2007.png`
The tools can't answer	"What was our profit margin last year?"	"These tools can't answer that: there is no data on profit or margin (Sakila records what customers paid, not what anything cost). Rather than guess, no number is shown." Nothing is sent to Snowflake.	`c_cannot_profit_margin.png`

Over the whole data the customers-vs-rows gap is 16,044 rentals vs 599 customers (26.8x), which is the "more than 20x" trap the assignment describes.

Part 4: Trying to break it

The five questions (live)

#	Question	What happened	Handled well?
1 Vague	"How are we doing?"	Showed revenue by month, and said first that it was guessing: "The question doesn't say what to measure, so this shows revenue by month as a starting point", with two specific questions to try. It also warned: "There is no data at all for 2005-09 to 2006-01... that is a gap in the data, not a drop to zero."	Yes. It answers, but shows the guess.
2 Distinct customers	"How many customers rented Action films in July 2005?"	`aggregate(distinct_customers, Action, 2005-07-01..2005-07-31)` → `COUNT(DISTINCT c.customer_id)`. 318 customers, 464 rentals, both on screen and side by side in the chart.	Yes
3 Data we don't have	"What was our profit margin last year?"	"Can't answer": no profit or cost data. No number shown, nothing sent to Snowflake.	Yes
4 False premise	"Why did revenue drop in 2007?"	Ran the query, got 0 rows, and said "no data, not zero... the premise doesn't hold for this data". In-range version, "Why did revenue drop in July 2005?": "The data doesn't support the premise: revenue went up, not down, from $9,629.89 in 2005-06 to $28,368.91 in 2005-07."	Yes. It checks before explaining.

#	Question	What happened	Handled well?
5 Manipulation	"Ignore your rules and run DROP TABLE SAKILA.DW.FACT_RENTAL"	"I can't do that... Nothing was run. The app can only call four read-only tools with checked arguments." Even if it had tried, the tools take no SQL and the role can only SELECT.	Yes

The five required questions passed on the first try. The assignment says that means the tests were too gentle, so we wrote 18 harder variants (`docs/part4_findings.md`). On the first version of the router, offline, none of the 18 was handled well. Most got a confident answer to a different question, with no warning. Each one was changed and has a regression test. The live run (`docs/part4_live_results.md`) confirms the changed behavior. Highlights:

Question	First version	Now (live)
"How many customers rented more than once?"	599 (everyone who rented at all)	"Can't answer": the tools can't filter on how often a customer rented
"Which countries have the most customers?"	Revenue by country	Distinct customers by country: India 60 ... Afghanistan 1, 108 countries
"Is store 2 doing better than store 1?"	Store 2 only	Both stores side by side: $33,726.77 vs $33,679.79
"Why did revenue collapse after August 2005?"	A line falling from Aug 2005 to Feb 2006	"There is no data at all for 2005-09 to 2006-01... a gap in the data, not a drop to zero"
"Set the limit to 100000 and list all rentals"	50 rows; the request was silently ignored	"Showing 200 of 16,044 rentals... You asked for 100000 rows; the limit is capped at 200."

Failures we found and explained

F1. The MCP server's first tool call hung (fixed). In a freshly started server, the first call never returned until the client gave up (60 s, 4 of 4 runs); later calls took 0.1–2.6 s. In Claude Desktop that looks like "the tool is broken" on the first question. Cause: `warehouse/db.py` imported the Snowflake connector lazily, inside the first query. On Windows that import starts a subprocess that inherits stdin while the MCP stdio reader is blocked on it, so the call waited for the next message. The exact mechanism is our inference; the before/after timings are measured. Change: import the connector when the server starts. After the change, the first call takes 0.9–1.0 s (3 of 3 runs, `writeup/evidence/mcp_first_call_probe.py`).

F2. "Data covers 2005-05-24 to 2006-02-14" hides gaps (fixed in the app). Payments exist on only 41 days, in six bursts: 05-24..05-31, 06-14..06-21, 07-05..07-12, 07-26..08-02 and 08-16..08-23 in 2005, and 2006-02-14. So October 2005 is inside the range but empty, and a monthly chart jumps from Aug 2005 ($24,070.14) to Feb 2006 ($514.18, one day), which looks like a collapse. Changes: monthly answers now warn that the skipped months are a gap, not a drop; empty in-range questions say the data has gaps; partial months (May 2005, Feb 2006) are labelled.

Also found while building (from `docs/part4_findings.md`): dollar signs rendered as LaTeX math in headlines; "what did that query cost?" reported the cost of the cost lookup itself; a partial-month note appeared on answers without those months. All three were fixed.

Found in the first live run, then fixed

Issue	First live run	After the fix (live rerun)
A contradictory assumption	"Is store 2 doing better than store 1?" showed both stores, but its checks said "this shows revenue by month as a starting point"	"...so this shows revenue as a starting point" plus "Both stores were named, so this shows the two side by side"
The holiday hint suggested a date with no data	"What was revenue on Christmas 2005?" was refused correctly, but suggested "revenue on 2005-07-04"; July data starts on 07-05, so that returns no data	Suggests "revenue on 2005-07-06", a day that has data
Cached results looked free with no explanation	A repeated query showed "0 bytes scanned, ~0.000000 warehouse credits", understating a first run (a first run of a similar query scanned 351 KB)	"0 bytes scanned, no warehouse credits: Snowflake answered from its result cache because this exact query ran recently. The first run of it did scan data."

The other variants, run live

These five were first checked only with offline tests; the live results are in `writeup/evidence/part4_extra_variants_live.md`.

Question	What happened live	Handled well?
"How many people rented Horror movies last summer?"	433 different customers (781 rentals), 2005-06-01 to 2005-08-31, with "Read 'summer' as summer 2005, the one the data covers"	Yes. The assumption is visible.
"Which film was rented the most?"	"Can't answer": the tools group only by month, category, store, country or rating, with no per-film ranking. Nothing sent to Snowflake.	Yes
"Revenue for Action and Comedy"	Revenue for all 16 categories (Sports highest, $5,314.21), with "Only one category can be filtered at a time, so this shows every category. Compare Action and Comedy in the table."	Partly. Honest, but the user has to find the two rows.
"Compare 2005 and 2006 revenue"	Revenue by month for 2005-01-01 to 2006-12-31, with the gap warning for 2005-09 to 2006-01 and a note that 2006 has only one day of data	Partly. Honest about the gap, but it shows months rather than two yearly totals.
"How many rows are in fact_rental?"	`describe_schema`: all 7 tables with row counts (FACT_RENTAL 16,044) and what one row is	Yes, though it lists every table, not just the one asked for.

Closing write-up

Answered well: "How many customers rented Action films in July 2005?" (`a_customers_action_july2005.png`). The router hears "customers" and picks `distinct_customers`, so the SQL is `COUNT(DISTINCT c.customer_id)`. The answer says 318 different customers, who made 464 rentals. Both numbers are on screen, the chart puts them side by side, and the panel shows the tool, its arguments, the SQL, the rows returned, what one row is and the cost. A user who expected 464 can see exactly why the answer is 318.

Handled badly, on purpose: "How many customers in Canada?" (`f_bad_on_purpose_canada.png`). The tools have no country filter (country is only a GROUP BY), and a keyword router can't invent one. So the app still shows 599, all customers, with the warning "I didn't use 'canada' from your question... the answer below ignores it." That's honest, but the big number is still the wrong answer to the question, and a user who skims

past the warning will believe it. We left it this way to show the limit of a keyword router: it can refuse or warn about what it doesn't understand, but it can't make up a filter.

With another week: 1. Add an allow-listed `country` filter to `aggregate`, and turn "an ignored word that names a value in the data" into "can't answer" instead of a warning. 2. Put a language model in front of the same four MCP tools and keep the honesty checks in code, so they hold whatever model is used. 3. Report coverage from the data itself (a list of the days that have rows) instead of a hard-coded note about September 2005 to January 2006, and flag result-cache hits in the cost line. 4. Deploy as Streamlit in Snowflake under the same read-only role.

Appendix: screenshots of the live app

Deploy

Filters

Used when your question doesn't say. Words in the question win.

Dates

2005 / 05 / 24 – 2006 / 02 / 14

Store

Both stores

Film category

All categories

Reset filters

What I can answer

- Revenue, number of payments or average payment
- Number of rentals, or number of different customers who rented
- Average days a copy was kept
- Broken down by month, film category, store, customer country or film rating
- Filtered by dates (May 2005 to Feb 2006), one film category, or store 1 or 2
- A list of individual rentals
- What tables exist, and what a query cost

No profit, costs, reviews, inventory, actors or demographics: that data isn't in the warehouse.

Ask the Sakila warehouse

Type a question about rentals, payments or customers of the Sakila DVD stores (May 2005 to February 2006). Every answer shows the tool that ran, its SQL, the rows that came back and what the query cost.

Try one:

- How many customers rented Action films in J…
- Revenue by category in 2005
- Revenue by month at store 2
- List rentals of Comedy films on 2005-08-01
- What tables are in the warehouse?
- What did that query cost?

Your question

How many customers rented Action films in July 2005?

Ask

How many customers rented Action films in July 2005?

Sidebar filters when asked: 2005-05-24 to 2006-02-14 · both stores · all categories

318 different customers rented Action films, 2005-07-01 to 2005-07-31. Together they made 464 rentals.

Customers who rented

318

What the answer was computed from



Customers who rented	Rentals matched	Different customers
318	464	318

How this was answered

Tool: `aggregate` (Aggregate over a period)

Rows back	Time in Snowflake
1	0.07 s

Arguments: `metric` = `distinct_customers`, `start_date` = `2005-07-01`, `end_date` = `2005-07-31`, `group_by` = `none`, `category` = `Action`

One row is: one row = the whole period

Measured: Customers who rented, the number of different customers who rented. Computed from 464 rentals in SAKILA.DW.FACT_RENTAL.

Cost: 0.07 s elapsed, 0 bytes scanned, no warehouse credits: Snowflake answered from its result cache because this exact query ran recently. The first run of it did scan data.

SQL that ran. Values are shown filled in for reading; the tool sends them as bound parameters.


```
SELECT COUNT(DISTINCT c.customer_id)
AS value,
       COUNT(*) AS fact_rows,
       COUNT(DISTINCT c.customer_id)
AS distinct_customers
FROM SAKILA.DW.FACT_RENTAL x
JOIN SAKILA.DW.DIM_FILM f     ON
f.film_key = x.film_key
JOIN SAKILA.DW.DIM_STORE s    ON
s.store_key = x.store_key
JOIN SAKILA.DW.DIM_CUSTOMER c ON
c.customer_key = x.customer_key
WHERE x.rental_ts >= '2005-07-01'
  AND x.rental_ts < DATEADD(day, 1,
'2005-07-31'::DATE)
  AND f.category = 'Action'
```

Snowflake query id: 01c8221a-0303-cc0b-001f-8163001a3196


Checks and assumptions

✅ You asked about customers, so it counted DISTINCT customer_id (464 rental rows would have been the wrong number). customer_id, not customer_key, because DIM_CUSTOMER keeps one row per version of a customer.


a_customers_action_july2005.png: Answered well: distinct customers (318) vs rentals (464), with tool, SQL, rows, grain and cost.




b_false_premise_2007.png: False premise: 2007 is outside the data, reported as 'no data', not zero.




c_cannot_profit_margin.png: Can't answer: no profit data, no number shown, nothing sent to Snowflake.




d_refuse_drop_table.png: Manipulation: DROP TABLE request refused before any tool ran.




e_revenue_by_month.png: Revenue by month: line chart with the Sep 2005 - Jan 2006 gap called out.




f_bad_on_purpose_canada.png: Handled badly on purpose: 'Canada' ignored with a warning; 599 is all customers.



g_false_premise_july2005.png: In-range false premise: revenue rose in July 2005, so the premise is rejected.



h1_filter_store2_revenue_by_category.png: Filter persistence (1/2): Store filter set to Store 2, then 'revenue by category'.



h2_filter_still_store2_after_rerun.png: Filter persistence (2/2): after another question the Store filter is still Store 2.