

Serial Number Prefixes

C-10, C-12 & 3176

- 2YG 3176
 - 1988 to 1990
- 7LG 3176
 - 1991 to December 1993
- 9CK 3176B
 - May 1993 to March 1995
- 2PN C-10
 - March 1995 to September 1997
- 8YS C-10
 - September 1997 to November 1998
- 1YN C-12
 - March 1995 to September 1997
- 9NS C-12
 - September 1997 to November 1998
- 3CS C-10
 - November 1998 to Current
- 2KS C-12
 - November 1998 to Current

Serial Number Prefixes

3406/C-15/C-16

- 8TC PEEC II and PEEC II.V
 - 1987 to 1990
- 5YG PEEC II - 460Hp Only
 - 1990
- 2EK PEEC II and PEEC II.V
 - 1991
- 4CK 3406C Electronic
 - August 1991 to December 1993
- 5EK 3406E
 - May 1993 to December 1996
- 6TS 3406E
 - January 1997 to December 1997
- 1LW 3406E 14.6L
 - December 1997 - November 1998
- 5DS 3406E 15.8L
 - December 1997 - November 1998
- 2WS 3406E 14.6L
 - November 1998 to Current
- 1MM 3406E 15.8L
 - November 1998 to Current
- 6NZ C-15
 - November 1999 to Current
- 7CZ C-16
 - November 1999 to Current

3126E Electronic Control and Sensors

- ECM (3126E Basic & Full Feature) 179-4898
- Coolant temperature Sensor - 130-9811
 - O-Ring Seal 6V6609
- Inlet Manifold temperature Sensor - 130-9811
 - O-Ring Seal 8L2786
- Speed/Timing Sensors - 119-4142
 - O-Ring Seal 117-1385
- Atmospheric Pressure Sensor - 194-6722
 - O-Ring Seal 6V5049
- Boost Pressure Sensor - 194-6723
 - O-Ring Seal 3J7354
- Injection Actuation Pressure Sensor - 167-1708
 - O-Ring Seal 1J9671
- Pedal Position Sensor - 204-7949
- Injector Wiring Harness - 153-8920
- Wire Router - 126-1774

Tech

Tips

1619930 OIL PS Sensor

C-10, C-12, 3176B & 3406E Pre-'99 Current Parts

- C-10 - 2PN & 8YS, C-12 - 1YN & 9NS, 3176B - 9CK & 3406E - 5EK & 6TS, 1LW, 5DS
 - Electronic Control Module (ECM) – 212-9450
 - ECM with J1939 Data Link Option – 212-9459
 - Speed/Timing Sensor
 - 3406E — ~~129-6628~~ Sensor *2659083*
 - 126-8481 Shim (0.020")
 - C-10, C-12 & 3176B — 129-6628 Sensor No Shim
 - Coolant/Fuel Temperature Sensor - 102-2240
 - ✓ ■ Air Inlet Temperature Sensor - 107-8618
 - ✓ ■ Boost Sensor - CRB 161-9927
 - Atmospheric Pressure Sensor 111-8125
 - Oil Pressure Sensor - CRB 161-9930
 - Pedal Mounted Throttle Position Sensor - CRB176-1602

3176 —2YG Current Parts

■ 3176 - 2YG

- ECM - 9X9529 0R6149
 - ECM FORD - 9X9528 / 0R6148
- Transducer module - 9X8226 / 0R6132
- Harness - 7E8421
- Speed/Timing Sensor - 102-9029
- Fuel Pressure Sensor - 107-7142
- Coolant Temperature Sensor - 9X5370
- Vehicle Speed Buffer - 3E0020
- Remote Mounted Throttle position Sensor - 9X9647
 - Remote Mounted Throttle Position Sensor - FORD - 9X9648
- Pedal Mounted Throttle Position Sensor - 161-8906

3116 HEUI & 3126 HEUI — Electronic Parts

■ 3116 HEUI - 8WL and 3126 HEUI - 1WM

■ ECM – 145-7807

- ECM Connector Bolt Kit – 6V6703
- 40 Pin Plug Assembly – 114-4408 (includes 110-6844 Seal)
- 40 Pin Connector Seal – 110-6844

■ Speed/Timing Sensor Service Kit – 119-4142

- Includes 117-1385 O-Ring Seals *Round*

■ Inlet Air Temperature Sensor – 107-8618

- Requires 3K0360 Seal *Round*

■ Coolant Temperature Sensor – 106-0735

- Requires 3K0360 Seal

■ Boost Pressure Sensor – 161-9927

- Male/Male Adapter – 9X0262 & 3J7354 – Seal

■ Injection Actuation Pressure Sensor – 167-1709

- ■ Requires 108-5803 Seal *Round*

■ Injection Actuation Pressure Control Valve – 122-5053

- ■ Seal Kit 9X1484 *Round*

■ Throttle Position Sensor – 204-7949

■ Fuel Transfer Pump to Hydraulic Pump O-Ring – 004-1963

■ Hydraulic Pump Dome O-Ring – 6V5656

C-10, C-12, C-15, C-16 & 3406E

'99 Model Year to Current

- C-10 - 3CS, C-12 - 2KS, & 3406E - 2WS (14L) - 1MM (16L), C-15 - 6NZ, C-16 - 7CZ
 - Electronic Control Module (ECM) - 179-1747
 - Speed/Timing Sensor
 - C-10, C12 Cam Sensor - ~~189-9801~~ 1945340 Boston
 - 3406E Cam Sensor - ~~189-9267~~ 1945341
 - C-10, C-12 & 3406E Crank Sensor - ~~189-9266~~ 1945338,
 - Coolant/Fuel/Inlet Air Manifold Temperature Sensor - 130-9811
 - Boost Pressure Sensor - ~~161-9929~~ 1946724
 - Atmospheric Pressure Sensor 194-6722
 - Oil Pressure Sensor - ~~161-9931~~ 1946725
 - Pedal Mounted Throttle Position Sensor
 - Long Pig Tail - 3E-7700
 - Short Pig Tail - 121-0231

3176 — 7LG Current Parts

■ 3176 7LG

- ECM - 3E5293
- Transducer Module - 9X8226 / 0R6132
 - Altitude Retrofit - 3E8644 / 0R6470
- Speed Timing Sensor - 102-9029
- Oil Pressure Sensor
 - "DT" Connector 7LG08721 and Up — 161-9930
 - "HD" Connector 7LG07500 to 7LG08720 — 163-8516
- Coolant / Inlet Air Temperature Sensors
 - Full Range - 7LG07500 and Up — 102-2240
 - Limited Range - 7LG00001 to 7LG07499 — 9X5370
- Vehicle Speed Buffer - 3E0020
- Remote Mounted Throttle position Sensor - 9X9647
 - Remote Mounted Throttle Position Sensor - FORD - 9X9648
- Pedal Mounted Throttle Position Sensor - 161-8906

3406C Electronic Current Parts

■ 3406C - 4CK

- ECM - 9X8085
- Transducer Module - 132-4363
- Speed Sensor - 100-6619
- Rack Sensor - 9X7793
- Timing Sensor - 129-4501
- BTM - 105-2939
- Coolant Temperature Sensor - 102-2240
- Pedal Mounted Throttle Position Sensor - 161-8906
- Remote Mounted Oil Pressure Sensor Kit - 118-6256
- Vehicle Speed Buffer - 3E0020 (same for PEEC II)

Other 3116 HEUI & 3126 HEUI Parts

- Part Numbers missing for Parts Books (3116 HEUI – SEBP2271 and 3126 HEUI SEBP2355)
 - 123-1199 Seal for Injector and IAPCV Connectors
 - 118-8622 Service Replacement Harness
 - 40 pin to Injectors
 - 122-8840 Service Replacement Harness
 - 40 pin to Speed/Timing Sensor
 - 122-8842 Service Replacement Harness
 - 40 pin to IAPCV
 - 122-8839 Service Replacement Harness
 - 40 pin to all other sensors
 - 141-7060 Injector Wiring Harness Connector Repair Kit
 - 143-8325 Injection Actuation Pressure Sensor Guard

PEEC II.V Current Parts

■ PEEC - 8TC and 2EK - FORD Only

- ECM - 9X4840
- Transducer Module - 132-4363
- Speed Sensor - 100-6619
- Rack Sensor - 9X7793
- Timing Sensor - 129-4501
- BTM - 105-2939
- Throttle Position Sensor
 - Remote Mounted "Beer Can" Sensor - 9X9648
 - Pedal Mounted Throttle Position Sensor - 161-8906
- Remote Mounted Oil Pressure Sensor Kit - 122-1649
- If the engine (2EK and 5YG) has had the White Smoke Product Support Program performed. The following parts will be installed:
 - 6I2382 - Wiring Harness
 - 9X5370 - Temperature

*1186315 or PS
Sensor
PEEK.
300612*

Tech
Tips