
directions paris emea 2026



Hire an AI Employee for €0*:

Stand Up an OpenClaw Agent Connected to BC, M365 and Work IQ in 45 mins.



AJ Ansari, DSWi

October 27, 2026



AJ Ansari

COO & Partner

DSWi

dswius.com

Learn AI & Copilot Studio

Only Copilot Fans .com

Copilot Studio Saturdays .com

AI Framework For Decision Makers

AI Clarity Method

ClarityMethod.ai

Podcast

Only BC Fans .com

Agenda

1. Hosting — give it a desk
2. Model choice — local or cloud
3. Heartbeat · search · embeddings
4. Identity & guardrails
5. Licenses — user, M365, BC
6. Password manager
7. VPN & network
8. MFA
9. App registrations
10. BC skills → headless test


directions paris emea 2026

≈45 min

directions paris emea 2026

What we're hiring

An agent on its own machine, acting for you — onboarded like a new employee.



Own machine
a VM or a spare box

A brain
cloud or local models

Skills
the things it can do

Your systems
BC · M365 · Teams

directions paris emea 2026

Step 1 · Hosting

Give it a desk, not your laptop — a standalone machine, like a new employee.

VM standup is the bulk: 10–30 min. OpenClaw itself: minutes.

Option	€ / month	Notes
Your own machine	**€0**	Acts for you, as you — zero standup
Azure VM	**€0***	*VS Enterprise / MSFT credits
Abacus AI	**€10–20**	Managed, fastest standup
Lightsail / Google Cloud	**~€15**	Cheap small VMs

Getting Started

- **OpenClaw:**
  - https://docs.openclaw.ai/start/setup
- **Installed. Now What?**

```
openclaw onboard
```

- **Connecting a model:**
  - You can pick from pre-configured models available at setup OR connect one of your own*
  - Own models can be LOCAL models downloaded from Ollama
  - Can also be CLOUD models from Ollama, Open Router, Anthropic (with API key), Open AI (with API key, etc.)
- **Ollama Cloud Model? Get your Key:**
  - https://ollama.com/settings/keys

directions paris emea 2026

Step 2 · Model choice

Local or cloud. Want to go lean? Ride the subscriptions you already pay for.

- **Ollama Cloud** — my lean setup: glm-5.3-flash as main, deepseek-v4.1-flash as alternate
- **Claude subscription** — personal plan, tied in as a provider
- **GitHub Copilot subscription** — same trick, zero extra spend
- **Always set fallback models** — one provider will fail you mid-demo
- **Cap the spend** — set a token budget before it surprises you

directions paris emea 2026

Step 2 · Model setup

Set up two to four models, each with one job, and rank the backups.

- **Daily driver** — a reasonably priced model for everyday work
- **Fallback** — from a different provider, for token caps or outages
- **Reasoning** — a stronger model for complex tasks
- **Code linting** — one light model, if the agent codes for you

Add each model from the VM terminal (example below)

```
openclaw models set ollama/glm-5-3:cloud   # daily driver
```

An alias adds a model you can switch to in chat, e.g. /model reason

Rank fallbacks: OpenClaw fails over to the next one

```
openclaw models fallbacks add <provider/model>  # rank 1
openclaw models fallbacks add <provider/model>  # rank 2
```

The order you add them is the rank. Check it: openclaw models fallbacks list

directions paris emea 2026

Step 3 · Supporting services

Small settings, big cost impact.

Heartbeat

Set it low — recent builds idle cheaply on their own (heartbeat is set low by default)

Search · Brave Search API

€5 free credit per month ≈ 1,000 queries; then ~€5 per 1,000. Enough for one agent.
There are alternatives, but I prefer Brave

Embeddings

Brave has no embeddings API. Run a local embedding model via Ollama (€0) or a cheap cloud embedder

directions paris emea 2026

Step 4 · Identity & guardrails

When in doubt, hamper capability — never security.

- **Name, role, scope** — what it is, what it does, what it never does
- **Privacy first** — strict guardrails from day one, not retrofitted
- **Channels** — Telegram is the best first choice (next slide); Teams and WhatsApp also work
- **Allowlist** — who may message it; deny everyone else by default

Its identity lives in three workspace files

IDENTITY.md
Name, vibe and emoji: how it introduces itself.

SOUL.md
Persona, tone and the hard limits it keeps.

AGENTS.md
Operating rules, loaded at the start of every session.

Edit them in the Control UI: Settings → Agents → Files. **Agent workspace docs**

directions paris emea 2026

Step 4 · Connect Telegram

The best first channel: a free bot, live in minutes.

Telegram chat is not secure
Never share passwords or private info with your agent here.

Many users? Use Teams
Best when the agent works with many people in your org, but setup takes more work.

Telegram setup guide

1. **Open @BotFather in Telegram**
   Check the handle is exactly @BotFather.
2. **Send /newbot**
   Pick a name and a username ending in “bot”, then copy the token.
3. **Give OpenClaw the token**

```
openclaw channels add --channel telegram --token <bot-token>
```

4. **DM your bot, then approve the pairing**

```
openclaw pairing approve telegram <code>
```

Why Telegram first

Free in minutes
No business account or developer portal.

Wherever you are
Phone, desktop and web clients.

Locked to you*
Only paired* people can message it.

directions paris emea 2026

Step 5 · Licenses

Hire it properly: its own user, its own licenses — never a shared login.



Entra user

a real identity



M365

mail, files, Office



Copilot (?)

optional — your call



Business Central

the day job

Why a separate user?



Controlled access
The agent reaches only what you grant



Clean audit trail
Human vs agent actions, logged apart

≈25 min



directions paris emea 2026

Step 6 · Core skill: passwords

The first skill it gets — before anything else can sign in.

- **1Password (or similar)** — a password-manager skill for all credentials
- **Shared Vault, not a login** — the agent reads one shared vault; it has no 1Password account of its own
- **No secrets in plaintext** — not in configs, not in chat history
- **Retrieve at run time** — the agent fetches; you control the vault
- **Rotate test credentials** — anything you pasted while debugging is burned

Included OpenClaw skill — just configure it

```
openclaw plugins enable onepassword
```

directions paris emea 2026

Step 7 · Network reality

Why your shiny new VM gets treated like a bot.

Datacenter IPs are hard-screened

- Blocks and CAPTCHAs on everyday sites
- Silent rate limits you only notice later
- Your agent looks like a scraper by default

The fix: a VPN — WireGuard

- I use **Proton VPN**
- No-logs policy, audited every year
- Swiss privacy law; open-source apps
- Route the agent's traffic, not just yours
- Set it up before the first headless run

WireGuard skill from ClawHub — install once, then configure

```
openclaw skills install @ivangdavila/wireguard
```

directions paris emea 2026

Step 8 · MFA

Yes — your agent can do MFA.
Done right, it should.

- **Its own MFA, not yours** — never share your second factor
- **TOTP in the vault** — the password manager holds the seed
- **MFA skill** — completes sign-ins headlessly, no human in the loop
- **Keep break-glass access** — you stay admin, always

This step can feel the most clunky

directions paris emea 2026

Step 9 · App registrations

Entra app regs: least privilege, secrets in the vault.

Business Central

API access to your environment, scoped to what the skills actually need.

Teams

Lets the agent chat where your team already works.

Microsoft Graph


Mail, files, calendar — grant scope by scope, never broadly.

directions paris emea 2026


Step 9 · Register the app in Azure


Create it at **portal.azure.com** → Microsoft Entra ID → App registrations → New registration.

1 Single tenant only



2 Redirect URI: nativeclient





3 API permissions

Delegated only, scoped to BC, Graph and Power Automate. Admin consent granted.

directions paris emea 2026

Step 10 · BC skills

The payoff: it works inside your ERP.

- **Read and post BC data** — customers, items, sales documents
- **Query, summarize, create** — through the app reg, as itself
- **Work IQ** — ties BC context into M365, so answers span both
- **Start read-only** — add write access once it has earned trust

How the agent gets BC work done

Graph connectors
Graph for BC and M365 data

Custom MCP
Your own MCP server config

curl
Direct calls to BC REST APIs

CUA (computer-using agent)
Drives a local browser

> **That mix is why we build skills.**
> A skill records which route suits each task, or each step of a task, so the agent doesn't stumble through it every time or burn tokens and time.

directions paris emea 2026

Step 10.5 · Building your own skills

Walk the agent through it once, then save the route as a skill.

[Creating skills guide]

1. **Whiteboard the task**
   Map what you want done, end to end, before you prompt.
2. **Prompt one small step at a time**
   Give the agent each step as its own short prompt.
3. **Tweak what misses**
   If a prompt doesn't do what you want, rephrase it or try another route.
4. **Ask it to build the skill**
   Once it all works, have the agent turn the session into a skill.
5. **Clean it up for general use**
   If needed, ask it to strip one-off details so the skill works on any run.
6. **Add it to your skills library**
   Approve in chat, or in the skills page of the OpenClaw Control UI.

directions paris emea 2026

Step 11: The headless test

No hands. We message it — and watch it work. And Build New Skills (for BC and other tasks)

≈10 min

directions paris emea 2026

Cron jobs & Dreaming

Work it does on a schedule, and memory it tidies overnight.

> **Not just the terminal**
> Create, pause or change jobs by asking your agent in chat, or in the Control UI. The command is one option.

Cron jobs

Tasks it runs on its own: a 7am inbox brief, a weekly BC sales summary, a one-off reminder. Or just ask in chat: “every weekday at 7, summarize overnight orders.”

```
openclaw cron add --name "Morning brief" \
  --cron "0 7 * * 1-5" --session isolated \
  --message "Summarize overnight BC orders" --announce
```

Dreaming

Background memory clean-up. Each night (03:00 by default) it reviews recent notes and chats, and promotes what matters into MEMORY.md.

On by default. See what it kept in DREAMS.md.

directions paris emea 2026

Addendum: Session Video

We had a technical access-related issue to VM with OpenClaw during the session. A full recording of the OpenClaw setup will be made available at the following location (next slide)

directions paris emea 2026

Session Resources

Videos and skills from today, in one GitHub repo.

Star the repo to follow updates.

Companion site on GitHub

github.com/ajansari/OpenClawSession

Videos

Recordings of this session's walkthroughs

Skills

The skills used in today's demos, ready to install

directions paris emea 2026


Addendum: OpenClaw on Abacus.ai

The hosted shortcut. SuperComputer sets up OpenClaw for you — no VM to build.

directions paris emea 2026

Abacus.ai · One-click OpenClaw


Pick OpenClaw in SuperComputer. It runs on your Abacus credits, so there are no API keys to manage.



directions paris emea 2026

Abacus.ai · Setup runs itself


Plugins, provider and gateway install in 30–60 seconds.



directions paris emea 2026

Abacus.ai · Your agent is live

Chat with it in the Dashboard tab, or open the Terminal to use the openclaw CLI.



directions paris emea 2026

Addendum: Need more agents?

One OpenClaw install can run a whole team.

directions paris emea 2026

One install, many agents

You don't need a second OpenClaw setup for a second agent.

> **Not just the terminal**
> Add and manage agents by asking your main agent in chat, or in the Control UI. The commands are one option.

Named agents

Permanent team members

Each gets its own IDENTITY, SOUL and AGENTS files, memory, model and channel, all in one gateway.

Separate workspace and sessions, so nothing leaks between agents.

Example: a finance agent on its own Telegram bot.

```
openclaw agents add finance
```

Ad-hoc sub-agents

Temporary helpers

Your main agent spins one up for a single task, runs it in the background, reports back, then closes it.

Can run on a cheaper model; archived after 60 minutes by default.

Example: parallel research or a long BC export.

```
/subagents spawn main "<task>"
```

directions paris emea 2026

Useful resources

Take the shortcuts — everything from today, reusable.

OpenClaw setup guide
docs.openclaw.ai/start/setup
Install, onboard and first run.

Business Central Skills Library
bcskills.ai
Business Central skills for your agent.

OpenClaw docs & GitHub
github.com/openclaw/openclaw
Install guides, skills, gateway setup.

Ollama cloud models
ollama.com
glm-5.3-flash, deepseek-v4.1-flash.

Brave Search API
brave.com/search/api
€5 free credit monthly.

WireGuard
wireguard.com
Works with Proton and major VPNs.


directions paris emea 2026

Give us *Feedback!*

and help us improve!

Please rate my session in the Conference App!

and leave a constructive comment.



Thank you !



AJ Ansari

Questions?

Need Help Later?
Contact me on LinkedIn or e-mail!

directions paris emea 2026

LinkedIn
bit.ly/AJAnsari

YouTube
bit.ly/OnlyCopilotFansYT

Email
AJ@OnlyCopilotFans.com