

# 100 numpy exercises

1. Import the numpy package under the name `np` (★★★)

In [ ]:

2. Print the numpy version and the configuration (★★★)

In [ ]:

3. Create a null vector of size 10 (★★★)

In [ ]:

4. How to find the memory size of any array (★★★)

In [ ]:

5. How to get the documentation of the numpy add function from the command line? (★★★)

In [ ]:

6. Create a null vector of size 10 but the fifth value which is 1 (★★★)

In [ ]:

7. Create a vector with values ranging from 10 to 49 (★★★)

In [ ]:

8. Reverse a vector (first element becomes last) (★★★)

In [ ]:

9. Create a 3x3 matrix with values ranging from 0 to 8 (★★★)

In [ ]:

**10. Find indices of non-zero elements from [1,2,0,0,4,0] (☆☆☆)**

In [ ]:

**11. Create a 3x3 identity matrix (☆☆☆)**

In [ ]:

**12. Create a 3x3x3 array with random values (☆☆☆)**

In [ ]:

**13. Create a 10x10 array with random values and find the minimum and maximum values (☆☆☆)**

In [ ]:

**14. Create a random vector of size 30 and find the mean value (☆☆☆)**

In [ ]:

**15. Create a 2d array with 1 on the border and 0 inside (☆☆☆)**

In [ ]:

**16. How to add a border (filled with 0's) around an existing array? (☆☆☆)**

In [ ]:

**17. What is the result of the following expression? (☆☆☆)**

```
0 * np.nan
np.nan == np.nan
np.inf > np.nan
np.nan - np.nan
np.nan in set([np.nan])
0.3 == 3 * 0.1
```

In [ ]:

**18. Create a 5x5 matrix with values 1,2,3,4 just below the diagonal (☆☆☆)**

In [ ]:

**19. Create a 8x8 matrix and fill it with a checkerboard pattern (☆☆☆)**

In [ ]:

**20. Consider a (6,7,8) shape array, what is the index (x,y,z) of the 100th element? (☆☆☆)**

In [ ]:

**21. Create a checkerboard 8x8 matrix using the tile function (☆☆☆)**

In [ ]:

**22. Normalize a 5x5 random matrix (☆☆☆)**

In [ ]:

**23. Create a custom dtype that describes a color as four unsigned bytes (RGBA) (☆☆☆)**

In [ ]:

**24. Multiply a 5x3 matrix by a 3x2 matrix (real matrix product) (☆☆☆)**

In [ ]:

**25. Given a 1D array, negate all elements which are between 3 and 8, in place. (☆☆☆)**

In [ ]:

**26. What is the output of the following script? (☆☆☆)**

In [ ]:

27. Consider an integer vector Z, which of these expressions are legal? (☆☆☆)

```
Z**Z
2 << Z >> 2
Z <- Z
1j*Z
Z/1/1
Z<Z>Z
```

In [ ]:

28. What are the result of the following expressions? (☆☆☆)

```
np.array(0) / np.array(0)
np.array(0) // np.array(0)
np.array([np.nan]).astype(int).astype(float)
```

In [ ]:

29. How to round away from zero a float array ? (☆☆☆)

In [ ]:

30. How to find common values between two arrays? (☆☆☆)

In [ ]:

31. How to ignore all numpy warnings (not recommended)? (☆☆☆)

In [ ]:

32. Is the following expressions true? (☆☆☆)

```
np.sqrt(-1) == np.emath.sqrt(-1)
```

In [ ]:

33. How to get the dates of yesterday, today and tomorrow? (☆☆☆)

In [ ]:

**34. How to get all the dates corresponding to the month of July 2016? (★★☆)**

In [ ]:

**35. How to compute  $((A+B)*(-A/2))$  in place (without copy)? (★★☆)**

In [ ]:

**36. Extract the integer part of a random array of positive numbers using 4 different methods (★★☆)**

In [ ]:

**37. Create a 5x5 matrix with row values ranging from 0 to 4 (★★☆)**

In [ ]:

**38. Consider a generator function that generates 10 integers and use it to build an array (★★☆)**

In [ ]:

**39. Create a vector of size 10 with values ranging from 0 to 1, both excluded (★★☆)**

In [ ]:

**40. Create a random vector of size 10 and sort it (★★☆)**

In [ ]:

**41. How to sum a small array faster than `np.sum`? (★★☆)**

In [ ]:

**42. Consider two random array A and B, check if they are equal (★★☆)**

In [ ]:

**43. Make an array immutable (read-only) (★★☆)**

In [ ]:

**44. Consider a random 10x2 matrix representing cartesian coordinates, convert them to polar coordinates (★★☆)**

In [ ]:

**45. Create random vector of size 10 and replace the maximum value by 0 (★★☆)**

In [ ]:

**46. Create a structured array with x and y coordinates covering the [0,1]x[0,1] area (★★☆)**

In [ ]:

**47. Given two arrays, X and Y, construct the Cauchy matrix C ( $C_{ij} = 1/(x_i - y_j)$ ) (★★☆)**

In [ ]:

**48. Print the minimum and maximum representable value for each numpy scalar type (★★☆)**

In [ ]:

**49. How to print all the values of an array? (★★☆)**

In [ ]:

**50. How to find the closest value (to a given scalar) in a vector? (★★☆)**

In [ ]:

**51. Create a structured array representing a position (x,y) and a color (r,g,b) (★★☆)**

In [ ]:

**52. Consider a random vector with shape (100,2) representing coordinates, find point by point distances (★★☆)**

In [ ]:

**53. How to convert a float (32 bits) array into an integer (32 bits) in place?**

In [ ]:

**54. How to read the following file? (★★☆)**

```
1, 2, 3, 4, 5
6,  ,  , 7, 8
 ,  , 9,10,11
```

In [ ]:

**55. What is the equivalent of enumerate for numpy arrays? (★★☆)**

In [ ]:

**56. Generate a generic 2D Gaussian-like array (★★☆)**

In [ ]:

**57. How to randomly place p elements in a 2D array? (★★☆)**

In [ ]:

**58. Subtract the mean of each row of a matrix (★★☆)**

In [ ]:

**59. How to sort an array by the nth column? (★★☆)**

In [ ]:

**60. How to tell if a given 2D array has null columns? (★★☆)**

In [ ]:

**61. Find the nearest value from a given value in an array (★★☆)**

In [ ]:

**62. Considering two arrays with shape (1,3) and (3,1), how to compute their sum using an iterator? (★★☆)**

In [ ]:

**63. Create an array class that has a name attribute (★★☆)**

In [ ]:

**64. Consider a given vector, how to add 1 to each element indexed by a second vector (be careful with repeated indices)? (★★★)**

In [ ]:

**65. How to accumulate elements of a vector (X) to an array (F) based on an index list (I)? (★★★)**

In [ ]:

**66. Considering a (w,h,3) image of (dtype=ubyte), compute the number of unique colors (★★☆)**

In [ ]:

**67. Considering a four dimensions array, how to get sum over the last two axis at once? (★★★)**

In [ ]:

**68. Considering a one-dimensional vector D, how to compute means of subsets of D using a vector S of same size describing subset indices? (★★★)**

In [ ]:

**69. How to get the diagonal of a dot product? (★★★)**



In [ ]:

**70. Consider the vector [1, 2, 3, 4, 5], how to build a new vector with 3 consecutive zeros interleaved between each value? (★★★)**

In [ ]:

**71. Consider an array of dimension (5,5,3), how to multiply it by an array with dimensions (5,5)? (★★★)**

In [ ]:

**72. How to swap two rows of an array? (★★★)**

In [ ]:

**73. Consider a set of 10 triplets describing 10 triangles (with shared vertices), find the set of unique line segments composing all the triangles (★★★)**

In [ ]:

**74. Given a sorted array C that corresponds to a bincount, how to produce an array A such that `np.bincount(A) == C`? (★★★)**

In [ ]:

**75. How to compute averages using a sliding window over an array? (★★★)**

In [ ]:

**76. Consider a one-dimensional array Z, build a two-dimensional array whose first row is (Z[0],Z[1],Z[2]) and each subsequent row is shifted by 1 (last row should be (Z[-3],Z[-2],Z[-1])) (★★★)**

In [ ]:

**77. How to negate a boolean, or to change the sign of a float inplace? (★★★)**

In [ ]:

**78. Consider 2 sets of points P0,P1 describing lines (2d) and a point p, how to compute distance from p to each line i (P0[i],P1[i])? (★★★)**

In [ ]:

79. Consider 2 sets of points  $P_0, P_1$  describing lines (2d) and a set of points  $P$ , how to compute distance from each point  $j$  ( $P[j]$ ) to each line  $i$  ( $P_0[i], P_1[i]$ )? (★★★)

In [ ]:

80. Consider an arbitrary array, write a function that extract a subpart with a fixed shape and centered on a given element (pad with a `fill` value when necessary) (★★★)

In [ ]:

81. Consider an array  $Z = [1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14]$ , how to generate an array  $R = [[1, 2, 3, 4], [2, 3, 4, 5], [3, 4, 5, 6], \dots, [11, 12, 13, 14]]$ ? (★★★)

In [ ]:

82. Compute a matrix rank (★★★)

In [ ]:

83. How to find the most frequent value in an array?

In [ ]:

84. Extract all the contiguous 3x3 blocks from a random 10x10 matrix (★★★)

In [ ]:

85. Create a 2D array subclass such that  $Z[i, j] == Z[j, i]$  (★★★)

In [ ]:

86. Consider a set of  $p$  matrices with shape  $(n, n)$  and a set of  $p$  vectors with shape  $(n, 1)$ . How to compute the sum of the  $p$  matrix products at once? (result has shape  $(n, 1)$ ) (★★★)

In [ ]:

87. Consider a 16x16 array, how to get the block-sum (block size is 4x4)? (★★★)

◀  ▶

In [ ]:

**88. How to implement the Game of Life using numpy arrays? (★★★)**

In [ ]:

**89. How to get the n largest values of an array (★★★)**

In [ ]:

**90. Given an arbitrary number of vectors, build the cartesian product (every combinations of every item) (★★★)**

In [ ]:

**91. How to create a record array from a regular array? (★★★)**

In [ ]:

**92. Consider a large vector Z, compute Z to the power of 3 using 3 different methods (★★★)**

In [ ]:

**93. Consider two arrays A and B of shape (8,3) and (2,2). How to find rows of A that contain elements of each row of B regardless of the order of the elements in B? (★★★)**

In [ ]:

**94. Considering a 10x3 matrix, extract rows with unequal values (e.g. [2,2,3]) (★★★)**

In [ ]:

**95. Convert a vector of ints into a matrix binary representation (★★★)**

In [ ]:

**96. Given a two dimensional array, how to extract unique rows? (★★★)**

In [ ]:

**97. Considering 2 vectors A & B, write the einsum equivalent of inner, outer, sum, and mul function (★★★)**

In [ ]:

**98. Considering a path described by two vectors (X,Y), how to sample it using equidistant samples (★★★)?**

In [ ]:

**99. Given an integer n and a 2D array X, select from X the rows which can be interpreted as draws from a multinomial distribution with n degrees, i.e., the rows which only contain integers and which sum to n. (★★★)**

In [ ]:

**100. Compute bootstrapped 95% confidence intervals for the mean of a 1D array X (i.e., resample the elements of an array with replacement N times, compute the mean of each sample, and then compute percentiles over the means). (★★★)**

In [ ]: