

**PHP Version 5.5.30**

<b>System</b>	Linux localhost.localdomain 4.6.3-300.fc24.i686 #1 SMP Fri Jun 24 21:29:36 UTC 2016 i686
<b>Build Date</b>	Oct 2 2015 12:40:54
<b>Configure Command</b>	<pre> ./configure' '--prefix=/bitnami/lampstack-linux/output/php' '--enable-fpm' '--with-fpm-user=daemon' '--with-fpm-group=daemon' '--with-apxs2=/bitnami/lampstack-linux/output/apache2/bin/apxs' '--with-expat-dir=/bitnami/lampstack-linux/output/common' '--with-zlib-dir=/bitnami/lampstack-linux/output/common' '--enable-mbstring=all' '--enable-soap' '--enable-bcmath' '--enable-ftp' '--with-xmlrpc' '--enable-fastcgi' '--enable-force-cgi-redirect' '--enable-cgi' '--with-imap=/bitnami/lampstack-linux/src/imap-2007f' '--with-imap-ssl=/bitnami/lampstack-linux/output/common' '--with-png-dir=/bitnami/lampstack-linux/output/common' '--with-gd' '--with-zlib' '--with-curl=/bitnami/lampstack-linux/output/common' '--with-jpeg-dir=/bitnami/lampstack-linux/output/common' '--enable-exif' '--with-openssl=/bitnami/lampstack-linux/output/common' '--with-ldap=/bitnami/lampstack-linux/output/common' '--enable-calendar' '--enable-ctype' '--enable-pcntl' '--enable-session' '--with-regex=php' '--enable-spl' '--enable-zip' '--with-bz2=/bitnami/lampstack-linux/output/common' '--enable-sockets' '--with-mcrypt=/bitnami/lampstack-linux/output/common' '--with-icu-dir=/bitnami/lampstack-linux/output/common' '--with-tidy=/bitnami/lampstack-linux/output/common' '--with-mysql=mysqlnd' '--with-mysqli=mysqli' '--with-pdo-mysql=mysqli' '--with-pdo_sqlite=/bitnami/lampstack-linux/output/sqlite' '--with-iconv=/bitnami/lampstack-linux/output/common' '--with-libxml-dir=/bitnami/lampstack-linux/output/common' '--with-xsl=/bitnami/lampstack-linux/output/common' '--with-dom=/bitnami/lampstack-linux/output/common' '--with-freetype-dir=/bitnami/lampstack-linux/output/common' '--with-gmp=/bitnami/lampstack-linux/output/common' '--with-gettext' '--enable-intl' '--with-readline=/bitnami/lampstack-linux/output/common' </pre>
<b>Server API</b>	Apache 2.0 Handler
<b>Virtual Directory Support</b>	disabled

<b>Configuration File (php.ini) Path</b>	/bitnami/lampstack-linux/output/php/lib
<b>Loaded Configuration File</b>	/home/owino/lampstack-5.5.30-0/php/etc/php.ini
<b>Scan this dir for additional .ini files</b>	(none)
<b>Additional .ini files parsed</b>	(none)
<b>PHP API</b>	20121113
<b>PHP Extension</b>	20121212
<b>Zend Extension</b>	220121212
<b>Zend Extension Build</b>	API220121212,NTS
<b>PHP Extension Build</b>	API20121212,NTS
<b>Debug Build</b>	no
<b>Thread Safety</b>	disabled
<b>Zend Signal Handling</b>	disabled
<b>Zend Memory Manager</b>	enabled
<b>Zend Multibyte Support</b>	provided by mbstring
<b>IPv6 Support</b>	enabled
<b>DTrace Support</b>	disabled

<b>Registered PHP Streams</b>	https, ftps, compress.zlib, compress.bzip2, php, file, glob, data, http, ftp, phar, zip
<b>Registered Stream Socket Transports</b>	tcp, udp, unix, udg, ssl, sslv3, sslv2, tls
<b>Registered Stream Filters</b>	zlib.*, bzip2.*, convert.iconv.*, mcrypt.*, mdecrypt.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, dechunk

This program makes use of the Zend Scripting Language Engine:  
 Zend Engine v2.5.0, Copyright (c) 1998-2015 Zend Technologies



with Zend OPcache v7.0.6-dev, Copyright (c) 1999-2015, by Zend Technologies

## Configuration apache2handler

<b>Apache Version</b>	Apache
<b>Apache API Version</b>	20120211
<b>Server Administrator</b>	you@example.com
<b>Hostname:Port</b>	localhost:8080
<b>User/Group</b>	daemon(2)/2
<b>Max Requests</b>	Per Child: 0 - Keep Alive: on - Max Per Connection: 100
<b>Timeouts</b>	Connection: 60 - Keep-Alive: 5
<b>Virtual Server</b>	Yes
<b>Server Root</b>	/home/owino/lampstack-5.5.30-0/apache2

<b>Loaded Modules</b>	core mod_so http_core mod_authn_file mod_authn_core mod_authz_host mod_authz_groupfile mod_authz_user mod_authz_core mod_access_compat mod_auth_basic mod_socache_shmcb mod_reqtimeout mod_filter mod_deflate mod_mime mod_log_config mod_env mod_headers mod_setenvif mod_version mod_proxy mod_proxy_connect mod_proxy_ftp mod_proxy_http mod_proxy_fcgi mod_proxy_scgi mod_proxy_wstunnel mod_proxy_ajp mod_proxy_balancer mod_proxy_express mod_slotmem_shm mod_ssl mod_lbmethod_byrequests mod_lbmethod_bytraffic mod_lbmethod_bybusyness prefork mod_unixd mod_status mod_autoindex mod_negotiation mod_dir mod_actions mod_alias mod_rewrite mod_php5 mod_instaweb
-----------------------	---

Directive	Local Value	Master Value
<b>engine</b>	1	1
<b>last_modified</b>	0	0
<b>xbithack</b>	0	0

## Apache Environment

Variable	Value
<b>HTTP_HOST</b>	127.0.0.1:8080
<b>HTTP_USER_AGENT</b>	Mozilla/5.0 (X11; Fedora; Linux i686; rv:47.0) Gecko/20100101 Firefox/47.0
<b>HTTP_ACCEPT</b>	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
<b>HTTP_ACCEPT_LANGUAGE</b>	en-US,en;q=0.5
<b>HTTP_ACCEPT_ENCODING</b>	gzip, deflate
<b>HTTP_CONNECTION</b>	keep-alive
<b>PATH</b>	/home/owino/lampstack-5.5.30-0/heroku/bin:/home/owino/lampstack-5.5.30-0/ruby/bin:/home/owino/lampstack-5.5.30-0/git/bin:/home/owino/lampstack-5.5.30-0/sqlite/bin:/home/owino/lampstack-5.5.30-0/php/bin:/home/owino/lampstack-5.5.30-0/mysql/bin:/home/owino/lampstack-5.5.30-0/apache2/bin:/home/owino/lampstack-5.5.30-0/common/bin:/usr/local/bin:/usr/local

	/sbin:/usr/bin:/usr/sbin:/home/owino/.local/bin:/home/owino/bin
<b>LD_LIBRARY_PATH</b>	/home/owino/lampstack-5.5.30-0/sqlite/lib:/home/owino/lampstack-5.5.30-0/mysql/lib:/home/owino/lampstack-5.5.30-0/apache2/lib:/home/owino/lampstack-5.5.30-0/common/lib:/home/owino/lampstack-5.5.30-0/sqlite/lib:/home/owino/lampstack-5.5.30-0/mysql/lib:/home/owino/lampstack-5.5.30-0/apache2/lib:/home/owino/lampstack-5.5.30-0/common/lib:/home/owino/lampstack-5.5.30-0/ruby/lib:/home/owino/lampstack-5.5.30-0/git/lib:/home/owino/lampstack-5.5.30-0/sqlite/lib:/home/owino/lampstack-5.5.30-0/mysql/lib:/home/owino/lampstack-5.5.30-0/apache2/lib:/home/owino/lampstack-5.5.30-0/common/lib:
<b>SERVER_SIGNATURE</b>	<i>no value</i>
<b>SERVER_SOFTWARE</b>	Apache
<b>SERVER_NAME</b>	127.0.0.1
<b>SERVER_ADDR</b>	127.0.0.1
<b>SERVER_PORT</b>	8080
<b>REMOTE_ADDR</b>	127.0.0.1
<b>DOCUMENT_ROOT</b>	/home/owino/lampstack-5.5.30-0/apache2/htdocs
<b>REQUEST_SCHEME</b>	http
<b>CONTEXT_PREFIX</b>	<i>no value</i>
<b>CONTEXT_DOCUMENT_ROOT</b>	/home/owino/lampstack-5.5.30-0/apache2/htdocs
<b>SERVER_ADMIN</b>	you@example.com
<b>SCRIPT_FILENAME</b>	/home/owino/lampstack-5.5.30-0/apache2/htdocs/phpinfo.php
<b>REMOTE_PORT</b>	58304
<b>GATEWAY_INTERFACE</b>	CGI/1.1
<b>SERVER_PROTOCOL</b>	HTTP/1.1
<b>REQUEST_METHOD</b>	GET
<b>QUERY_STRING</b>	<i>no value</i>
<b>REQUEST_URI</b>	/phpinfo.php
<b>SCRIPT_NAME</b>	/phpinfo.php

## HTTP Headers Information

HTTP Request Headers	
<b>HTTP Request</b>	GET /phpinfo.php HTTP/1.1
<b>Host</b>	127.0.0.1:8080
<b>User-Agent</b>	Mozilla/5.0 (X11; Fedora; Linux i686; rv:47.0) Gecko/20100101 Firefox/47.0
<b>Accept</b>	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
<b>Accept-Language</b>	en-US,en;q=0.5
<b>Accept-Encoding</b>	gzip, deflate
<b>Connection</b>	keep-alive
HTTP Response Headers	
<b>X-Powered-By</b>	PHP/5.5.30

## bcmath

<b>BCMath support</b>	enabled
-----------------------	---------

Directive	Local Value	Master Value
<b>bcmath.scale</b>	0	0

## bz2

<b>BZip2 Support</b>	Enabled
<b>Stream Wrapper support</b>	compress.bzip2://
<b>Stream Filter support</b>	bzip2.decompress, bzip2.compress
<b>BZip2 Version</b>	1.0.6, 6-Sept-2010

## calendar

<b>Calendar support</b>	enabled
-------------------------	---------

## Core

<b>PHP Version</b>	5.5.30
--------------------	--------

Directive	Local Value	Master Value
<b>allow_url_fopen</b>	On	On
<b>allow_url_include</b>	Off	Off
<b>always_populate_raw_post_data</b>	Off	Off
<b>arg_separator.input</b>	&	&
<b>arg_separator.output</b>	&	&
<b>asp_tags</b>	Off	Off
<b>auto_append_file</b>	<i>no value</i>	<i>no value</i>
<b>auto_globals_jit</b>	On	On
<b>auto_prepend_file</b>	<i>no value</i>	<i>no value</i>
<b>browscap</b>	<i>no value</i>	<i>no value</i>
<b>default_charset</b>	UTF-8	UTF-8
<b>default_mimetype</b>	text/html	text/html
<b>disable_classes</b>	<i>no value</i>	<i>no value</i>
<b>disable_functions</b>	<i>no value</i>	<i>no value</i>
<b>display_errors</b>	Off	Off
<b>display_startup_errors</b>	Off	Off
<b>doc_root</b>	<i>no value</i>	<i>no value</i>
<b>docref_ext</b>	<i>no value</i>	<i>no value</i>
<b>docref_root</b>	<i>no value</i>	<i>no value</i>

<b>enable_dl</b>	Off	Off
<b>enable_post_data_reading</b>	On	On
<b>error_append_string</b>	<i>no value</i>	<i>no value</i>
<b>error_log</b>	<i>no value</i>	<i>no value</i>
<b>error_prepend_string</b>	<i>no value</i>	<i>no value</i>
<b>error_reporting</b>	22527	22527
<b>exit_on_timeout</b>	Off	Off
<b>expose_php</b>	On	On
<b>extension_dir</b>	/home/owino/lampstack-5.5.30-0/php/lib/php/extensions	/home/owino/lampstack-5.5.30-0/php/lib/php/extensions
<b>file_uploads</b>	On	On
<b>highlight.comment</b>	#FF8000	#FF8000
<b>highlight.default</b>	#0000BB	#0000BB
<b>highlight.html</b>	#000000	#000000
<b>highlight.keyword</b>	#007700	#007700
<b>highlight.string</b>	#DD0000	#DD0000
<b>html_errors</b>	On	On
<b>ignore_repeated_errors</b>	Off	Off
<b>ignore_repeated_source</b>	Off	Off
<b>ignore_user_abort</b>	Off	Off
<b>implicit_flush</b>	Off	Off
<b>include_path</b>	./home/owino/lampstack-5.5.30-0/php/lib/php	./home/owino/lampstack-5.5.30-0/php/lib/php
<b>log_errors</b>	On	On
<b>log_errors_max_len</b>	1024	1024
<b>mail.add_x_header</b>	On	On
<b>mail.force_extra_parameters</b>	<i>no value</i>	<i>no value</i>
<b>mail.log</b>	<i>no value</i>	<i>no value</i>



<b>max_execution_time</b>	120	120
<b>max_file_uploads</b>	20	20
<b>max_input_nesting_level</b>	64	64
<b>max_input_time</b>	300	300
<b>max_input_vars</b>	1000	1000
<b>memory_limit</b>	128M	128M
<b>open_basedir</b>	<i>no value</i>	<i>no value</i>
<b>output_buffering</b>	4096	4096
<b>output_handler</b>	<i>no value</i>	<i>no value</i>
<b>post_max_size</b>	40M	40M
<b>precision</b>	14	14
<b>realpath_cache_size</b>	16K	16K
<b>realpath_cache_ttl</b>	120	120
<b>register_argc_argv</b>	Off	Off
<b>report_memleaks</b>	On	On
<b>report zend debug</b>	On	On
<b>request_order</b>	GP	GP
<b>sendmail_from</b>	<i>no value</i>	<i>no value</i>
<b>sendmail_path</b>	/usr/bin/sendmail -t -i	/usr/bin/sendmail -t -i
<b>serialize_precision</b>	17	17
<b>short_open_tag</b>	Off	Off
<b>SMTP</b>	localhost	localhost
<b>smtp_port</b>	25	25
<b>sql.safe_mode</b>	Off	Off
<b>sys_temp_dir</b>	<i>no value</i>	<i>no value</i>
<b>track_errors</b>	Off	Off
<b>unserialize_callback_func</b>	<i>no value</i>	<i>no value</i>
<b>upload_max_filesize</b>	40M	40M

<b>upload_tmp_dir</b>	/home/owino/lampstack-5.5.30-0/php/tmp	/home/owino/lampstack-5.5.30-0/php/tmp
<b>user_dir</b>	<i>no value</i>	<i>no value</i>
<b>user_ini.cache_ttl</b>	300	300
<b>user_ini.filename</b>	.user.ini	.user.ini
<b>variables_order</b>	GPCS	GPCS
<b>xmlrpc_error_number</b>	0	0
<b>xmlrpc_errors</b>	Off	Off
<b>zend.detect_unicode</b>	On	On
<b>zend.enable_gc</b>	On	On
<b>zend.multibyte</b>	Off	Off
<b>zend.script_encoding</b>	<i>no value</i>	<i>no value</i>

## ctype

<b>ctype functions</b>	enabled
------------------------	---------

## curl

<b>cURL support</b>	enabled
<b>cURL Information</b>	7.27.0
<b>Age</b>	3
<b>Features</b>	
<b>AsynchDNS</b>	No
<b>CharConv</b>	No
<b>Debug</b>	No
<b>GSS-Negotiate</b>	No

<b>IDN</b>	No
<b>IPv6</b>	Yes
<b>krb4</b>	No
<b>Largefile</b>	Yes
<b>libz</b>	Yes
<b>NTLM</b>	Yes
<b>NTLMWB</b>	Yes
<b>SPNEGO</b>	No
<b>SSL</b>	Yes
<b>SSPI</b>	No
<b>TLS-SRP</b>	Yes
<b>Protocols</b>	dict, file, ftp, ftps, gopher, http, https, imap, imaps, ldap, ldaps, pop3, pop3s, rtsp, smtp, smtps, telnet, tftp
<b>Host</b>	i686-pc-linux-gnu
<b>SSL Version</b>	OpenSSL/1.0.1p
<b>ZLib Version</b>	1.2.6

## date

<b>date/time support</b>	enabled
<b>"Olson" Timezone Database Version</b>	2015.5
<b>Timezone Database</b>	internal
<b>Default timezone</b>	America/Los_Angeles

Directive	Local Value	Master Value
<b>date.default_latitude</b>	31.7667	31.7667
<b>date.default_longitude</b>	35.2333	35.2333
<b>date.sunrise_zenith</b>	90.583333	90.583333

<b>date.sunset_zenith</b>	90.583333	90.583333
<b>date.timezone</b>	America/Los_Angeles	America/Los_Angeles

## dom

<b>DOM/XML</b>	enabled
<b>DOM/XML API Version</b>	20031129
<b>libxml Version</b>	2.9.1
<b>HTML Support</b>	enabled
<b>XPath Support</b>	enabled
<b>XPointer Support</b>	enabled
<b>Schema Support</b>	enabled
<b>RelaxNG Support</b>	enabled

## ereg

<b>Regex Library</b>	Bundled library enabled
----------------------	-------------------------

## exif

<b>EXIF Support</b>	enabled
<b>EXIF Version</b>	1.4 \$Id: ff29fdd0fa0b922fd32e2f5704857dcc8543f628 \$
<b>Supported EXIF Version</b>	0220
<b>Supported filetypes</b>	JPEG,TIFF

Directive	Local Value	Master Value
<b>exif.decode_jis_intel</b>	JIS	JIS

<b>exif.decode_jis_motorola</b>	JIS	JIS
<b>exif.decode_unicode_intel</b>	UCS-2LE	UCS-2LE
<b>exif.decode_unicode_motorola</b>	UCS-2BE	UCS-2BE
<b>exif.encode_jis</b>	<i>no value</i>	<i>no value</i>
<b>exif.encode_unicode</b>	ISO-8859-15	ISO-8859-15

## fileinfo

<b>fileinfo support</b>	enabled
<b>version</b>	1.0.5

## filter

<b>Input Validation and Filtering</b>	enabled
<b>Revision</b>	\$Id: fbeb8bbbf6cc97f568996dac46e13e48e2907326 \$

Directive	Local Value	Master Value
<b>filter.default</b>	unsafe_raw	unsafe_raw
<b>filter.default_flags</b>	<i>no value</i>	<i>no value</i>

## ftp

<b>FTP support</b>	enabled
--------------------	---------

## gd

<b>GD Support</b>	enabled
<b>GD Version</b>	bundled (2.1.0 compatible)
<b>FreeType Support</b>	enabled
<b>FreeType Linkage</b>	with freetype
<b>FreeType Version</b>	2.4.8
<b>GIF Read Support</b>	enabled
<b>GIF Create Support</b>	enabled
<b>JPEG Support</b>	enabled
<b>libJPEG Version</b>	8
<b>PNG Support</b>	enabled
<b>libPNG Version</b>	1.5.9
<b>WBMP Support</b>	enabled
<b>XBM Support</b>	enabled

Directive	Local Value	Master Value
<b>gd.jpeg_ignore_warning</b>	0	0

## gettext

<b>GetText Support</b>	enabled
------------------------	---------

## gmp

<b>gmp support</b>	enabled
<b>GMP version</b>	4.3.1

## hash

<b>hash support</b>	enabled
<b>Hashing Engines</b>	md2 md4 md5 sha1 sha224 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snefru snefru256 gost adler32 crc32 crc32b fnv132 fnv164 joaat haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

## iconv

<b>iconv support</b>	enabled
<b>iconv implementation</b>	glibc
<b>iconv library version</b>	1.14

Directive	Local Value	Master Value
<b>iconv.input_encoding</b>	ISO-8859-1	ISO-8859-1
<b>iconv.internal_encoding</b>	ISO-8859-1	ISO-8859-1
<b>iconv.output_encoding</b>	ISO-8859-1	ISO-8859-1

## imap

<b>IMAP c-Client Version</b>	2007f
<b>SSL Support</b>	enabled

## intl

Internationalization support	enabled
<b>version</b>	1.1.0
<b>ICU version</b>	52.1
<b>ICU Data version</b>	52.1

Directive	Local Value	Master Value
<b>intl.default_locale</b>	<i>no value</i>	<i>no value</i>
<b>intl.error_level</b>	0	0
<b>intl.use_exceptions</b>	0	0

## json

<b>json support</b>	enabled
<b>json version</b>	1.2.1

## ldap

<b>LDAP Support</b>	enabled
<b>RCS Version</b>	\$Id: 4db15e5bb92af06390fd31ab784837ab21a3d2ce \$
<b>Total Links</b>	0/unlimited
<b>API Version</b>	3001
<b>Vendor Name</b>	OpenLDAP
<b>Vendor Version</b>	20423

Directive	Local Value	Master Value
<b>ldap.max_links</b>	Unlimited	Unlimited



## libxml

<b>libXML support</b>	active
<b>libXML Compiled Version</b>	2.9.1
<b>libXML Loaded Version</b>	20901
<b>libXML streams</b>	enabled

## mbstring

<b>Multibyte Support</b>	enabled
<b>Multibyte string engine</b>	libmbfl
<b>HTTP input encoding translation</b>	disabled
<b>libmbfl version</b>	1.3.2

**mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.**

<b>Multibyte (japanese) regex support</b>	enabled
<b>Multibyte regex (oniguruma) backtrack check</b>	On
<b>Multibyte regex (oniguruma) version</b>	5.9.2

Directive	Local Value	Master Value
<b>mbstring.detect_order</b>	<i>no value</i>	<i>no value</i>
<b>mbstring.encoding_translation</b>	Off	Off
<b>mbstring.func_overload</b>	0	0
<b>mbstring.http_input</b>	pass	pass
<b>mbstring.http_output</b>	pass	pass
<b>mbstring.http_output_conv_mimetypes</b>	^(text/ application/xhtml\+xml)	^(text/ application/xhtml\+xml)

<b>mbstring.internal_encoding</b>	<i>no value</i>	<i>no value</i>
<b>mbstring.language</b>	neutral	neutral
<b>mbstring.strict_detection</b>	Off	Off
<b>mbstring.substitute_character</b>	<i>no value</i>	<i>no value</i>

## mcrypt

<b>mcrypt support</b>	<b>enabled</b>
<b>mcrypt_filter support</b>	<b>enabled</b>
<b>Version</b>	2.5.8
<b>Api No</b>	20021217
<b>Supported ciphers</b>	cast-128 gost rijndael-128 twofish arcfour cast-256 loki97 rijndael-192 saferplus wake blowfish-compat des rijndael-256 serpent xtea blowfish enigma rc2 tripledes
<b>Supported modes</b>	cbc cfb ctr ecb ncfb nofb ofb stream

<b>Directive</b>	<b>Local Value</b>	<b>Master Value</b>
<b>mcrypt.algorithms_dir</b>	<i>no value</i>	<i>no value</i>
<b>mcrypt.modes_dir</b>	<i>no value</i>	<i>no value</i>

## mysql

<b>MySQL Support</b>	<b>enabled</b>
<b>Active Persistent Links</b>	0
<b>Active Links</b>	0

<b>Client API version</b>	mysqlnd 5.0.11-dev - 20120503 - \$Id: 15d5c781cfcad91193dceae1d2cdd127674ddb3e \$
---------------------------	--

Directive	Local Value	Master Value
<b>mysql.allow_local_infile</b>	On	On
<b>mysql.allow_persistent</b>	On	On
<b>mysql.connect_timeout</b>	60	60
<b>mysql.default_host</b>	<i>no value</i>	<i>no value</i>
<b>mysql.default_password</b>	<i>no value</i>	<i>no value</i>
<b>mysql.default_port</b>	3306	3306
<b>mysql.default_socket</b>	/home/owino/lampstack-5.5.30-0 /mysql/tmp/mysql.sock	/home/owino/lampstack-5.5.30-0 /mysql/tmp/mysql.sock
<b>mysql.default_user</b>	<i>no value</i>	<i>no value</i>
<b>mysql.max_links</b>	Unlimited	Unlimited
<b>mysql.max_persistent</b>	Unlimited	Unlimited
<b>mysql.trace_mode</b>	Off	Off

## mysql

<b>Mysql Support</b>	<b>enabled</b>
<b>Client API library version</b>	mysqlnd 5.0.11-dev - 20120503 - \$Id: 15d5c781cfcad91193dceae1d2cdd127674ddb3e \$
<b>Active Persistent Links</b>	0
<b>Inactive Persistent Links</b>	0
<b>Active Links</b>	0

Directive	Local Value	Master Value
-----------	-------------	--------------

<b>mysqli.allow_local_infile</b>	On	On
<b>mysqli.allow_persistent</b>	On	On
<b>mysqli.default_host</b>	<i>no value</i>	<i>no value</i>
<b>mysqli.default_port</b>	3306	3306
<b>mysqli.default_pw</b>	<i>no value</i>	<i>no value</i>
<b>mysqli.default_socket</b>	/home/owino/lampstack-5.5.30-0 /mysql/tmp/mysql.sock	/home/owino/lampstack-5.5.30-0 /mysql/tmp/mysql.sock
<b>mysqli.default_user</b>	<i>no value</i>	<i>no value</i>
<b>mysqli.max_links</b>	Unlimited	Unlimited
<b>mysqli.max_persistent</b>	Unlimited	Unlimited
<b>mysqli.reconnect</b>	Off	Off

## mysqlnd

mysqlnd	enabled
<b>Version</b>	mysqlnd 5.0.11-dev - 20120503 - \$Id: 15d5c781cfcad91193dceae1d2cdd127674ddb3e \$
<b>Compression</b>	supported
<b>core SSL</b>	supported
<b>extended SSL</b>	supported
<b>Command buffer size</b>	4096
<b>Read buffer size</b>	32768
<b>Read timeout</b>	31536000
<b>Collecting statistics</b>	Yes
<b>Collecting memory</b>	No

<b>statistics</b>	
<b>Tracing</b>	n/a
<b>Loaded plugins</b>	mysqlnd,debug_trace,auth_plugin_mysql_native_password,auth_plugin_mysql_clear_password,auth_plugin_sha256_password
<b>API Extensions</b>	mysqli,mysql,pdo_mysql

<b>mysqlnd statistics</b>	
<b>bytes_sent</b>	0
<b>bytes_received</b>	0
<b>packets_sent</b>	0
<b>packets_received</b>	0
<b>protocol_overhead_in</b>	0
<b>protocol_overhead_out</b>	0
<b>bytes_received_ok_packet</b>	0
<b>bytes_received_eof_packet</b>	0
<b>bytes_received_rset_header_packet</b>	0
<b>bytes_received_rset_field_meta_packet</b>	0
<b>bytes_received_rset_row_packet</b>	0
<b>bytes_received_prepare_response_packet</b>	0
<b>bytes_received_change_user_packet</b>	0
<b>packets_sent_command</b>	0
<b>packets_received_ok</b>	0
<b>packets_received_eof</b>	0
<b>packets_received_rset_header</b>	0
<b>packets_received_rset_field_meta</b>	0
<b>packets_received_rset_row</b>	0
<b>packets_received_prepare_response</b>	0
<b>packets_received_change_user</b>	0

<b>result_set_queries</b>	0
<b>non_result_set_queries</b>	0
<b>no_index_used</b>	0
<b>bad_index_used</b>	0
<b>slow_queries</b>	0
<b>buffered_sets</b>	0
<b>unbuffered_sets</b>	0
<b>ps_buffered_sets</b>	0
<b>ps_unbuffered_sets</b>	0
<b>flushed_normal_sets</b>	0
<b>flushed_ps_sets</b>	0
<b>ps_prepared_never_executed</b>	0
<b>ps_prepared_once_executed</b>	0
<b>rows_fetched_from_server_normal</b>	0
<b>rows_fetched_from_server_ps</b>	0
<b>rows_buffered_from_client_normal</b>	0
<b>rows_buffered_from_client_ps</b>	0
<b>rows_fetched_from_client_normal_buffered</b>	0
<b>rows_fetched_from_client_normal_unbuffered</b>	0
<b>rows_fetched_from_client_ps_buffered</b>	0
<b>rows_fetched_from_client_ps_unbuffered</b>	0
<b>rows_fetched_from_client_ps_cursor</b>	0
<b>rows_affected_normal</b>	0
<b>rows_affected_ps</b>	0
<b>rows_skipped_normal</b>	0
<b>rows_skipped_ps</b>	0
<b>copy_on_write_saved</b>	0
<b>copy_on_write_performed</b>	0

<b>command_buffer_too_small</b>	0
<b>connect_success</b>	0
<b>connect_failure</b>	0
<b>connection_reused</b>	0
<b>reconnect</b>	0
<b>pconnect_success</b>	0
<b>active_connections</b>	0
<b>active_persistent_connections</b>	0
<b>explicit_close</b>	0
<b>implicit_close</b>	0
<b>disconnect_close</b>	0
<b>in_middle_of_command_close</b>	0
<b>explicit_free_result</b>	0
<b>implicit_free_result</b>	0
<b>explicit_stmt_close</b>	0
<b>implicit_stmt_close</b>	0
<b>mem_emalloc_count</b>	0
<b>mem_emalloc_amount</b>	0
<b>mem_ecalloc_count</b>	0
<b>mem_ecalloc_amount</b>	0
<b>mem_erealloc_count</b>	0
<b>mem_erealloc_amount</b>	0
<b>mem_efree_count</b>	0
<b>mem_efree_amount</b>	0
<b>mem_malloc_count</b>	0
<b>mem_malloc_amount</b>	0
<b>mem_calloc_count</b>	0
<b>mem_calloc_amount</b>	0

<b>mem_realloc_count</b>	0
<b>mem_realloc_amount</b>	0
<b>mem_free_count</b>	0
<b>mem_free_amount</b>	0
<b>mem_strndup_count</b>	0
<b>mem_strndup_count</b>	0
<b>mem_estndup_count</b>	0
<b>mem_strdup_count</b>	0
<b>proto_text_fetched_null</b>	0
<b>proto_text_fetched_bit</b>	0
<b>proto_text_fetched_tinyint</b>	0
<b>proto_text_fetched_short</b>	0
<b>proto_text_fetched_int24</b>	0
<b>proto_text_fetched_int</b>	0
<b>proto_text_fetched_bigint</b>	0
<b>proto_text_fetched_decimal</b>	0
<b>proto_text_fetched_float</b>	0
<b>proto_text_fetched_double</b>	0
<b>proto_text_fetched_date</b>	0
<b>proto_text_fetched_year</b>	0
<b>proto_text_fetched_time</b>	0
<b>proto_text_fetched_datetime</b>	0
<b>proto_text_fetched_timestamp</b>	0
<b>proto_text_fetched_string</b>	0
<b>proto_text_fetched_blob</b>	0
<b>proto_text_fetched_enum</b>	0
<b>proto_text_fetched_set</b>	0
<b>proto_text_fetched_geometry</b>	0



<b>proto_text_fetched_other</b>	0
<b>proto_binary_fetched_null</b>	0
<b>proto_binary_fetched_bit</b>	0
<b>proto_binary_fetched_tinyint</b>	0
<b>proto_binary_fetched_short</b>	0
<b>proto_binary_fetched_int24</b>	0
<b>proto_binary_fetched_int</b>	0
<b>proto_binary_fetched_bigint</b>	0
<b>proto_binary_fetched_decimal</b>	0
<b>proto_binary_fetched_float</b>	0
<b>proto_binary_fetched_double</b>	0
<b>proto_binary_fetched_date</b>	0
<b>proto_binary_fetched_year</b>	0
<b>proto_binary_fetched_time</b>	0
<b>proto_binary_fetched_datetime</b>	0
<b>proto_binary_fetched_timestamp</b>	0
<b>proto_binary_fetched_string</b>	0
<b>proto_binary_fetched_blob</b>	0
<b>proto_binary_fetched_enum</b>	0
<b>proto_binary_fetched_set</b>	0
<b>proto_binary_fetched_geometry</b>	0
<b>proto_binary_fetched_other</b>	0
<b>init_command_executed_count</b>	0
<b>init_command_failed_count</b>	0
<b>com_quit</b>	0
<b>com_init_db</b>	0
<b>com_query</b>	0
<b>com_field_list</b>	0

<b>com_create_db</b>	0
<b>com_drop_db</b>	0
<b>com_refresh</b>	0
<b>com_shutdown</b>	0
<b>com_statistics</b>	0
<b>com_process_info</b>	0
<b>com_connect</b>	0
<b>com_process_kill</b>	0
<b>com_debug</b>	0
<b>com_ping</b>	0
<b>com_time</b>	0
<b>com_delayed_insert</b>	0
<b>com_change_user</b>	0
<b>com_binlog_dump</b>	0
<b>com_table_dump</b>	0
<b>com_connect_out</b>	0
<b>com_register_slave</b>	0
<b>com_stmt_prepare</b>	0
<b>com_stmt_execute</b>	0
<b>com_stmt_send_long_data</b>	0
<b>com_stmt_close</b>	0
<b>com_stmt_reset</b>	0
<b>com_stmt_set_option</b>	0
<b>com_stmt_fetch</b>	0
<b>com_daemon</b>	0
<b>bytes_received_real_data_normal</b>	0
<b>bytes_received_real_data_ps</b>	0

## openssl

<b>OpenSSL support</b>	enabled
<b>OpenSSL Library Version</b>	OpenSSL 1.0.1p 9 Jul 2015
<b>OpenSSL Header Version</b>	OpenSSL 1.0.1p 9 Jul 2015

## pcre

<b>PCRE (Perl Compatible Regular Expressions) Support</b>	enabled
<b>PCRE Library Version</b>	8.37 2015-04-28

Directive	Local Value	Master Value
<b>pcre.backtrack_limit</b>	1000000	1000000
<b>pcre.recursion_limit</b>	100000	100000

## PDO

<b>PDO support</b>	enabled
<b>PDO drivers</b>	mysql, sqlite

## pdo\_mysql

<b>PDO Driver for MySQL</b>	enabled
<b>Client API version</b>	mysqlnd 5.0.11-dev - 20120503 - \$Id: 15d5c781cfcad91193dceae1d2cdd127674ddb3e \$

Directive	Local Value	Master Value
-----------	-------------	--------------

<b>pdo_mysql.default_socket</b>	/home/owino/lampstack-5.5.30-0 /mysql/tmp/mysql.sock	/home/owino/lampstack-5.5.30-0 /mysql/tmp/mysql.sock
---------------------------------	---	---

## pdo\_sqlite

<b>PDO Driver for SQLite 3.x</b>	<b>enabled</b>
<b>SQLite Library</b>	3.7.15.1

## Phar

<b>Phar: PHP Archive support</b>	<b>enabled</b>
<b>Phar EXT version</b>	2.0.2
<b>Phar API version</b>	1.1.1
<b>SVN revision</b>	\$Id: 4b9a493926fec4e6d913722b7a94602c7850c27e \$
<b>Phar-based phar archives</b>	enabled
<b>Tar-based phar archives</b>	enabled
<b>ZIP-based phar archives</b>	enabled
<b>gzip compression</b>	enabled
<b>bzip2 compression</b>	enabled
<b>OpenSSL support</b>	enabled

Phar based on pear/PHP\_Archive, original concept by Davey Shafik.  
Phar fully realized by Gregory Beaver and Marcus Boerger.  
Portions of tar implementation Copyright (c) 2003-2009 Tim Kientzle.

<b>Directive</b>	<b>Local Value</b>	<b>Master Value</b>
<b>phar.cache_list</b>	<i>no value</i>	<i>no value</i>
<b>phar.readonly</b>	On	On

<b>phar.require_hash</b>	On	On
--------------------------	----	----

## posix

<b>Revision</b>	\$Id: 5d20de77687b7d961b15450873fa23b9e64a136a \$
-----------------	---

## Reflection

<b>Reflection</b>	<b>enabled</b>
<b>Version</b>	\$Id: dc76d2fe0f3e9c327c1d4ca617d94e26c7fae98d \$

## session

<b>Session Support</b>	enabled
<b>Registered save handlers</b>	files user
<b>Registered serializer handlers</b>	php_serialize php php_binary

Directive	Local Value	Master Value
<b>session.auto_start</b>	Off	Off
<b>session.cache_expire</b>	180	180
<b>session.cache_limiter</b>	nocache	nocache
<b>session.cookie_domain</b>	<i>no value</i>	<i>no value</i>
<b>session.cookie_httponly</b>	Off	Off
<b>session.cookie_lifetime</b>	0	0
<b>session.cookie_path</b>	/	/
<b>session.cookie_secure</b>	Off	Off
<b>session.entropy_file</b>	/dev/urandom	/dev/urandom

<b>session.entropy_length</b>	32	32
<b>session.gc_divisor</b>	1000	1000
<b>session.gc_maxlifetime</b>	1440	1440
<b>session.gc_probability</b>	1	1
<b>session.hash_bits_per_character</b>	5	5
<b>session.hash_function</b>	0	0
<b>session.name</b>	PHPSESSID	PHPSESSID
<b>session.referer_check</b>	<i>no value</i>	<i>no value</i>
<b>session.save_handler</b>	files	files
<b>session.save_path</b>	/home/owino/lampstack-5.5.30-0 /php/tmp	/home/owino/lampstack-5.5.30-0 /php/tmp
<b>session.serialize_handler</b>	php	php
<b>session.upload_progress.cleanup</b>	On	On
<b>session.upload_progress.enabled</b>	On	On
<b>session.upload_progress.freq</b>	1%	1%
<b>session.upload_progress.min_freq</b>	1	1
<b>session.upload_progress.name</b>	PHP_SESSION_UPLOAD_PROGRESS	PHP_SESSION_UPLOAD_PROGRESS
<b>session.upload_progress.prefix</b>	upload_progress_	upload_progress_
<b>session.use_cookies</b>	On	On
<b>session.use_only_cookies</b>	On	On
<b>session.use_strict_mode</b>	Off	Off
<b>session.use_trans_sid</b>	0	0

## SimpleXML

<b>Simplexml support</b>	<b>enabled</b>
<b>Revision</b>	\$Id: 6b8e23a01a85046737ef7d31346da5164505c179 \$
<b>Schema support</b>	enabled

## soap

<b>Soap Client</b>	enabled
<b>Soap Server</b>	enabled

Directive	Local Value	Master Value
<b>soap.wsdl_cache</b>	1	1
<b>soap.wsdl_cache_dir</b>	/home/owino/lampstack-5.5.30-0/php/tmp	/home/owino/lampstack-5.5.30-0/php/tmp
<b>soap.wsdl_cache_enabled</b>	1	1
<b>soap.wsdl_cache_limit</b>	5	5
<b>soap.wsdl_cache_ttl</b>	86400	86400

## sockets

<b>Sockets Support</b>	enabled
------------------------	---------

## SPL

<b>SPL support</b>	enabled
<b>Interfaces</b>	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
<b>Classes</b>	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, CallbackFilterIterator, DirectoryIterator, DomainException, EmptyIterator, FilesystemIterator, FilterIterator, GlobIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, MultipleIterator, NoRewindIterator,

OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveCallbackFilterIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RecursiveTreeIterator, RegexIterator, RuntimeException, SplDoublyLinkedList, SplFileInfo, SplFileObject, SplFixedArray, SplHeap, SplMinHeap, SplMaxHeap, SplObjectStorage, SplPriorityQueue, SplQueue, SplStack, SplTempFileObject, UnderflowException, UnexpectedValueException

## sqlite3

<b>SQLite3 support</b>	<b>enabled</b>
<b>SQLite3 module version</b>	0.7-dev
<b>SQLite Library</b>	3.7.15.1

Directive	Local Value	Master Value
<b>sqlite3.extension_dir</b>	<i>no value</i>	<i>no value</i>

## standard

<b>Dynamic Library Support</b>	enabled
<b>Path to sendmail</b>	/usr/bin/sendmail -t -i

Directive	Local Value	Master Value
<b>assert.active</b>	1	1
<b>assert.bail</b>	0	0
<b>assert.callback</b>	<i>no value</i>	<i>no value</i>
<b>assert.quiet_eval</b>	0	0
<b>assert.warning</b>	1	1
<b>auto_detect_line_endings</b>	0	0



<b>default_socket_timeout</b>	60	60
<b>from</b>	<i>no value</i>	<i>no value</i>
<b>url_rewriter.tags</b>	a=href,area=href,frame=src,input=src,form=fakeentry	a=href,area=href,frame=src,input=src,form=fakeentry
<b>user_agent</b>	<i>no value</i>	<i>no value</i>

## tidy

<b>Tidy support</b>	<b>enabled</b>
<b>libTidy Release</b>	25 March 2009
<b>Extension Version</b>	2.0 (\$Id: e066a98a414c7f79f89f697c19c4336c61bc617b \$)

Directive	Local Value	Master Value
<b>tidy.clean_output</b>	<i>no value</i>	<i>no value</i>
<b>tidy.default_config</b>	<i>no value</i>	<i>no value</i>

## tokenizer

<b>Tokenizer Support</b>	enabled
--------------------------	---------

## xml

<b>XML Support</b>	active
<b>XML Namespace Support</b>	active
<b>libxml2 Version</b>	2.9.1

## xmlreader

<b>XMLReader</b>	enabled
------------------	---------

## xmlrpc

<b>core library version</b>	xmlrpc-epi v. 0.51
<b>php extension version</b>	0.51
<b>author</b>	Dan Libby
<b>homepage</b>	<a href="http://xmlrpc-epi.sourceforge.net">http://xmlrpc-epi.sourceforge.net</a>
<b>open sourced by</b>	Epinions.com

## xmlwriter

<b>XMLWriter</b>	enabled
------------------	---------

## xsl

<b>XSL</b>	enabled
<b>libxslt Version</b>	1.1.28
<b>libxslt compiled against libxml Version</b>	2.9.1
<b>EXSLT</b>	enabled
<b>libexslt Version</b>	1.1.28

## Zend OPcache

<b>Opcode Caching</b>	Up and Running
<b>Optimization</b>	Enabled

<b>Startup</b>	OK
<b>Shared memory model</b>	mmap
<b>Cache hits</b>	542
<b>Cache misses</b>	101
<b>Used memory</b>	14323128
<b>Free memory</b>	119894600
<b>Wasted memory</b>	0
<b>Interned Strings Used memory</b>	987120
<b>Interned Strings Free memory</b>	7401488
<b>Cached scripts</b>	101
<b>Cached keys</b>	203
<b>Max keys</b>	7963
<b>OOM restarts</b>	0
<b>Hash keys restarts</b>	0
<b>Manual restarts</b>	0

<b>Directive</b>	<b>Local Value</b>	<b>Master Value</b>
<b>opcache.blacklist_filename</b>	<i>no value</i>	<i>no value</i>
<b>opcache.consistency_checks</b>	0	0
<b>opcache.dups_fix</b>	Off	Off
<b>opcache.enable</b>	On	On
<b>opcache.enable_cli</b>	Off	Off
<b>opcache.enable_file_override</b>	Off	Off
<b>opcache.error_log</b>	<i>no value</i>	<i>no value</i>
<b>opcache.fast_shutdown</b>	1	1
<b>opcache.file_update_protection</b>	2	2
<b>opcache.force_restart_timeout</b>	180	180
<b>opcache.inherited_hack</b>	On	On

<b>opcache.interned_strings_buffer</b>	8	8
<b>opcache.load_comments</b>	1	1
<b>opcache.log_verbosity_level</b>	1	1
<b>opcache.max_accelerated_files</b>	4000	4000
<b>opcache.max_file_size</b>	0	0
<b>opcache.max_wasted_percentage</b>	5	5
<b>opcache.memory_consumption</b>	128	128
<b>opcache.optimization_level</b>	0xFFFFFFFF	0xFFFFFFFF
<b>opcache.preferred_memory_model</b>	<i>no value</i>	<i>no value</i>
<b>opcache.protect_memory</b>	0	0
<b>opcache.restrict_api</b>	<i>no value</i>	<i>no value</i>
<b>opcache.revalidate_freq</b>	60	60
<b>opcache.revalidate_path</b>	Off	Off
<b>opcache.save_comments</b>	1	1
<b>opcache.use_cwd</b>	On	On
<b>opcache.validate_timestamps</b>	On	On

## zip

<b>Zip</b>	enabled
<b>Extension Version</b>	\$Id: 99c293c6d7426a83c60d234956aa10f0b56218fb \$
<b>Zip version</b>	1.11.0
<b>Libzip version</b>	0.10.1

## zlib

<b>ZLib Support</b>	<b>enabled</b>
---------------------	----------------

<b>Stream Wrapper</b>	compress.zlib://
<b>Stream Filter</b>	zlib.inflate, zlib.deflate
<b>Compiled Version</b>	1.2.6
<b>Linked Version</b>	1.2.6

Directive	Local Value	Master Value
<b>zlib.output_compression</b>	Off	Off
<b>zlib.output_compression_level</b>	-1	-1
<b>zlib.output_handler</b>	<i>no value</i>	<i>no value</i>

## Additional Modules

Module Name
-------------

## Environment

Variable	Value
<b>XDG_VTNR</b>	2
<b>LDFLAGS</b>	-m32 -L/home/owino/lampstack-5.5.30-0/common/lib
<b>LDAPCONF</b>	/home/owino/lampstack-5.5.30-0/common/etc/ldap/ldap.conf
<b>XDG_SESSION_ID</b>	1
<b>HOSTNAME</b>	localhost.localdomain
<b>SSL_CERT_FILE</b>	/home/owino/lampstack-5.5.30-0/common/openssl/certs/curl-ca-bundle.crt
<b>GIO_LAUNCHED_DESKTOP_FILE_PID</b>	2120
<b>GEM_HOME</b>	/home/owino/lampstack-5.5.30-0/ruby/lib/ruby/gems/2.2.0

<b>SHELL</b>	/bin/bash
<b>XDG_MENU_PREFIX</b>	gnome-
<b>HISTSIZE</b>	1000
<b>CURL_CA_BUNDLE</b>	/home/owino/lampstack-5.5.30-0/common/openssl/certs/curl-ca-bundle.crt
<b>MAGICK_CONFIGURE_PATH</b>	/home/owino/lampstack-5.5.30-0/common/lib/ImageMagick-6.7.5/config:/home/owino/lampstack-5.5.30-0/common/
<b>GS_LIB</b>	/home/owino/lampstack-5.5.30-0/common/share/ghostscript/fonts
<b>GJS_DEBUG_OUTPUT</b>	stderr
<b>GJS_DEBUG_TOPICS</b>	JS ERROR;JS LOG
<b>PHPRC</b>	/home/owino/lampstack-5.5.30-0/php/etc
<b>OPENSSL_ENGINES</b>	/home/owino/lampstack-5.5.30-0/common/lib/engines
<b>GIT_SSL_CAINFO</b>	/home/owino/lampstack-5.5.30-0/common/openssl/certs/curl-ca-bundle.crt
<b>PHP_PEAR_SYSCONF_DIR</b>	/home/owino/lampstack-5.5.30-0/php/etc
<b>MAGICK_CODER_MODULE_PATH</b>	/home/owino/lampstack-5.5.30-0/common/lib/ImageMagick-6.7.5/modules-Q16/coders
<b>USER</b>	owino
<b>LD_LIBRARY_PATH</b>	/home/owino/lampstack-5.5.30-0/sqlite/lib:/home/owino/lampstack-5.5.30-0/mysql/lib:/home/owino/lampstack-5.5.30-0/apache2/lib:/home/owino/lampstack-5.5.30-0/common/lib:/home/owino/lampstack-5.5.30-0/sqlite/lib:/home/owino/lampstack-5.5.30-0/mysql/lib:/home/owino/lampstack-5.5.30-0/apache2/lib:/home/owino/lampstack-5.5.30-0/common/lib:/home/owino/lampstack-5.5.30-0/ruby/lib:/home/owino/lampstack-5.5.30-0/git/lib:/home/owino/lampstack-5.5.30-0/sqlite/lib:/home/owino/lampstack-5.5.30-0/mysql/lib:/home/owino/lampstack-5.5.30-0/apache2/lib:/home/owino/lampstack-5.5.30-0/common/lib:
<b>SSH_AUTH_SOCK</b>	/run/user/1000/keyring/ssh
<b>CXXFLAGS</b>	-I/home/owino/lampstack-5.5.30-0/common/include

<b>USERNAME</b>	owino
<b>SESSION_MANAGER</b>	local/unix:@/tmp/.ICE-unix/1140,unix/unix:/tmp/.ICE-unix/1140
<b>FREETDSLOCALES</b>	/home/owino/lampstack-5.5.30-0/common /etc/locales.conf
<b>GIO_LAUNCHED_DESKTOP_FILE</b>	/usr/share/applications/pcmanfm.desktop
<b>DESKTOP_SESSION</b>	gnome
<b>PATH</b>	/home/owino/lampstack-5.5.30-0/heroku/bin:/home/owino/lampstack-5.5.30-0/ruby/bin:/home/owino/lampstack-5.5.30-0/git/bin:/home/owino/lampstack-5.5.30-0/sqlite/bin:/home/owino/lampstack-5.5.30-0/php/bin:/home/owino/lampstack-5.5.30-0/mysql/bin:/home/owino/lampstack-5.5.30-0/apache2/bin:/home/owino/lampstack-5.5.30-0/common/bin:/usr/local/bin:/usr/local/sbin:/usr/bin:/usr/sbin:/home/owino/.local/bin:/home/owino/bin
<b>MAIL</b>	/var/spool/mail/owino
<b>QT_IM_MODULE</b>	ibus
<b>QT_QPA_PLATFORMTHEME</b>	qgnomeplatform
	/home/owino/lampstack-5.5.30-0/manager-linux.run
<b>PWD</b>	/home/owino/lampstack-5.5.30-0
<b>XDG_SESSION_TYPE</b>	x11
<b>XMODIFIERS</b>	@im=ibus
<b>FREETDSCONF</b>	/home/owino/lampstack-5.5.30-0/common /etc/freetds.conf
<b>LANG</b>	en_GB.UTF-8
<b>SASL_PATH</b>	/home/owino/lampstack-5.5.30-0/common/lib/sasl2
<b>GDM_LANG</b>	en_GB.UTF-8
<b>MODULEPATH</b>	/etc/scl/modulefiles:/usr/share/Modules/modulefiles: /etc/modulefiles:/usr/share/modulefiles
<b>LOADEDMODULES</b>	<i>no value</i>

<b>GIT_TEMPLATE_DIR</b>	/home/owino/lampstack-5.5.30-0/git/share/git-core/templates
<b>MAGICK_HOME</b>	/home/owino/lampstack-5.5.30-0/common
<b>RUBY_HOME</b>	/home/owino/lampstack-5.5.30-0/ruby
<b>GDMSESSION</b>	gnome
<b>HISTCONTROL</b>	ignoredups
<b>SSH_ASKPASS</b>	/usr/libexec/openssh/gnome-ssh-askpass
<b>SASL_CONF_PATH</b>	/home/owino/lampstack-5.5.30-0/common/etc
<b>SHLVL</b>	4
<b>HOME</b>	/home/owino
<b>XDG_SEAT</b>	seat0
<b>TERMINFO</b>	/home/owino/lampstack-5.5.30-0/common/share/terminfo
<b>OPENSSL_CONF</b>	/home/owino/lampstack-5.5.30-0/common/openssl/openssl.cnf
<b>CFLAGS</b>	-m32 -I/home/owino/lampstack-5.5.30-0/common/include/ImageMagick -I/home/owino/lampstack-5.5.30-0/common/include
<b>GNOME_DESKTOP_SESSION_ID</b>	this-is-deprecated
<b>XDG_SESSION_DESKTOP</b>	gnome
<b>LOGNAME</b>	owino
<b>GEM_PATH</b>	/home/owino/lampstack-5.5.30-0/ruby/lib/ruby/gems/2.2.0
<b>DBUS_SESSION_BUS_ADDRESS</b>	unix:path=/run/user/1000/bus
<b>MODULESHOME</b>	/usr/share/Modules
<b>PKG_CONFIG_PATH</b>	/home/owino/lampstack-5.5.30-0/common/lib/pkgconfig
<b>LESSOPEN</b>	/usr/bin/lesspipe.sh %s
<b>WINDOWPATH</b>	2
<b>DISPLAY</b>	:0
<b>XDG_RUNTIME_DIR</b>	/run/user/1000
<b>XDG_CURRENT_DESKTOP</b>	GNOME



<b>BUNDLE_CONFIG</b>	/home/owino/lampstack-5.5.30-0/ruby/.bundler/config
<b>RUBYLIB</b>	/home/owino/lampstack-5.5.30-0/ruby/lib/ruby/site_ruby/2.2.0:/home/owino/lampstack-5.5.30-0/ruby/lib/ruby/site_ruby/2.2.0/i686-linux:/home/owino/lampstack-5.5.30-0/ruby/lib/ruby/site_ruby:/home/owino/lampstack-5.5.30-0/ruby/lib/ruby/vendor_ruby/2.2.0:/home/owino/lampstack-5.5.30-0/ruby/lib/ruby/vendor_ruby/2.2.0/i686-linux:/home/owino/lampstack-5.5.30-0/ruby/lib/ruby/vendor_ruby:/home/owino/lampstack-5.5.30-0/ruby/lib/ruby/2.2.0:/home/owino/lampstack-5.5.30-0/ruby/lib/ruby/2.2.0/i686-linux:/home/owino/lampstack-5.5.30-0/ruby/lib
<b>GIT_EXEC_PATH</b>	/home/owino/lampstack-5.5.30-0/git/libexec/git-core/
<b>XAUTHORITY</b>	/run/user/1000/gdm/Xauthority
<b>BASH_FUNC_module()</b>	() { eval `/usr/bin/modulecmd bash \$*` }
<b>BASH_FUNC_scl()</b>	() { local CMD=\$1; if [ "\$CMD" = "load" -o "\$CMD" = "unload" ]; then eval "module \$@"; else /usr/bin/scl "\$@"; fi }

## PHP Variables

Variable	Value
<b>_SERVER["HTTP_HOST"]</b>	127.0.0.1:8080
<b>_SERVER["HTTP_USER_AGENT"]</b>	Mozilla/5.0 (X11; Fedora; Linux i686; rv:47.0) Gecko/20100101 Firefox/47.0
<b>_SERVER["HTTP_ACCEPT"]</b>	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
<b>_SERVER["HTTP_ACCEPT_LANGUAGE"]</b>	en-US,en;q=0.5
<b>_SERVER["HTTP_ACCEPT_ENCODING"]</b>	gzip, deflate
<b>_SERVER["HTTP_CONNECTION"]</b>	keep-alive
<b>_SERVER["PATH"]</b>	/home/owino/lampstack-5.5.30-0/heroku/bin:/home/owino/lampstack-5.5.30-0/ruby/bin:/home/owino

	/lampstack-5.5.30-0/git/bin:/home/owino /lampstack-5.5.30-0/sqlite/bin:/home/owino /lampstack-5.5.30-0/php/bin:/home/owino /lampstack-5.5.30-0/mysql/bin:/home/owino /lampstack-5.5.30-0/apache2/bin:/home/owino /lampstack-5.5.30-0/common/bin:/usr/local/bin:/usr /local/sbin:/usr/bin:/usr/sbin:/home/owino/.local /bin:/home/owino/bin
<b>_SERVER["LD_LIBRARY_PATH"]</b>	/home/owino/lampstack-5.5.30-0/sqlite/lib:/home /owino/lampstack-5.5.30-0/mysql/lib:/home/owino /lampstack-5.5.30-0/apache2/lib:/home/owino /lampstack-5.5.30-0/common/lib:/home/owino /lampstack-5.5.30-0/sqlite/lib:/home/owino /lampstack-5.5.30-0/mysql/lib:/home/owino /lampstack-5.5.30-0/apache2/lib:/home/owino /lampstack-5.5.30-0/common/lib:/home/owino /lampstack-5.5.30-0/ruby/lib:/home/owino /lampstack-5.5.30-0/git/lib:/home/owino/lampstack- 5.5.30-0/sqlite/lib:/home/owino/lampstack-5.5.30-0 /mysql/lib:/home/owino/lampstack-5.5.30-0 /apache2/lib:/home/owino/lampstack-5.5.30-0 /common/lib:
<b>_SERVER["SERVER_SIGNATURE"]</b>	<i>no value</i>
<b>_SERVER["SERVER_SOFTWARE"]</b>	Apache
<b>_SERVER["SERVER_NAME"]</b>	127.0.0.1
<b>_SERVER["SERVER_ADDR"]</b>	127.0.0.1
<b>_SERVER["SERVER_PORT"]</b>	8080
<b>_SERVER["REMOTE_ADDR"]</b>	127.0.0.1
<b>_SERVER["DOCUMENT_ROOT"]</b>	/home/owino/lampstack-5.5.30-0/apache2/htdocs
<b>_SERVER["REQUEST_SCHEME"]</b>	http
<b>_SERVER["CONTEXT_PREFIX"]</b>	<i>no value</i>
<b>_SERVER["CONTEXT_DOCUMENT_ROOT"]</b>	/home/owino/lampstack-5.5.30-0/apache2/htdocs
<b>_SERVER["SERVER_ADMIN"]</b>	you@example.com
<b>_SERVER["SCRIPT_FILENAME"]</b>	/home/owino/lampstack-5.5.30-0/apache2/htdocs /phpinfo.php

<b>_SERVER["REMOTE_PORT"]</b>	58304
<b>_SERVER["GATEWAY_INTERFACE"]</b>	CGI/1.1
<b>_SERVER["SERVER_PROTOCOL"]</b>	HTTP/1.1
<b>_SERVER["REQUEST_METHOD"]</b>	GET
<b>_SERVER["QUERY_STRING"]</b>	<i>no value</i>
<b>_SERVER["REQUEST_URI"]</b>	/phpinfo.php
<b>_SERVER["SCRIPT_NAME"]</b>	/phpinfo.php
<b>_SERVER["PHP_SELF"]</b>	/phpinfo.php
<b>_SERVER["REQUEST_TIME_FLOAT"]</b>	1471609284.621
<b>_SERVER["REQUEST_TIME"]</b>	1471609284

## PHP Credits

<b>PHP Group</b>
<b>Thies C. Arntzen, Stig Bakken, Shane Caraveo, Andi Gutmans, Rasmus Lerdorf, Sam Ruby, Sascha Schumann, Zeev Suraski, Jim Winstead, Andrei Zmievski</b>

<b>Language Design &amp; Concept</b>
<b>Andi Gutmans, Rasmus Lerdorf, Zeev Suraski, Marcus Boerger</b>

<b>PHP Authors</b>	
<b>Contribution</b>	<b>Authors</b>
<b>Zend Scripting Language Engine</b>	Andi Gutmans, Zeev Suraski, Stanislav Malyshev, Marcus Boerger, Dmitry Stogov
<b>Extension Module API</b>	Andi Gutmans, Zeev Suraski, Andrei Zmievski
<b>UNIX Build and Modularization</b>	Stig Bakken, Sascha Schumann, Jani Taskinen
<b>Windows Port</b>	Shane Caraveo, Zeev Suraski, Wez Furlong, Pierre-Alain Joye

<b>Server API (SAPI) Abstraction Layer</b>	Andi Gutmans, Shane Caraveo, Zeev Suraski
<b>Streams Abstraction Layer</b>	Wez Furlong, Sara Golemon
<b>PHP Data Objects Layer</b>	Wez Furlong, Marcus Boerger, Sterling Hughes, George Schlossnagle, Ilia Alshanetsky
<b>Output Handler</b>	Zeev Suraski, Thies C. Arntzen, Marcus Boerger, Michael Wallner

<b>SAPI Modules</b>	
<b>Contribution</b>	<b>Authors</b>
<b>AOLserver</b>	Sascha Schumann
<b>Apache 1.3 (apache_hooks)</b>	Rasmus Lerdorf, Zeev Suraski, Stig Bakken, David Sklar, George Schlossnagle, Lukas Schroeder
<b>Apache 1.3</b>	Rasmus Lerdorf, Zeev Suraski, Stig Bakken, David Sklar
<b>Apache 2.0 Filter</b>	Sascha Schumann, Aaron Bannert
<b>Apache 2.0 Handler</b>	Ian Holsman, Justin Erenkrantz (based on Apache 2.0 Filter code)
<b>Caudium / Roxen</b>	David Hedbor
<b>CGI / FastCGI</b>	Rasmus Lerdorf, Stig Bakken, Shane Caraveo, Dmitry Stogov
<b>CLI</b>	Edin Kadribasic, Marcus Boerger, Johannes Schlueter, Moriyoshi Koizumi, Xinchun Hui
<b>Continuity</b>	Alex Leigh (based on nsapi code)
<b>Embed</b>	Edin Kadribasic
<b>FastCGI Process Manager</b>	Andrei Nigmatulin, dreamcat4, Antony Dovgal, Jerome Loyet
<b>ISAPI</b>	Andi Gutmans, Zeev Suraski
<b>litespeed</b>	George Wang
<b>NSAPI</b>	Jayakumar Muthukumarasamy, Uwe Schindler
<b>phttpd</b>	Thies C. Arntzen
<b>pi3web</b>	Holger Zimmermann
<b>Sendmail Milter</b>	Harald Radi

<b>thttpd</b>	Sascha Schumann
<b>tux</b>	Sascha Schumann
<b>WebJames</b>	Alex Waugh

<b>Module Authors</b>	
<b>Module</b>	<b>Authors</b>
<b>BC Math</b>	Andi Gutmans
<b>Bzip2</b>	Sterling Hughes
<b>Calendar</b>	Shane Caraveo, Colin Viebrock, Hartmut Holzgraefe, Wez Furlong
<b>COM and .Net</b>	Wez Furlong
<b>ctype</b>	Hartmut Holzgraefe
<b>cURL</b>	Sterling Hughes
<b>Date/Time Support</b>	Derick Rethans
<b>DB-LIB (MS SQL, Sybase)</b>	Wez Furlong, Frank M. Kromann
<b>DBA</b>	Sascha Schumann, Marcus Boerger
<b>DOM</b>	Christian Stocker, Rob Richards, Marcus Boerger
<b>enchant</b>	Pierre-Alain Joye, Ilia Alshanetsky
<b>ereg</b>	Rasmus Lerdorf, Jim Winstead, Jaakko Hyvätti
<b>EXIF</b>	Rasmus Lerdorf, Marcus Boerger
<b>fileinfo</b>	Ilia Alshanetsky, Pierre Alain Joye, Scott MacVicar, Derick Rethans
<b>Firebird/InterBase driver for PDO</b>	Ard Biesheuvel
<b>FTP</b>	Stefan Esser, Andrew Skalski
<b>GD imaging</b>	Rasmus Lerdorf, Stig Bakken, Jim Winstead, Jouni Ahto, Ilia Alshanetsky, Pierre-Alain Joye, Marcus Boerger
<b>GetText</b>	Alex Plotnick
<b>GNU GMP support</b>	Stanislav Malyshev
<b>Iconv</b>	Rui Hirokawa, Stig Bakken, Moriyoshi Koizumi

<b>IMAP</b>	Rex Logan, Mark Musone, Brian Wang, Kaj-Michael Lang, Antoni Pamies Olive, Rasmus Lerdorf, Andrew Skalski, Chuck Hagenbuch, Daniel R. Kalowsky
<b>Input Filter</b>	Rasmus Lerdorf, Derick Rethans, Pierre-Alain Joye, Ilia Alshanetsky
<b>InterBase</b>	Jouni Ahto, Andrew Avdeev, Ard Biesheuvel
<b>Internationalization</b>	Ed Batutis, Vladimir Jordanov, Dmitry Lakhtyuk, Stanislav Malyshev, Vadim Savchuk, Kirti Velankar
<b>JSON</b>	Omar Kilani, Scott MacVicar
<b>LDAP</b>	Amitay Isaacs, Eric Warnke, Rasmus Lerdorf, Gerrit Thomson, Stig Venaas
<b>LIBXML</b>	Christian Stocker, Rob Richards, Marcus Boerger, Wez Furlong, Shane Caraveo
<b>mcrypt</b>	Sascha Schumann, Derick Rethans
<b>MS SQL</b>	Frank M. Kromann
<b>Multibyte String Functions</b>	Tsukada Takuya, Rui Hirokawa
<b>MySQL driver for PDO</b>	George Schlossnagle, Wez Furlong, Ilia Alshanetsky, Johannes Schlueter
<b>MySQL</b>	Zeev Suraski, Zak Greant, Georg Richter, Andrey Hristov
<b>MySQLi</b>	Zak Greant, Georg Richter, Andrey Hristov, Ulf Wendel
<b>MySQLnd</b>	Andrey Hristov, Ulf Wendel, Georg Richter, Johannes Schlüter
<b>OCI8</b>	Stig Bakken, Thies C. Arntzen, Andy Sautins, David Benson, Maxim Maletsky, Harald Radi, Antony Dovgal, Andi Gutmans, Wez Furlong, Christopher Jones, Oracle Corporation
<b>ODBC driver for PDO</b>	Wez Furlong
<b>ODBC</b>	Stig Bakken, Andreas Karajannis, Frank M. Kromann, Daniel R. Kalowsky
<b>OpenSSL</b>	Stig Venaas, Wez Furlong, Sascha Kettler, Scott MacVicar
<b>Oracle (OCI) driver for PDO</b>	Wez Furlong
<b>pcntl</b>	Jason Greene, Arnaud Le Blanc

<b>Perl Compatible Regexps</b>	Andrei Zmievski
<b>PHP Archive</b>	Gregory Beaver, Marcus Boerger
<b>PHP Data Objects</b>	Wez Furlong, Marcus Boerger, Sterling Hughes, George Schlossnagle, Ilia Alshanetsky
<b>PHP hash</b>	Sara Golemon, Rasmus Lerdorf, Stefan Esser, Michael Wallner, Scott MacVicar
<b>Posix</b>	Kristian Koehntopp
<b>PostgreSQL driver for PDO</b>	Edin Kadribasic, Ilia Alshanetsky
<b>PostgreSQL</b>	Jouni Ahto, Zeev Suraski, Yasuo Ohgaki, Chris Kings-Lynne
<b>Pspell</b>	Vlad Krupin
<b>Readline</b>	Thies C. Arntzen
<b>Recode</b>	Kristian Koehntopp
<b>Reflection</b>	Marcus Boerger, Timm Friebe, George Schlossnagle, Andrei Zmievski, Johannes Schlueter
<b>Sessions</b>	Sascha Schumann, Andrei Zmievski
<b>Shared Memory Operations</b>	Slava Poliakov, Ilia Alshanetsky
<b>SimpleXML</b>	Sterling Hughes, Marcus Boerger, Rob Richards
<b>SNMP</b>	Rasmus Lerdorf, Harrie Hazewinkel, Mike Jackson, Steven Lawrance, Johann Hanne, Boris Lytochkin
<b>SOAP</b>	Brad Lafountain, Shane Caraveo, Dmitry Stogov
<b>Sockets</b>	Chris Vandomelen, Sterling Hughes, Daniel Beulshausen, Jason Greene
<b>SPL</b>	Marcus Boerger, Etienne Kneuss
<b>SQLite 3.x driver for PDO</b>	Wez Furlong
<b>SQLite3</b>	Scott MacVicar, Ilia Alshanetsky, Brad Dewar
<b>Sybase-CT</b>	Zeev Suraski, Tom May, Timm Friebe

<b>System V Message based IPC</b>	Wez Furlong
<b>System V Semaphores</b>	Tom May
<b>System V Shared Memory</b>	Christian Cartus
<b>tidy</b>	John Coggeshall, Ilia Alshanetsky
<b>tokenizer</b>	Andrei Zmievski, Johannes Schlueter
<b>WDDX</b>	Andrei Zmievski
<b>XML</b>	Stig Bakken, Thies C. Arntzen, Sterling Hughes
<b>XMLReader</b>	Rob Richards
<b>xmlrpc</b>	Dan Libby
<b>XMLWriter</b>	Rob Richards, Pierre-Alain Joye
<b>XSL</b>	Christian Stocker, Rob Richards
<b>Zip</b>	Pierre-Alain Joye
<b>Zlib</b>	Rasmus Lerdorf, Stefan Roehrich, Zeev Suraski, Jade Nicoletti, Michael Wallner

<b>PHP Documentation</b>	
<b>Authors</b>	Mehdi Achour, Friedhelm Betz, Antony Dovgal, Nuno Lopes, Hannes Magnusson, Georg Richter, Damien Seguy, Jakub Vrana
<b>Editor</b>	Philip Olson
<b>User Note Maintainers</b>	Daniel P. Brown, Thiago Henrique Pojda
<b>Other Contributors</b>	Previously active authors, editors and other contributors are listed in the manual.

<b>PHP Quality Assurance Team</b>
<b>Ilia Alshanetsky, Joerg Behrens, Antony Dovgal, Stefan Esser, Moriyoshi Koizumi, Magnus Maatta, Sebastian Nohn, Derick Rethans, Melvyn Sopacua, Jani Taskinen, Pierre-Alain Joye, Dmitry Stogov, Felipe Pena, David Soria Parra</b>



<b>Websites and Infrastructure team</b>	
<b>PHP Websites Team</b>	Rasmus Lerdorf, Hannes Magnusson, Philip Olson, Lukas Kahwe Smith, Pierre-Alain Joye, Kalle Sommer Nielsen
<b>Event Maintainers</b>	Damien Seguy, Daniel P. Brown
<b>Network Infrastructure</b>	Daniel P. Brown
<b>Windows Infrastructure</b>	Alex Schoenmaker

## PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact [license@php.net](mailto:license@php.net).