A. Ajaykrishna
6765

) Create ~~shopping~~ table Shopping(
ShopID INT Auto_increment primary key,
ShopName varchar(50) NOTNull,
Product Name varchar(50) NOT NULL,
Qty INT Default 0);

Insert values

Insert into Shopping (ShopName, Product Name, Qty) values
('Reliance', 'Laptop', 5),
('DMart', 'Mouse', 3),
('Amazon', 'keyboard', 2);
('Flipkart', monitor, 4);

Insert without Qty

Insert into Shoping (Shop Name, Product Name) values ('Flipkart', 'monitor');

1 question Output

ShopID	Shop name	product Name	Qty
1	Reliance	Laptop	2
2	DMart	Mouse	5
3	Amazon	Keyboard	3
4	Flipkart	Monitor	4

2) insert into Shopping (ShopName, ProductName, Qty)
values
('Reliance', 'laptop', 2);
('Dmart', 'mouse', 5);
('Amazon', 'keyboard', 3);
('Flipkart', 'Monitor', 4);

Select * From Shopping order by qty DESC;
qty

2 Question output

~~Shop ID~~	~~Shop Name~~
~~1~~	~~Reliance~~
2	
3	
4	

~~Product Name~~	~~Qty~~
Laptop	~~2~~
~~Mouse~~	~~3~~
~~Monitor~~	~~4~~
keyboard	4
	5

Product Name	Qty
Laptop	2
Keyboard	3
Monitor	4
mouse	5

3) Create table Products (

ShopID INT,
ProductID INT,
ProductName varchar(50)
Price Decimal(10,2));

Insert value

Insert into Products value
(1, 101, 'Laptop', 45000),
(2, 102, 'Mouse', 500),
(3, 103, 'Keyboard', 1200);
(4, 104, 'Monitor', 15000);

Full join

Select * from Shopping Full outer join Product on Shopping.ShopID = Products.ShopID;

output

ShopID	ShopName	ProductName	Qty	ProductID
1	Realiance	Laptop	2	101
2	[illegible]	Mouse	5	102
3	Amazon	Keyboard	3	103
4	Flipkart	Monitor	4	104

Price
45000
500
1200
15000

4)

```
Create Procedure getProductDetails
@ShopName varchar(50) as
Begin
    Select productName, Qty
    From Shopping
    where ShopName = @ShopName;
End;
```

Exec getproductdetails @ShopName = "reliance";

output

ProductName	Qty
Laptop	2
Mouse	5
Keyboard	3
Monitor	4

5) Trigger

A Trigger is a special SQL code that automatically executes when an event occurs in a table.

types After trigger and Before trigger.

```
Create trigger trigger_Name on
Shopping After insert as
Begin
  --- Code ---
End;
```