


WEEKLY-ONLY VALIDATION MODE | VERSION 1.1

Weekly Purple Touch Visual Audit Guide

Valid, invalid, and boundary examples for Step 1, all-filter setups, entry signals, and exit signals



Purpose
Use this guide to compare Krishna's chart interpretation with the exact rules currently executed by the application. A PASS drawing means the illustrated rule passes; it does not promise a trade result or place an order.


Scope	Current behavior
Live scan	Weekly only. Monthly and Daily live scans are paused.
Required candles	Weekly touch + Monthly confirmation + 30-minute early/exit + 2-hour final.
History	Existing Monthly and Daily rows remain stored but are not newly scanned or exit-monitored while paused.
Version	Version 1.1. The original v1.0 PDF is retained for comparison.

Color key

Color	Technical
Purple	EMA9
Blue	Upper Chande Kroll line
Yellow	Lower Chande Kroll line
Brown	VWMA20
Light green	EMA26
Black	EMA89

1 Weekly data path and decision order

Every Weekly live run refreshes and analyzes four supporting candle streams. The stages are sequential for a candidate; entry and exit checks use separate timeframes.



Order	Gate	Pass requirement	If it fails
1	Step 1	Latest Weekly wick/range physically touches purple; close is 0.00%-3.00% above it.	No Step 1 row.
2	All-filter setup	All mandatory Weekly/Monthly trend and direction checks pass.	Row stays Step 1 only.
3	Entry snapshot	C1 or C2 entry rules pass, or a later candle passes while the touch remains valid.	Entry stays waiting, or touch later expires.
4	Signal gate	NSE market hours, or Force enabled; no duplicate trade row.	No new trade ID or Telegram event.
5	Exit	Latest 30-minute candle closes strictly below yellow.	Matching Weekly trade remains open.

Counts do not tally stage-for-stage

Step 1 is the widest shortlist. Weekly Setups Passing All Filters is a stricter subset. Entry Signals Created contains deduplicated historical events, not the current setup count. Exit Alerts apply only to open Weekly trade IDs.

Minimum history used by the code


Check	Minimum / practical requirement	Why
Step 1	9 Weekly candles	Enough to calculate purple EMA9.
Strict Weekly	Effectively 89 Weekly candles	Configured minimum is 52, but black EMA89 is mandatory and unavailable before 89.
Monthly confirmation	At least 19 Monthly candles	Chande Kroll blue needs ATR10 plus stop-period history.
Early/final/exit	At least 30 candles on each entry/exit timeframe	The snapshot functions return insufficient before 30.

2 Step 1: valid Weekly purple-touch shapes

Implemented test: $\text{low} \leq \text{EMA9} \leq \text{high}$ AND $\text{EMA9} \leq \text{close} \leq \text{EMA9} \times 1.03$. The candle must physically touch/cross purple and close from 0.00% to 3.00% above it.

Exact range touch


PASS



Purple EMA9 lies inside the latest Weekly high/low range and the close is 2.00% above purple. Physical contact plus bullish close passes.

Near touch above purple


BLOCK



Invalid because neither the wick/range nor close touches purple. Being only 2.00% away does not count.

Near touch below purple


BLOCK



Invalid. The bullish Weekly setup does not accept a candle whose range and close remain below purple.

Wick touches; close at 3%

PASS
BOUNDARY



The wick physically crosses purple and the close is exactly 3.00% above it. Equality at the maximum is accepted.


Important

Step 1 requires physical contact and a bullish close, but it is still only the first gate. Black EMA89, EMA26, Weekly blue/purple direction, Monthly confirmation, structure, and entry readiness do not decide whether the Step 1 row exists.

3 Step 1: invalid and exact boundary cases

Close exactly 3% above


PASS 3.00%



The wick touches purple and close = $\text{EMA9} \times 1.03$. Equality at the close-distance limit passes.

Close just beyond 3%


BLOCK 3.01%



Physical wick contact is present, but a close even slightly more than 3.00% above purple is excluded.

Wick touches; close below purple


BLOCK



The wick/range contains purple, but the close is below it. Bullish Step 1 requires close $\geq$ purple.

Not enough Weekly history

BLOCK





Fewer than 9 Weekly candles means EMA9/Step 1 cannot be evaluated, even if the visible latest candle appears to touch.

Displayed distance	Included in Step 1?	Meaning
Close 0.00%	Yes, if range touches	Close is exactly on purple and the candle range contains purple.
Close 0.01% to 3.00% above	Yes, if range touches	Wick/range physically contains purple; close remains inside the bullish distance limit.
Close > 3.00% above	No	Too far above purple even when the wick touches.
Close below purple	No	Below-purple cases are excluded from the bullish scan.
Range does not contain purple	No	Near touch is not a touch, regardless of small distance.

4 Weekly Setups Passing All Filters: mandatory gates

This UI section was called Latest Scan Candidates in v1.0. A row has passed every mandatory Weekly and Monthly setup check, but Early and Final may still show wait. A setup row is not yet an entry signal.



Mandatory check	Exact implemented boundary	Result when false/unavailable
Weekly touch	Physical range touch; close from 0.00% to 3.00% above purple	No all-filter setup
Blue vs purple	Blue > purple; equality fails	No all-filter setup
Approach	Prior close >= 97% of current blue AND latest moves toward/within 3% of purple	No all-filter setup
Monthly confirmation	Latest Monthly open > blue OR close > blue; equality fails	No all-filter setup
Close vs EMA26	Close >= EMA26; equality passes	No all-filter setup
Close vs EMA89	Close > EMA89; equality fails	No all-filter setup
Structure	Only explicit downtrend blocks	No all-filter setup

What 'No strict candidate' meant in v1.0

The clearer v1.1 wording is 'No all-filter setup.' It means at least one mandatory Weekly/Monthly setup check failed or lacked data. The stock may still appear in Step 1 with a blocker, but it is excluded from the all-filter list and cannot create an entry signal in that scan. It does not mean bearish, sell, or exit.

5 Weekly Setups Passing All Filters: common blockers

Blue equals purple

BLOCK



Blue must be strictly above purple. Equality does not pass.

No blue-to-purple approach

BLOCK



The latest candle physically touches and closes within 3% above purple, but no prior close in the 2-3 candle window came from at least 97% of the blue-line area.

Close below EMA26


BLOCK



The touch can pass, but latest Weekly close below EMA26 blocks strict qualification.

Close equals EMA89

BLOCK



Black EMA89 is strict: close must be greater than EMA89. Equality fails.

Data blocker

Although strict scan configuration says 52 Weekly candles, black EMA89 is mandatory. With 52-88 Weekly candles EMA89 is unavailable, so no Latest Scan Candidate is returned.

6 Strict boundaries and non-blocking context

Monthly open above blue


PASS



Weekly confirmation passes when Monthly open > Monthly blue, even if Monthly close finishes below blue.

Monthly close equals blue

BLOCK



Open and close must not both be at/below blue. Equality alone is not above.

Weekly close equals EMA26


PASS



EMA26 uses $\geq$, so close exactly at EMA26 passes this mandatory check.

EMA9 not above EMA26

PASS WITH WARNING




Purple EMA9 > EMA26 improves score but is not mandatory. The row may still qualify if latest close $\geq$ EMA26 and every mandatory gate passes.

Context shown in UI	Mandatory?	Current effect
EMA9 above EMA26	No	Adds score when true; warning when false.
Yellow below EMA26	No	Adds score when true; warning when false.
Brown VWMA20 vs EMA26	No	Descriptive context only at strict stage.
RSI bullish divergence	No	Entry quality context only.
Close above blue	No	Rare/stronger context only.
Ichimoku, VWAP, Donchian	Ignored	Not used by this Purple Touch setup.

7 Entry validity: mapping C1, C2, and C3 onward

Candle 1 only


ENTRY ELIGIBLE



C1 is the mapped entry-timeframe touch candle. It can create Early/Final entry immediately when that timeframe's entry technicals pass; C2 is not required first.

Candle 2 closed


ENTRY ELIGIBLE



C2 can also create entry immediately when its technicals pass. After it closes, $\min(\text{C1 low}, \text{C2 low}) = 98$ becomes the validity level for C3 onward.

C3 low equals reference low


STILL VALID



From C3 onward, $\text{low} < \text{reference low}$ ends touch validity. Equality does not expire the touch.

Any C3+ low breaks reference

DISCARDED



Every candle from C3 onward is checked. The first low below $\min(\text{C1}, \text{C2})$ ends that touch's validity for future entries; valid C1/C2 entry signals already created are not deleted.


C1/C2 correction in v1.1

C1 and C2 are both entry-eligible. The C3+ lower-low rule controls how long the purple touch can produce future entry signals; it does not erase C1/C2 signals or close trade IDs already created.

8 Weekly Early Entry Alert technicals (30-minute)

Candle 1 close above yellow


ENTRY
CANDIDATE



C1 can create an Early Entry candidate immediately. On 30-minute, close > yellow is the only entry technical; blue/purple and yellow/brown are ignored.

Close equals yellow


WAIT



Entry requires close strictly above yellow. Equality does not create an Early candidate.

Wick above yellow, close below


WAIT



Only the 30-minute close is tested. A wick above yellow is not enough.

Candle 2 close above yellow

ENTRY
CANDIDATE



C2 is also entry-eligible. Its close above yellow can create Early Entry before any C3 validity check is needed.


Early Entry rule

Mandatory: 30-minute close > yellow while the Weekly touch is valid. Ignore 30-minute blue > purple and yellow > brown. C1 and C2 may each qualify immediately.

9 Weekly Final Entry Alert technicals (2-hour)

Candle 1 final technicals pass


ENTRY
CANDIDATE



C1 can create Final Entry immediately when 2-hour close > yellow and yellow > brown. Blue/purple is ignored.

Yellow equals brown


WAIT



Final requires yellow strictly above brown VWMA20. Equality fails.

Close above yellow; yellow below brown


WAIT



A 2-hour close above yellow is not enough for Final while yellow remains below brown.

Candle 2 final technicals pass

ENTRY
CANDIDATE




C2 can also create Final Entry before C3. It must close above yellow while yellow remains above brown.

Rule	Early 30-minute	Final 2-hour
C1 or C2 may qualify	Yes	Yes
From C3: touch still valid	Mandatory	Mandatory
Close > yellow	Mandatory	Mandatory
Blue > purple EMA9	Ignored	Ignored
Yellow > brown VWMA20	Ignored	Mandatory
RSI bullish divergence	Optional	Optional
Close > blue	Optional stronger context	Optional stronger context

10 From entry candidate to Entry Signal Created

A technical entry candidate becomes a stored signal only after the operational gates pass. This is why a setup can show entry_candidate while the Entry Signals Created count does not increase.



Situation	New alert?	Implemented result
Market closed; Force off	No	Analysis rows update, but trade IDs, entry/exit events, and Telegram are skipped.
Market closed; Force on	Possible	Cached-data test may create trade rows and optionally Telegram alerts.
Same symbol/profile/kind/touch already recorded	No	Duplicate is suppressed even when the earlier trade record is closed.
Final already recorded for same setup	No later Early	Final suppresses a later Early for the same mapped touch.
Early exists, Final appears later	Yes	Early may remain open while a separate Final trade record is created.
Early and Final first appear in same run	Final only	Final is evaluated first; its creation suppresses the subsequent Early.
Telegram disabled/unconfigured	Web alert may still exist	Persistence and Telegram delivery are separate.

Weekly maximum open trades

For one stock in Weekly-only mode, at most one Early and one Final Weekly trade can be open. A new mapped touch cannot open another trade of the same kind while that kind is already open.

11 What to track while the live Weekly scan runs

Read the UI from current scan state to historical trade outcome. The first three sections explain what the current scan found; the later sections prove which signals were actually stored and what happened afterward.

UI section	What to watch	What it tells a nontechnical user
Scan Progress & Data Used	Status, candles refreshed, failures, last start, last end, next trigger	Whether the Weekly scan is running, completed, delayed, or missing candle data.
Step 1: Purple EMA9 Touch	Symbol, close distance, touch result, blocker	Which Weekly candles physically touched purple and closed no more than 3.00% above it.
Weekly Setups Passing All Filters	Monthly confirmation, Weekly direction/trend, Early and Final status	Which Step 1 rows passed every mandatory setup filter and are waiting for, or already meet, an entry condition.
Live Scan Alert Summary	Signals created/skipped, Telegram sent/failed, reason	Whether a technically ready entry was allowed through market-hours, duplicate, persistence, and Telegram gates.
Entry Signals Created	Newest event time, symbol, Early/Final, profile, trade ID	An immutable history of entry signals actually created. It does not list every current setup or every scan result.
Entry Trades: Open & Closed	Trade ID, open/closed status, entry time, exit time, time open	The stateful trade record. An open row is still watched for exit; a closed row keeps the completed duration and linked timestamps.
Exit Alerts	Exit time, symbol, trade ID, 30-minute close and yellow	Proof that an open Weekly trade received its strict close-below-yellow exit signal.

Entry Signals Created

This is a historical event log. Each row answers: when was the signal created, was it Early or Final, which Weekly setup produced it, and which trade ID was opened? Old rows correctly remain even when the current scan no longer shows that setup.

Entry Trades: Open & Closed

This is the trade lifecycle view in plain language. Open means the exit scanner is still monitoring that trade ID. Closed means an Exit Alert was linked to it; entry time, exit time, and time open show the complete duration. It is not a broker position or an automatic order.


Live review habit

For an unexpected result, first note the scan end timestamp, then capture the same symbol's Step 1 row, all-filter setup row, Live Scan Alert Summary, and matching trade ID. Compare charts only at that same timestamp.

12 Weekly Exit Alert technicals (30-minute)

30-minute close below yellow


EXIT ALERT



Latest 30-minute close < yellow triggers exit for each matching open Weekly trade ID.

Close equals yellow


OPEN



Exit comparison is strict. Equality does not trigger an exit.

Wick below; close above


OPEN



A wick below yellow is ignored. The 30-minute candle must close below yellow.

No open Weekly trade ID

NO ALERT







The exit technical may be true, but exit scanning applies only to existing open Weekly trade rows.

Paused-profile behavior

Existing Monthly and Daily open trades are preserved but not exit-monitored while Weekly-only validation mode is active. Re-enabling those profiles must also resume their own exit scans.

13 End-to-end examples: where a stock should appear



UI section	What one row means	Must be a subset of
Step 1	Current physical Weekly touch audit row	Analyzed Weekly symbols
Weekly Setups Passing All Filters	Current setup passed every mandatory gate; entry may wait	Current Step 1 rows
Entry Signals Created	Deduplicated historical entry event with trade ID	Not a direct subset of current setups
Entry Trades: Open & Closed	Current state and duration for each created trade ID	Historical Entry Signals
Exit Alerts	Historical close event for a matching open trade ID	Historical Entry Signals

14 Audit checklist for a real Weekly stock

Use one stock at a time and record the values below from the UI and Krishna's chart. A disagreement in the first failing row identifies the rule to revisit.

Stage	Record from chart/UI	Expected decision
Weekly Step 1	Latest Weekly H/L/C, purple EMA9, close distance, Weekly candle count	Low <= purple <= high; purple <= close <= purple x 1.03; at least 9 candles
Weekly direction	Blue, purple, prior 2-3 Weekly closes, latest Weekly close	Blue > purple; prior close reaches 97% blue area; latest moves toward purple
Monthly confirmation	Latest Monthly O/C and Monthly blue	Monthly O > blue OR C > blue
Trend	Weekly close, EMA26, EMA89, structure	Close >= EMA26; close > EMA89; structure is not downtrend
30-minute validity	Mapped C1/C2 lows and every C3+ low	C1/C2 may enter; from C3 no low < min(C1, C2)
Early	30-minute close and yellow	Close > yellow; entry blue/purple and yellow/brown ignored
2-hour validity	Mapped C1/C2 lows and every C3+ low	C1/C2 may enter; from C3 no low < min(C1, C2)
Final	2-hour close, yellow, and brown	Close > yellow; yellow > brown; entry blue/purple ignored
Signal gate	Market status, Force, prior touch trade record, Telegram toggle	Operational gate passes and event is not duplicate/suppressed
Exit	Open trade ID, latest 30-minute close and yellow	Open trade exists; close < yellow

Best evidence to share

For any unexpected stock, capture the Weekly, Monthly, 30-minute, and 2-hour chart at the same scan timestamp plus its Step 1 and Weekly Setups Passing All Filters row. Without aligned timestamps, indicator values can legitimately differ.

Implementation trace

Area	Source
Step 1 and strict rules	trading_analysis/analysis/krishna_setup.py
Live profile selection and alert orchestration	trading_analysis/web_services.py
Duplicate and lifecycle precedence	trading_analysis/storage/sqlite.py
Weekly-only controls and progress	web/index.html and web/app.js

15 Remaining points that may need Krishna's confirmation

1. Does any physical wick crossing count?

v1.1 accepts low $\leq$ purple $\leq$ high when the close is from purple through 3.00% above it. Confirm that a deep intraperiod wick below purple remains valid as long as the close is still inside that bullish close zone.

2. How should 'approach from blue' be measured?

Current code uses any prior close in the latest 2-3 Weekly candles at or above 97% of the current blue value, plus a latest close moving down or within 3% of purple. Confirm whether candle bodies, highs/lows, or historical blue values should be used instead.

3. How should C1 and C2 map into each entry stream?

C1 and C2 are now entry-eligible immediately. Current code still maps them independently inside the 30-minute and 2-hour streams from the Weekly touch timestamp. Confirm that this mapping, rather than the first two Weekly candles, is intended.

4. Should incomplete Weekly/Monthly candles be evaluated?

The scanner uses the latest cached candle. During an active week/month that candle may still be forming. Confirm whether Step 1 and Monthly confirmation should use live incomplete candles, only completed candles, or clearly distinguish both modes.

Review outcome

Decision	Krishna's answer / requested change
Physical wick depth	
Blue-to-purple approach	
C1/C2 timeframe mapping	
Incomplete candle handling	
Other rule difference	

Document status

This guide describes the current implementation for validation. Update both code and this document after the reviewed definitions are confirmed.