NAME – AJAY YADAV

ROLL NO. – 125113041

BRANCH – MICROELECTRONICS AND VLSI ENGINEERING

Experiment - 1

Login page -

```html
<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>login</title>
    <style>
        * {
            margin: 0;
            padding: 0;
        }

        .con {
            height: 100vh;
            width: 100vw;
            background-color: rgb(227, 241, 227);
            display: flex;
        }

        .box {
            margin: auto;
            width: 400px;
            height: 500px;
            background-color: rgba(119, 118, 118, 0.411);
            border-radius: 10px;
            margin-top: 100px;
            display: flex;
            flex-direction: column;
        }

        .brand {
            color: rgb(5, 5, 5);
            font-size: 80px;
            font-weight: 900;
            margin: 20px auto;
        }

        .brand:hover {
            transform: scale(1.1);
            color: rgb(0, 255, 0);
        }

        .email,
        .password {
            border: 1px solid white;
            border-radius: 5px;
```

```
            background-color: rgba(0, 0, 0, 0.111);
            height: 30px;
            margin: 10px 15px;
            padding: 10px;
            color: white;
        }

        .btn {
            padding: 10px;
            width: 150px;
            margin: 10px auto;
            border-radius: 10px;
            font-size: 18px;
            font-weight: 600;
        }

        .btn:hover {
            transform: scale(1.05);
            color: white;
            background-color: black;
            border: 1px solid white;
        }

        .do {
            color: grey;
            margin: 10px auto;
        }

        .sing {
            color: white;
            font-size: 18px;
            margin: 0px auto;
        }
    </style>
</head>

<body>
    <div class="con">
        <div class="box">
            <div class="brand">Book Store</div> <input class="email" type="email"
name="email" id="email"
                placeholder="Email"> <input class="password" type="password"
placeholder="Password"> <button
                class="btn">Log in</button>
            <div class="do">Do not have an account</div>
            <div class="sing">Sing up</div>
        </div>
    </div>
    <script>
        let redirect = document.getElementsByClassName("btn")[0]
        redirect.addEventListener("click", () => { window.location.href =
"home.html"; })
    </script>
```

```
</body>

</html>
```

Output

Home page -

```html
<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>home</title>

    <style>
        * {
            padding: 0;
            margin: 0;
        }

        .bottom {
            display: flex;
            justify-content: space-around;
            font-size: 20px;
            font-weight: 600;
            background-color: rgb(196, 196, 196);
            padding: 10px;
            position: fixed;
            bottom: 0px;
            width: 100vw;
        }

        .home, .cataloge, .profile {
            color: greenyellow;
            padding: 10px;
            border-radius: 10px;
            background-color: black;
        }

        .home:hover , .cataloge:hover , .profile:hover {
            color: black;
            background-color: greenyellow;
        }
        .header {
            background-color: black;
            color: white;
            font-size: 30px;
        }

        .head {
            font-weight: 600;
            padding: 10px;
        }
```

```
        .t1 {
            font-size: 25px;
            font-weight: 600;
            padding: 10px;
        }

        .book {
            width: 300px;
            height: 470px;
            border: 1px solid black;
            margin: auto;
            border-radius: 10px;
            background-color: rgb(232, 232, 232);
            display: flex;
            flex-direction: column;
            align-items: center;
            gap: 5px;
            margin-top: 10px;
            margin-bottom: 10px;
        }

        img {
            width: 240px;
            border-radius: 10px;
        }

        .bookimg {
            margin: 10px 30px;
        }

        .bookname {
            font-size: 18px;
            font-weight: 700;
        }

        .bookbtn {
            background-color: black;
            color: white;
            padding: 10px;
            border: 0px;
            border-radius: 5px;

        }

        .booklast {
            margin-bottom: 70px;
        }
    </style>
</head>

<body>
    <div class="con">
```

```
        <div class="start">
            <div class="header">
                <div class="head">Book Store</div>
            </div>
            <div class="t1">Most sold of the week</div>
            <div class="card">
                <div class="book">
                    <div class="bookimg">
                        <img
                            src="https://media.springernature.com/full/springer-
static/cover-hires/book/978-1-4842-9792-6">
                    </div>
                    <div class="bookname">Database-Driven Web Development</div>
                    <div class="bookauthor">Thomas Valentine</div>
                    <div>
                        <button class="bookbtn">Read Now</button>
                    </div>
                </div>
            </div>
            <div class="t1">Most liked of the week</div>
            <div class="card">
                <div class="booklast book">
                    <div class="bookimg">
                        <img
                            src="https://media.springernature.com/full/springer-
static/cover-hires/book/978-1-4842-9792-6">
                    </div>
                    <div class="bookname">Database-Driven Web Development</div>
                    <div class="bookauthor">Thomas Valentine</div>
                    <div>
                        <button class="bookbtn">Read Now</button>
                    </div>
                </div>
            </div>
            <div class="bottom">
                <div class="home">Home</div>
                <div class="cataloge">Explore</div>
                <div class="profile">Profile</div>
            </div>
        </div>
    </div>

    <script>

        let profile = document.getElementsByClassName("profile")[0]

        profile.addEventListener("click", () => {
            window.location.href = "biodata.html";
        })
        let cataloge = document.getElementsByClassName("cataloge")[0]

        cataloge.addEventListener("click", () => {
            window.location.href = "catalog.html";
```

```
        })
        let home = document.getElementsByClassName("home")[0]

        home.addEventListener("click", () => {
            window.location.href = "home.html";
        })
    </script>
</body>

</html>
```

Output -



Catalogue page -

```html
<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Explore</title>

    <style>
        * {
            padding: 0;
            margin: 0;
        }

        .header {
            background-color: black;
            color: white;
            font-size: 30px;
        }

        .head {
            font-weight: 600;
            padding: 10px;
        }

        .t1 {
            font-size: 25px;
            font-weight: 600;
            padding: 10px;
        }

        .book {
            width: 300px;
            height: 470px;
            border: 1px solid black;
            margin: auto;
            border-radius: 10px;
            background-color: rgb(232, 232, 232);
            display: flex;
            flex-direction: column;
            align-items: center;
            gap: 5px;
            margin-top: 10px;
            margin-bottom: 10px;
        }

        img {
            width: 240px;
            border-radius: 10px;
```

```
        }

        .bookimg {
            margin: 10px 30px;
        }

        .bookname {
            font-size: 18px;
            font-weight: 700;
        }

        .bookbtn {
            background-color: black;
            color: white;
            padding: 10px;
            border: 0px;
            border-radius: 5px;
        }

        .booklast {
            margin-bottom: 70px;
        }

        .grid {
            display: grid;
            grid-template-columns: 1fr 1fr 1fr;
        }
    </style>
</head>

<body>
    <div class="con">
        <div class="start">
            <div class="header">
                <div class="head">Explore Books</div>
            </div>
            <div class="t1">Most sold of the week</div>
            <div class="grid">
                <div class="card">
                    <div class="book booklast">
                        <div class="bookimg">
                            <img
                                src="https://media.springernature.com/full/springe
r-static/cover-hires/book/978-1-4842-9792-6">
                        </div>
                        <div class="bookname">Database-Driven Web
Development</div>
                        <div class="bookauthor">Thomas Valentine</div>
                        <div>
                            <button class="bookbtn">Read Now</button>
                        </div>
                    </div>
                </div>
```

```
                <div class="card">
                    <div class="book booklast">
                        <div class="bookimg">
                            <img
                                src="https://media.springernature.com/full/springe
r-static/cover-hires/book/978-1-4842-9792-6">
                        </div>
                        <div class="bookname">Database-Driven Web
Development</div>
                        <div class="bookauthor">Thomas Valentine</div>
                        <div>
                            <button class="bookbtn">Read Now</button>
                        </div>
                    </div>
                </div>
                <div class="card">
                    <div class="book booklast">
                        <div class="bookimg">
                            <img
                                src="https://media.springernature.com/full/springe
r-static/cover-hires/book/978-1-4842-9792-6">
                        </div>
                        <div class="bookname">Database-Driven Web
Development</div>
                        <div class="bookauthor">Thomas Valentine</div>
                        <div>
                            <button class="bookbtn">Read Now</button>
                        </div>
                    </div>
                </div>
                <div class="card">
                    <div class="book booklast">
                        <div class="bookimg">
                            <img
                                src="https://media.springernature.com/full/springe
r-static/cover-hires/book/978-1-4842-9792-6">
                        </div>
                        <div class="bookname">Database-Driven Web
Development</div>
                        <div class="bookauthor">Thomas Valentine</div>
                        <div>
                            <button class="bookbtn">Read Now</button>
                        </div>
                    </div>
                </div>
                <div class="card">
                    <div class="book booklast">
                        <div class="bookimg">
                            <img
                                src="https://media.springernature.com/full/springe
r-static/cover-hires/book/978-1-4842-9792-6">
                        </div>
```

```
                        <div class="bookname">Database-Driven Web
Development</div>
                        <div class="bookauthor">Thomas Valentine</div>
                        <div>
                            <button class="bookbtn">Read Now</button>
                        </div>
                    </div>
                </div>
                <div class="card">
                    <div class="book booklast">
                        <div class="bookimg">
                            <img
                                src="https://media.springernature.com/full/springe
r-static/cover-hires/book/978-1-4842-9792-6">
                        </div>
                        <div class="bookname">Database-Driven Web
Development</div>
                        <div class="bookauthor">Thomas Valentine</div>
                        <div>
                            <button class="bookbtn">Read Now</button>
                        </div>
                    </div>
                </div>
                <div class="card">
                    <div class="book booklast">
                        <div class="bookimg">
                            <img
                                src="https://media.springernature.com/full/springe
r-static/cover-hires/book/978-1-4842-9792-6">
                        </div>
                        <div class="bookname">Database-Driven Web
Development</div>
                        <div class="bookauthor">Thomas Valentine</div>
                        <div>
                            <button class="bookbtn">Read Now</button>
                        </div>
                    </div>
                </div>
                <div class="card">
                    <div class="book booklast">
                        <div class="bookimg">
                            <img
                                src="https://media.springernature.com/full/springe
r-static/cover-hires/book/978-1-4842-9792-6">
                        </div>
                        <div class="bookname">Database-Driven Web
Development</div>
                        <div class="bookauthor">Thomas Valentine</div>
                        <div>
                            <button class="bookbtn">Read Now</button>
                        </div>
                    </div>
                </div>
```

```
                <div class="card">
                    <div class="book booklast">
                        <div class="bookimg">
                            <img
                                src="https://media.springernature.com/full/springe
r-static/cover-hires/book/978-1-4842-9792-6">
                        </div>
                        <div class="bookname">Database-Driven Web
Development</div>
                        <div class="bookauthor">Thomas Valentine</div>
                        <div>
                            <button class="bookbtn">Read Now</button>
                        </div>
                    </div>
                </div>
            </div>
            <div class="t1">Most liked of the week</div>

            <div class="grid">
            <div class="card">
                <div class="booklast book">
                    <div class="bookimg">
                        <img
                            src="https://media.springernature.com/full/springer-
static/cover-hires/book/978-1-4842-9792-6">
                    </div>
                    <div class="bookname">Database-Driven Web Development</div>
                    <div class="bookauthor">Thomas Valentine</div>
                    <div>
                        <button class="bookbtn">Read Now</button>
                    </div>
                </div>
            </div>
            <div class="card">
                <div class="booklast book">
                    <div class="bookimg">
                        <img
                            src="https://media.springernature.com/full/springer-
static/cover-hires/book/978-1-4842-9792-6">
                    </div>
                    <div class="bookname">Database-Driven Web Development</div>
                    <div class="bookauthor">Thomas Valentine</div>
                    <div>
                        <button class="bookbtn">Read Now</button>
                    </div>
                </div>
            </div>
            <div class="card">
                <div class="booklast book">
                    <div class="bookimg">
                        <img
                            src="https://media.springernature.com/full/springer-
static/cover-hires/book/978-1-4842-9792-6">
```

```
                    </div>
                    <div class="bookname">Database-Driven Web Development</div>
                    <div class="bookauthor">Thomas Valentine</div>
                    <div>
                        <button class="bookbtn">Read Now</button>
                    </div>
                </div>
            </div>
            <div class="card">
                <div class="booklast book">
                    <div class="bookimg">
                        <img
                            src="https://media.springernature.com/full/springer-
static/cover-hires/book/978-1-4842-9792-6">
                    </div>
                    <div class="bookname">Database-Driven Web Development</div>
                    <div class="bookauthor">Thomas Valentine</div>
                    <div>
                        <button class="bookbtn">Read Now</button>
                    </div>
                </div>
            </div>
            <div class="card">
                <div class="booklast book">
                    <div class="bookimg">
                        <img
                            src="https://media.springernature.com/full/springer-
static/cover-hires/book/978-1-4842-9792-6">
                    </div>
                    <div class="bookname">Database-Driven Web Development</div>
                    <div class="bookauthor">Thomas Valentine</div>
                    <div>
                        <button class="bookbtn">Read Now</button>
                    </div>
                </div>
            </div>
            <div class="card">
                <div class="booklast book">
                    <div class="bookimg">
                        <img
                            src="https://media.springernature.com/full/springer-
static/cover-hires/book/978-1-4842-9792-6">
                    </div>
                    <div class="bookname">Database-Driven Web Development</div>
                    <div class="bookauthor">Thomas Valentine</div>
                    <div>
                        <button class="bookbtn">Read Now</button>
                    </div>
                </div>
            </div>
            <div class="card">
                <div class="booklast book">
                    <div class="bookimg">
```

```
                        <img
                            src="https://media.springernature.com/full/springer-
static/cover-hires/book/978-1-4842-9792-6">
                    </div>
                    <div class="bookname">Database-Driven Web Development</div>
                    <div class="bookauthor">Thomas Valentine</div>
                    <div>
                        <button class="bookbtn">Read Now</button>
                    </div>
                </div>
            </div>
            <div class="card">
                <div class="booklast book">
                    <div class="bookimg">
                        <img
                            src="https://media.springernature.com/full/springer-
static/cover-hires/book/978-1-4842-9792-6">
                    </div>
                    <div class="bookname">Database-Driven Web Development</div>
                    <div class="bookauthor">Thomas Valentine</div>
                    <div>
                        <button class="bookbtn">Read Now</button>
                    </div>
                </div>
            </div>
            <div class="card">
                <div class="booklast book">
                    <div class="bookimg">
                        <img
                            src="https://media.springernature.com/full/springer-
static/cover-hires/book/978-1-4842-9792-6">
                    </div>
                    <div class="bookname">Database-Driven Web Development</div>
                    <div class="bookauthor">Thomas Valentine</div>
                    <div>
                        <button class="bookbtn">Read Now</button>
                    </div>
                </div>
            </div>
            </div>
        </div>
    </div>


</body>

</html>
```

Output -



Biodata page -

```
<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>first experiment</title>
    <style>

        * {
            margin: 0;
            padding: 0;
        }
        .con {
            background-color: rgb(29, 29, 29);
            width: 100vw;
            height: 100vh;
        }

        .start {
            display: flex;
        }

        .border {
            border-radius: 5px;
            width: 600px;
            height: 80vh;
            border: 0px solid black;
            margin: auto;
            margin-top: 50px;
color: white;            background-color: rgb(49, 54, 49);
        }

        .right {
            margin-top: 40px;
```

```
            margin-left: 15px;
        }

        .tag {
            font-size: 20px;
            font-weight: 600;
        }

        .info {
            display: flex;
            margin-top: 10px;
        }

        .names {
            font-size: 17px;
        }

        .left {
            justify-content: end;
        }

        img {
            width: 150px;
            height: 150px;
            margin-left: 225px;
            margin-top: 30px;
            border-radius: 90px;
        }
    </style>
</head>

<body>
    <div class="con">
        <div class="start">
            <div class="border">
                <div class="left">
                    <div class="img"> <img
                            src="https://tse3.mm.bing.net/th/id/OIP.nKc0BH_t6LAViz
3N2SedfAHaE7?rs=1&pid=ImgDetMain&o=7&rm=3"
                            alt="profile photo"> </div>
                </div>
                <div class="right">
                    <div class="info">
                        <div class="tag">Name : </div>
                        <div class="names">Ajay Yadav</div>
                    </div>
                    <div class="info">
                        <div class="tag">Branch : </div>
                        <div class="names">Microelectronics and VLSI
engineering</div>
                    </div>
                    <div class="info">
                        <div class="tag">DOB : </div>
```

```
                        <div class="names">10-07-2008</div>
                    </div>
                    <div class="info">
                        <div class="tag">Contact No. : </div>
                        <div class="names">9912536464</div>
                    </div>
                    <div class="info">
                        <div class="tag">Address : </div>
                        <div class="names">NIT KKR</div>
                    </div>
                    <div class="info">
                        <div class="tag">Hobby : </div>
                        <div class="names">Singing</div>
                    </div>
                    <div class="info">
                        <div class="tag">Github Page : </div> <a
href="http://github.com/ajay11110">ajay1110</a>
                    </div>
                </div>

            </div>
        </div>
    </div>
</body>

</html>
```

Output -

Name : Ajay Yadav

Branch : Microelectronics and VLSI engineering

DOB :10-07-2008

Contact No. :9912536464

Address :NIT KKR

Hobby : Singing

Github Page :ajay1110

Experiment - 2

Registration page -

```html
<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>login</title>
    <style>
        * {
            margin: 0;
            padding: 0;
        }

        .con {
            height: 100vh;
            width: 100vw;
            background-color: rgb(227, 241, 227);
            display: flex;
        }

        .box {
            margin: auto;
            width: 400px;
            height: 620px;
            background-color: rgba(119, 118, 118, 0.411);
            border-radius: 10px;
            margin-top: 100px;
            display: flex;
            flex-direction: column;
        }

        .brand {
            color: rgb(5, 5, 5);
            font-size: 80px;
            font-weight: 900;
            margin: 20px auto;
        }

        .brand:hover {
            transform: scale(1.1);
            color: rgb(0, 255, 0);
        }

        .email,
        .password,
        .name,
        .mobile {
            border: 1px solid white;
```

```
            border-radius: 5px;
            background-color: rgba(0, 0, 0, 0.111);
            height: 30px;
            margin: 10px 15px;
            padding: 10px;
            color: white;
        }

        .btn {
            padding: 10px;
            width: 150px;
            margin: 10px auto;
            border-radius: 10px;
            font-size: 18px;
            font-weight: 600;
        }

        .btn:hover {
            transform: scale(1.05);
            color: white;
            background-color: black;
            border: 1px solid white;
        }

        .do {
            color: grey;
            margin: 10px auto;
        }

        .sing {
            color: white;
            font-size: 18px;
            margin: 0px auto;
        }

        .sing:hover {
            color: rgb(0, 255, 0);
            transform: scale(1.09);
            font-weight: 700;
        }
    </style>
</head>

<body>
    <div class="con">
        <div class="box">
            <div class="brand">Book Store</div> <input class="name" type="text" name="name" id="name"
                placeholder="Name"> <input class="mobile" type="text" name="mobile" id="mobile"
                placeholder="Mobile no.">
            <!-- <input class="email" type="email" name="email" id="email" placeholder="Email"> -->
<input class="email"
                type="email" name="email" id="email" placeholder="Email"> <input class="password"
type="password"
```

```
                placeholder="Password"> <input class="password" type="password" placeholder="Confirm
Password"> <button
                class="btn">Sing Up</button>
            <div class="do">Already have an account</div>
            <div class="sing">Log In</div>
        </div>
    </div>
    <script>
        let redirect = document.getElementsByClassName("btn")[0]
        redirect.addEventListener("click", () => { window.location.href = "home.html"; })
    </script>
</body>

</html>
```

Output -



Cart page -

```html
<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Cart</title>
    <style>
        * {
            padding: 0;
            margin: 0;
        }

        .header {
            background-color: black;
            color: white;
            font-size: 30px;
            display: flex;
            justify-content: space;
        }

        .head {
            font-weight: 600;
            padding: 10px;
        }

        .cart {
            padding-top: 13px;
            padding-left: 10px;
        }

        .t1 {
            font-size: 25px;
            font-weight: 600;
            padding: 10px;
        }

        .book {
            width: 300px;
            height: 470px;
            border: 1px solid black;
            margin: auto;
            border-radius: 10px;
            background-color: rgb(232, 232, 232);
            display: flex;
            flex-direction: column;
            align-items: center;
            gap: 5px;
            margin-top: 10px;
            margin-bottom: 10px;
        }
```

```
        img {
            width: 240px;
            border-radius: 10px;
        }

        .bookimg {
            margin: 10px 30px;
        }

        .bookname {
            font-size: 18px;
            font-weight: 700;
        }

        .bookbtn {
            background-color: black;
            color: white;
            padding: 10px;
            border: 0px;
            border-radius: 5px;
        }

        .bookbtn:hover {
            background-color: white;
            color: black;
            font-weight: 700;
            border: 2px solid black;
        }

        .booklast {
            margin-bottom: 70px;
        }

        .grid {
            display: grid;
            grid-template-columns: 1fr 1fr 1fr;
        }
    </style>
</head>

<body>
    <div class="con">
        <div class="start">
            <div class="header"> <svg class="cart" xmlns="http://www.w3.org/2000/svg" viewBox="0 0 24
24" width="28"
                    height="28" color="#ffffff" fill="none" stroke="#ffffff" stroke-width="2" stroke-
linecap="round">
                    <path d="M8 16L16.7201 15.2733C19.4486 15.046 20.0611 14.45 20.3635 11.7289L21 6"
/>
                    <path d="M6 6H22" />
                    <circle cx="6" cy="20" r="2" />
                    <circle cx="17" cy="20" r="2" />
```

```
                    <path d="M8 20L15 20" />
                    <path
                        d="M2 2H2.966C3.91068 2 4.73414 2.62459 4.96326 3.51493L7.93852 15.0765C8.08887
15.6608 7.9602 16.2797 7.58824 16.7616L6.63213 18" />
                </svg>
                <div class="head">Your Cart</div>
            </div>
            <div class="t1">Your favourite collection - ready to buy</div>
            <div class="grid">
                <div class="card">
                    <div class="booklast book">
                        <div class="bookimg"> <img
                                src="https://media.springernature.com/full/springer-static/cover-
hires/book/978-1-4842-9792-6">
                        </div>
                        <div class="bookname">Database-Driven Web Development</div>
                        <div class="bookauthor">Thomas Valentine</div>
                        <div> <button class="bookbtn">Buy Now</button> </div>
                    </div>
                </div>
                <div class="card">
                    <div class="booklast book">
                        <div class="bookimg"> <img
                                src="https://media.springernature.com/full/springer-static/cover-
hires/book/978-1-4842-9792-6">
                        </div>
                        <div class="bookname">Database-Driven Web Development</div>
                        <div class="bookauthor">Thomas Valentine</div>
                        <div> <button class="bookbtn">Buy Now</button> </div>
                    </div>
                </div>
                <div class="card">
                    <div class="booklast book">
                        <div class="bookimg"> <img
                                src="https://media.springernature.com/full/springer-static/cover-
hires/book/978-1-4842-9792-6">
                        </div>
                        <div class="bookname">Database-Driven Web Development</div>
                        <div class="bookauthor">Thomas Valentine</div>
                        <div> <button class="bookbtn">Buy Now</button> </div>
                    </div>
                </div>
                <div class="card">
                    <div class="booklast book">
                        <div class="bookimg"> <img
                                src="https://media.springernature.com/full/springer-static/cover-
hires/book/978-1-4842-9792-6">
                        </div>
                        <div class="bookname">Database-Driven Web Development</div>
                        <div class="bookauthor">Thomas Valentine</div>
                        <div> <button class="bookbtn">Buy Now</button> </div>
                    </div>
                </div>
```

```
                <div class="card">
                    <div class="booklast book">
                        <div class="bookimg"> <img
                                src="https://media.springernature.com/full/springer-static/cover-
hires/book/978-1-4842-9792-6">
                        </div>
                        <div class="bookname">Database-Driven Web Development</div>
                        <div class="bookauthor">Thomas Valentine</div>
                        <div> <button class="bookbtn">Buy Now</button> </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
</body>

</html>
```

Output -



Experiment - 3

Index page -

```html
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Experiment 3 - CSS Demo</title>
  <style>
    /* i. Different font and text styles */
    body {
      font-family: Arial, sans-serif;
      color: #222;
      text-align: center;
      margin: 0;
      padding: 0;
    }

    h1 {
      font-family: 'Georgia', serif;
      font-size: 2.5em;
      font-style: italic;
      text-shadow: 2px 2px 5px #555;
    }

    .highlight {
      font-weight: bold;
      color: darkred;
      text-decoration: underline;
    }

    /* ii. Background image for page and element */
    body {
      background-image: url('background.jpg');
      background-size: cover;
      background-attachment: fixed;
    }

    .layer-box {
      background-image: url('element-bg.png');
      background-size: contain;
      background-repeat: no-repeat;
      padding: 20px;
      margin: 30px auto;
      width: 300px;
      border: 2px solid #333;
    }
```

```
    /* iii. Styles for links */
    a {
      color: navy;
      text-decoration: none;
      font-size: 1.2em;
    }

    a:hover {
      color: orange;
      text-decoration: underline;
    }

    /* iv. Working with layers */
    .layer-box {
      position: relative;
      z-index: 10; /* brings it above other elements */
    }

    body::before {
      content: "";
      position: fixed;
      top: 0; left: 0;
      width: 100%; height: 100%;
      background: rgba(0,0,0,0.3);
      z-index: 1;
    }


    body {
      cursor: pointer;
    }
  </style>
</head>
<body>
  <h1>Welcome to My Styled Page</h1>

  <p>This is a demonstration of <span class="highlight">CSS styling</span>
with fonts, backgrounds, links, layers, and cursors.</p>

  <a href="https://www.google.com">Visit Example</a>

  <div class="layer-box">
    <p>This box is layered above the background.</p>
  </div>
</body>
</html>
```

Output -

Welcome to My Styled Page

This is a demonstration of **CSS styling** with fonts, backgrounds, links, layers, and cursors.

Visit Example

This box is layered above the background.

Experiment - 4

Compare 2 numbers -

```
<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>compare</title>

</head>

<body>

    <h1 class="a"></h1>

    <script>
        let a = Number(prompt("enter first number"))
        let b = Number(prompt("enter second number"))

        if (a > b) {
            document.getElementsByClassName("a")[0].innerText = `${a} is
greater than ${b}`
        }

        else if (a < b) {
            document.getElementsByClassName("a")[0].text = `${a} is smaller
than ${b}`
        }

        else {
            document.getElementsByClassName("a")[0].innerText = `${a} and ${b}
are equal`
        }

    </script>
</body>

</html>
```


127.0.0.1:3000 says
enter first number
12
OK
Cancel



12 is greater than 11

Experiment - 4

Compare 2 numbers -

```html
<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>compare</title>
    <style>
        .text {
            font-weight: bolder;
        }
    </style>
</head>

<body>

    <div class="text"></div>

    <script>
        let a = Number(prompt("enter first number"))
        let b = Number(prompt("enter second number"))

        if (a > b) {
            alert(`${a} is greater than ${b}`)
        }

        else if (a < b) {
            alert(`${a} is smaller than ${b}`)
        }

        else {
            alert(`${a} and ${b} are equal`)
        }
    </script>
</body>

</html>
```


127.0.0.1:3000 says
enter first number
12
OK
Cancel



12 is greater than 11

Experiment - 6

Sum of 5 numbers -

```
<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>compare</title>
    <style>
        .text {
            font-weight: 600;
        }
    </style>
</head>
<body>
    <div class="text"></div>
    <div class="text"></div>

    <script>
        let arr = []
        let sum1 = 0
        let sum2 = 0
        for (let i = 1; i < 6; i++) {
            let j = Number(prompt("enter number " + i))
            arr.push(j)
        }

        for (let j = 0; j < 5; j++) {
            sum1 = sum1 + arr[j]
        }

        let k = 0

        while (k < 5) {
            sum2 = sum2 + arr[k]
            k++
        }

        document.getElementsByClassName("text")[0].innerHTML = `sum of all
numbers using for loop is ${sum1}`
        document.getElementsByClassName("text")[1].innerHTML = `sum of all
numbers using while loop is ${sum2}`

    </script>
</body>

</html>
```


127.0.0.1:3000 says
enter number 1
11
OK
Cancel


127.0.0.1:3000 says
enter number 2
12
OK
Cancel


127.0.0.1:3000 says
enter number 3
13
OK
Cancel





---

sum of all numbers using for loop is 65
sum of all numbers using while loop is 65

Experiment–7

Gross sales of each employee -

```html
<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>employee salary range</title>

    <style>
        * {
            padding: 0;
            margin: 0;
        }

        .start {
            width: 100vw;
            height: 100vh;
            display: flex;
            align-items: center;
            flex-direction: column;
        }

        .con {
            background-color: rgba(143, 141, 141, 0.603);
            width: 600px;
            display: flex;
            flex-direction: column;
            padding: 20px;
            margin: 20px;
            border-radius: 10px;
        }

        .inputbox {
            width: 500px;
            height: 10px;
            margin: 10px;
            padding: 10px;
            border-radius: 10px;
            border: none;
        }

        .result {
            background-color: white;
```

```
            padding: 10px;
            margin: 5px;
            border-radius: 5px;
            display: flex;
            flex-direction: column;
            gap: 10px;
            font-size: 16px;
            font-weight: 700;
        }

        #btn {
            padding: 10px;
            border: none;
            border-radius: 10px;
            background-color: greenyellow;
        }
    </style>
</head>

<body>
    <div class="start">
        <div class="con">
            <div class="input">
            </div>
            <div>
                <button id="btn">show ranges</button>
            </div>
            <div class="result">
            </div>
        </div>
    </div>

    <script>
        let a = prompt("enter number of employees")
        let emp = Number(a)
        let btn = document.getElementById("btn")
        let input = document.getElementsByClassName("input")[0]
        let arr = []
        let result = []
        let resultbox = document.getElementsByClassName("result")[0]

        for (let i = 0; i < emp; i++) {
            input.innerHTML = input.innerHTML + `<input class="inputbox"
type="text" placeholder = "Sell of enmployee ${i + 1}"name="input" id=${i}>`
        }

        async function add() {
            return new Promise((resolve, reject) => {
```

```
            for (let i = 0; i < emp; i++) {
                let inputbox = document.getElementById(i).value
                arr.push(200 + ((Number(inputbox) * 9) / 100))
            }

            for (let i = 0; i < 9; i++) {
                result.push(0)
            }

            resolve();
        })
    }

    async function range() {
        await add();
        return new Promise((resolve, reject) => {


            console.log(arr);



            for (let i = 0; i < emp; i++) {
                if (arr[i] > 200 && arr[i] <= 300) {
                    result[0]++
                }

                if (arr[i] > 300 && arr[i] <= 400) {
                    result[1]++
                }

                if (arr[i] > 400 && arr[i] <= 500) {
                    result[2]++
                }

                if (arr[i] > 500 && arr[i] <= 600) {
                    result[3]++
                }

                if (arr[i] > 600 && arr[i] <= 700) {
                    result[4]++
                }

                if (arr[i] > 700 && arr[i] <= 800) {
                    result[5]++
                }

                if (arr[i] > 800 && arr[i] <= 900) {
                    result[6]++
```

```
                    }

                    if (arr[i] > 900 && arr[i] <= 1000) {
                        result[7]++
                    }

                    if (arr[i] > 1000) {
                        result[8]++
                    }

                }

                resolve()

            })

        }

        async function print() {
            await range();

            let start = 200
            let end = 300

            for (let i = 0; i < 9; i++) {

                if (i < 8) {
                    resultbox.innerHTML = resultbox.innerHTML + `<div>${i+1}.
there are ${result[i]} employees with salary between ${start} to ${end}</div>`
                    start += 100
                    end += 100
                }

                else {
                    resultbox.innerHTML = resultbox.innerHTML + `<div>${i+1}.
there are ${result[i]} employees with salary more than ${start}</div>`
                }
            }

            console.log(result);
        }

        btn.addEventListener("click", print)
    </script>
</body>

</html>
```

Output -


127.0.0.1:3000 says
enter number of employees
OK
Cancel


1234
3456
4567
show ranges
1. there are 0 employees with salary between 200 to 300
2. there are 1 employees with salary between 300 to 400
3. there are 0 employees with salary between 400 to 500
4. there are 1 employees with salary between 500 to 600
5. there are 1 employees with salary between 600 to 700
6. there are 0 employees with salary between 700 to 800
7. there are 0 employees with salary between 800 to 900
8. there are 0 employees with salary between 900 to 1000
9. there are 0 employees with salary more than 1000

EXPERIMENT – 7(2)

validate the fields of the login page.

```html
<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>login page</title>

    <style>
        * {
            margin: 0;
            padding: 0;
        }

        .con {
            height: 100vh;
            width: 100vw;
            background-color: rgb(227, 241, 227);
            display: flex;
        }

        .box {
            margin: auto;
            width: 400px;
            height: 500px;
            background-color: rgba(119, 118, 118, 0.411);
            border-radius: 10px;
            margin-top: 100px;
            display: flex;
            flex-direction: column;
        }

        .brand {
            color: rgb(5, 5, 5);
            font-size: 80px;
            font-weight: 900;
            margin: 20px auto;
        }

        .brand:hover {
            transform: scale(1.1);
            color: rgb(0, 255, 0);
        }
```

```
        .email,
        .password {
            border: 1px solid white;
            border-radius: 5px;
            background-color: rgba(0, 0, 0, 0.111);
            height: 30px;
            margin: 10px 15px;
            padding: 10px;
            color: white;
        }

        .btn {
            padding: 10px;
            width: 150px;
            margin: 10px auto;
            border-radius: 10px;
            font-size: 18px;
            font-weight: 600;
        }

        .btn:hover {
            transform: scale(1.05);
            color: white;
            background-color: black;
            border: 1px solid white;
        }

        .do {
            color: grey;
            margin: 10px auto;
        }

        .sing {
            color: white;
            font-size: 18px;
            margin: 0px auto;
        }
    </style>

</head>

<body>
    <div class="con">
        <div class="box">
            <div class="brand">Book Store</div>
            <input class="email" type="email" name="email" id="email"
placeholder="Email">
```

```
            <input class="password" type="password" placeholder="Password">
            <button class="btn">Log in</button>
            <div class="do">Do not have an account</div>
            <div class="sing">Sing up</div>
        </div>
    </div>
    <script>

        let email = document.getElementsByClassName("email")[0]
        let password = document.getElementsByClassName("password")[0]
        let btn = document.getElementsByClassName("btn")[0]

        btn.addEventListener("click", login)



        function login() {
            let emailvalue = email.value
            if (emailvalue === "" || !emailvalue.includes("@") ||
!emailvalue.includes(".")) {
                alert("Enter valid email. Example ajay@gmail.com")


            }
            let passwordvalue = password.value
            console.log(passwordvalue)

            if (passwordvalue.length < 8) {
                alert("password length should be greater than 8")
            }

            else if (!/[A-Z]/.test(passwordvalue) ||
!/[!@#$%^&*]/.test(passwordvalue)) {
                alert("Password must contain uppercase & special character")
                return
            }


        }

    </script>
</body>

</html>
```

Output –

Book Store
hdhshjlsbhcs
Log in
Do not have an account
Sing up


127.0.0.1:3000 says
Enter valid email. Example ajay@gmail.com
OK
Book Store
hdhshjlsbhcs
Log in
Do not have an account
Sing up


127.0.0.1:3000 says
password length should be greater than 8
OK
Book Store
ayajay2006@gmail.com
Log in
Do not have an account
Sing up

Experiment–8

Validate the fields of the Registration page -

```html
<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>login</title>
    <style>
        * {
            margin: 0;
            padding: 0;
        }

        .con {
            height: 100vh;
            width: 100vw;
            background-color: rgb(227, 241, 227);
            display: flex;
        }

        .box {
            margin: auto;
            width: 400px;
            height: 620px;
            background-color: rgba(119, 118, 118, 0.411);
            border-radius: 10px;
            margin-top: 100px;
            display: flex;
            flex-direction: column;
        }

        .brand {
            color: rgb(5, 5, 5);
            font-size: 80px;
            font-weight: 900;
            margin: 20px auto;
        }

        .brand:hover {
            transform: scale(1.1);
            color: rgb(0, 255, 0);
        }
```

```
        .email,
        .password,
        .name,
        .mobile {
            border: 1px solid white;
            border-radius: 5px;
            background-color: rgba(0, 0, 0, 0.111);
            height: 30px;
            margin: 10px 15px;
            padding: 10px;
            color: white;
        }

        .btn {
            padding: 10px;
            width: 150px;
            margin: 10px auto;
            border-radius: 10px;
            font-size: 18px;
            font-weight: 600;
        }

        .btn:hover {
            transform: scale(1.05);
            color: white;
            background-color: black;
            border: 1px solid white;
        }

        .do {
            color: grey;
            margin: 10px auto;
        }

        .sing {
            color: white;
            font-size: 18px;
            margin: 0px auto;
        }

        .sing:hover {
            color: rgb(0, 255, 0);
            transform: scale(1.09);
            font-weight: 700;
        }
    </style>
</head>
```

```
<body>
    <div class="con">
        <div class="box">
            <div class="brand">Book Store</div>
            <input required class="name" type="text" name="name" id="name"
placeholder="Name">
            <input required class="mobile" type="text" name="mobile"
id="mobile" placeholder="Mobile no.">
            <input required class="email" type="email" name="email" id="email"
placeholder="Email">
            <input required class="password" type="password"
placeholder="Password">
            <input required class="cfmpassword password" type="password"
placeholder="Confirm Password">
            <button class="btn">Sing Up</button>
            <div class="do">Already have an account</div>
            <div class="sing">Log In</div>
        </div>
    </div>
    <script>

        let email = document.getElementsByClassName("email")[0]
        let password = document.getElementsByClassName("password")[0]
        let cfmpassword = document.getElementsByClassName("cfmpassword")[0]
        let name = document.getElementsByClassName("name")[0]
        let mobile = document.getElementsByClassName("mobile")[0]
        let btn = document.getElementsByClassName("btn")[0]

        btn.addEventListener("click", login)



        function login() {
            let emailvalue = email.value
            if (emailvalue === "" || !emailvalue.includes("@") ||
!emailvalue.includes(".")) {
                alert("Enter valid email. Example ajay@gmail.com")
            }

            let passwordvalue = password.value
            console.log(passwordvalue)

            if (passwordvalue.length < 8) {
                alert("password length should be greater than 8")
            }

            else if (!/[A-Z]/.test(passwordvalue) ||
!/[!@#$%^&*]/.test(passwordvalue)) {
```

```
                alert("Password must contain uppercase & special character")
            }

            let namevalue = name.value;

            let a = false;

            for (let i = 0; i < namevalue.length; i++) {
                let ch = namevalue[i];

                if (
                    !((ch >= "a" && ch <= "z") ||
                        (ch >= "A" && ch <= "Z") ||
                        ch === " ")
                ) {
                    a = true;
                    break;
                }
            }

            if (a) {

                alert("Name should include only alphabets and space");
            }

           let mobilevalue = mobile.value;

if (mobilevalue.length !== 10) {
    alert("Mobile number must be 10 digits");
} else {
    let a = false;

    for (let i = 0; i < mobilevalue.length; i++) {
        let m = mobilevalue[i];

        if (m < '0' || m > '9') {
            a = true;
            break;
        }
    }

    if (a) {
        alert("Mobile number should contain only digits");
    }
}

let cfmpasswordvalue = cfmpassword.value
```

```
if(passwordvalue!==cfmpasswordvalue) {
    alert("confirm password  and password should be same")
}

        }

    </script>
</body>

</html>
```

Output -




127.0.0.1:3000 says
Enter valid email. Example ajay@gmail.com
OK
Book Store
ajay123


127.0.0.1:3000 says
password length should be greater than 8
OK
Book Store
ajay123


127.0.0.1:3000 says
Name should include only alphabets and space
OK
Book Store
ajay123


127.0.0.1:3000 says
Mobile number must be 10 digits
OK
Book Store
ajay123


127.0.0.1:3000 says
confirm password and password should be same
OK
Book Store
ajay123

Experiment–9

XML file to display the Book information -

index.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<?xml-stylesheet type="text/xsl" href="book.xsl"?>
<!DOCTYPE books SYSTEM "book.dtd">
<books xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:noNamespaceSchemaLocation="book.xsd">
    <book>
        <title>The Great Gatsby</title>
        <author>F. Scott Fitzgerald</author>
        <isbn>978-0743273565</isbn>
        <publisher>Scribner</publisher>
        <edition>1st Edition</edition>
        <price>15.99</price>
    </book>
    <book>
        <title>To Kill a Mockingbird</title>
        <author>Harper Lee</author>
        <isbn>978-0060935467</isbn>
        <publisher>Harper Perennial Modern Classics</publisher>
        <edition>50th Anniversary Edition</edition>
        <price>12.50</price>
    </book>
</books>
```

book.dtd

```
<!ELEMENT books (book+)>
<!ELEMENT book (title, author, isbn, publisher, edition, price)>
<!ELEMENT title (#PCDATA)>
<!ELEMENT author (#PCDATA)>
<!ELEMENT isbn (#PCDATA)>
<!ELEMENT publisher (#PCDATA)>
<!ELEMENT edition (#PCDATA)>
<!ELEMENT price (#PCDATA)>
```

book.xsd

```
<?xml version="1.0" encoding="UTF-8"?>
<xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema">
    <xs:element name="books">
        <xs:complexType>
            <xs:sequence>
                <xs:element name="book" maxOccurs="unbounded">
```

```
                    <xs:complexType>
                        <xs:sequence>
                            <xs:element name="title" type="xs:string"/>
                            <xs:element name="author" type="xs:string"/>
                            <xs:element name="isbn" type="xs:string"/>
                            <xs:element name="publisher" type="xs:string"/>
                            <xs:element name="edition" type="xs:string"/>
                            <xs:element name="price" type="xs:decimal"/>
                        </xs:sequence>
                    </xs:complexType>
                </xs:element>
            </xs:sequence>
        </xs:complexType>
    </xs:element>
</xs:schema>
```

book.xsl

```
<?xml version="1.0" encoding="UTF-8"?>
<xsl:stylesheet version="1.0"
xmlns:xsl="http://www.w3.org/1999/XSL/Transform">
    <xsl:template match="/">
        <html>
            <head>
                <title>Book Information</title>
                <style>
                    body {
                        font-family: 'Segoe UI', Tahoma, Geneva, Verdana,
sans-serif;
                        background-color: #f4f7f6;
                        margin: 40px;
                    }
                    h2 {
                        color: #2c3e50;
                        text-align: center;
                    }
                    table {
                        width: 100%;
                        border-collapse: collapse;
                        background: #fff;
                        box-shadow: 0 5px 15px rgba(0,0,0,0.1);
                        border-radius: 8px;
                        overflow: hidden;
                    }
                    th, td {
                        padding: 15px;
                        text-align: left;
                        border-bottom: 1px solid #ddd;
```

```
                    }
                    th {
                        background-color: #3498db;
                        color: white;
                        text-transform: uppercase;
                        letter-spacing: 0.1em;
                    }
                    tr:hover {
                        background-color: #f1f1f1;
                    }
                    .price {
                        font-weight: bold;
                        color: #27ae60;
                    }
                </style>
            </head>
            <body>
                <h2>Library Catalog - Experiment 9</h2>
                <table>
                    <tr>
                        <th>Title</th>
                        <th>Author</th>
                        <th>ISBN</th>
                        <th>Publisher</th>
                        <th>Edition</th>
                        <th>Price</th>
                    </tr>
                    <xsl:for-each select="books/book">
                        <tr>
                            <td><xsl:value-of select="title"/></td>
                            <td><xsl:value-of select="author"/></td>
                            <td><xsl:value-of select="isbn"/></td>
                            <td><xsl:value-of select="publisher"/></td>
                            <td><xsl:value-of select="edition"/></td>
                            <td class="price">$<xsl:value-of
select="price"/></td>
                        </tr>
                    </xsl:for-each>
                </table>
            </body>
        </html>
    </xsl:template>
</xsl:stylesheet>
```

Output -

Library Catalog - Experiment 9

TITLE	AUTHOR	ISBN	PUBLISHER	EDITION	PRICE
The Great Gatsby	F. Scott Fitzgerald	978-0743273565	Scribner	1st Edition	$15.99
To Kill a Mockingbird	Harper Lee	978-0060935467	Harper Perennial Modern Classics	50th Anniversary Edition	$12.50