Add Custom Field API

Creates a custom field for a program manager. Custom fields can then be supplied when registering or updating persons.

URL

```
POST  https://10.10.11.54:8080/customermgmt/customField/programManager/
```

Headers

Header	Value	Mandatory
Authorization	Bearer <access-token>	Yes
Content-Type	application/json	Yes
X-Original-Forwarded-For	Client IP address of the end user	Yes
X-Geolocation-Latitude	Latitude of the caller, e.g. 12.9716	Yes
X-Geolocation-Longitude	Longitude of the caller, e.g. 77.5946	Yes

Request body

```
{
  "programManagerId": "uppcl",
  "customFieldId": "pan",
  "customFieldDataType": "Text",
  "customFieldName": "panCard",
  "customFieldDescription": "Add pancard",
  "isSearchable": true,
  "isUnique": true,
  "searchScope": "PROGRAM_MANAGER"
}
```

Request fields

Field	Type	Description	Example
programManagerId	String	Program manager the custom field belongs to. Must exist.	uppcl
customFieldId	String	Unique identifier of the custom field within the program manager	pan
customFieldDataType	String	Data type of the field. Allowed values: Text, List (case-insensitive).	Text
customFieldName	String	Name of the custom field	panCard
customFieldDescription	String	Description of the custom field	Add pancard
isSearchable	Boolean	Whether persons can be searched by this field	true
isUnique	Boolean	Whether the value must be unique across persons	true
searchScope	String	Scope of the search. Allowed values: NA, GLOBAL, PROGRAM_MANAGER.	PROGRAM_MANAGER

Response body (HTTP 201 Created)

```
{
  "transactionId": "7345430166900109312",
  "correlationId": "7341821415336603648",
  "timeStamp": "2025-06-30T07:07:03.512Z"
}
```

Keep *transactionId* and *correlationId* for support and reconciliation.

Status codes

Code	Description
201	Custom field created successfully.
401	Missing or invalid access token.

Code	Description
404	Resource not found (for example, the program manager does not exist).
409	The custom field already exists.
500	Internal server error.

Error response


```
{
  "timestamp": "30-09-2026 06:20:47",
  "transactionId": "7510946730856935424",
  "correlationId": "string",
  "definedErrorCode": "The program manager not found",
  "status": 404,
  "errorCode": "The program manager not found",
  "errorMessage": "The program manager not found",
  "debugMessage": "The program manager not found"
}
```