

```
main.c
1 // print 1 -100
2 #include <stdio.h>
3
4 int main() {
5     int i = 1;
6     while (i <= 100) {
7         printf(" %d", i);
8         i++;
9     }
10    return 0;
11
12 }
13
14
15
16 }
```

1 2 3
5 26 2
47 48
69 70
0 91 9
...Pro
Press


```
main.c
1 // print 100 -1
2 #include <stdio.h>
3
4 int main() {
5
6     int i = 100;
7
8     while (i >= 1) {
9
10        printf(" %d", i);
11
12        i--;
13
14    }
15    return 0;
16 }
```



main.c

```
1 // print 1 - n
2 #include <stdio.h>
3
4 int main() {
5     int i = 1;
6     int n;
7
8     printf("enter n :");
9     scanf("%d", &n);
10
11     while(i <= n) {
12         printf(" %d", i);
13         i++;
14     }
15     return 0;
16 }
```

I

main.c

```
1 // print n - 1
2 #include <stdio.h>
3
4 int main() {
5     int i = 1;
6     int n;
7
8     printf("enter n :");
9     scanf("%d", &n);
10
11     while(n >= 1) {
12         printf(" %d",n);
13         n--;
14     }
15     return 0;
16 }
```

I

Online x | Online x | Online x | Online x | Online x | Online x | Online x | Online x | Online x | Online x

→ onlinegdb.com/online_c_compiler

salesforceorg.in i

Run Debug Stop Share Save { } Beautify Language C

main.c

```
1 // print m - n (m,n (user input))
2 #include <stdio.h>
3
4 int main() {
5
6     int m,n ;
7
8     printf("enter m :");
9     scanf("%d", &m);
10
11    printf("enter n :");
12    scanf("%d", &n);
13
14    if (m <= n) {
15        while (m <= n) {
16            printf(" %d", m);
17            m++;
18        }
19    }
20    else {
21        while (m >= n) {
22            printf(" %d", m);
23            m--;
24        }
25    }
26    return 0;
27 }
```



```
1 // print n - m
2 #include <stdio.h>
3
4 int main() {
5
6     int n, m ;
7
8     printf("enter n :");
9     scanf("%d", &n);
10
11    printf("enter m :");
12    scanf("%d", &m);
13
14    if (n <= m) {
15        while (n<= m) {
16            printf(" %d", n);
17            n++;
18        }
19    }
20    else {
21        while (n>=m) {
22            printf(" %d", n);
23            n--;
24        }
25    }
26    return 0;
27 }
```


Online x Online x Online x Online x Online x Online x Online x Online x

onlinegdb.com/online_c_compiler

salesforceorg.in i

Run Debug Stop Share Save { } Beautify Language C

```
main.c
1 // print 1 -100 even and odd number
2 #include <stdio.h>
3
4 int main() {
5     int i = 1;
6
7     printf("\nEven numbers:\n");
8     while(i<=100) {
9         if(i%2==0) {
10             printf(" %d",i);
11         }
12         i++;
13     }
14     i = 1;
15     printf("\nOdd numbers:\n");
16     if(i<=10) {
17         while(i<=100) {
18             if(i%2!=0) {
19                 printf(" %d",i);
20             }
21             i++;
22         }
23     }
24     return 0;
25 }
26
27
```


Online x Online x Online x Online x Online x Online x Online x Online x

onlinegdb.com/online_c_compiler

salesforceorg.in i

Run Debug Stop Share Save Beautify Language C

main.c

```
1 // print 100 - 1 even number
2 #include <stdio.h>
3
4 int main() {
5     int i = 100;
6
7     printf("\nEven numbers:\n");
8     while(i >=1) {
9         if(i%2==0) {
10            printf(" %d",i);
11        }
12        i--;
13    }
14    return 0;
15 }
```


main.c

```

1 // print m - n (even and odd number)
2 #include <stdio.h>
3 int main() {
4     int m,n,i;
5     printf("enter m :");
6     scanf("%d", &m);
7     printf("enter n :");
8     scanf("%d", &n);
9     i=m;
10    printf("\nEven numbers:\n");
11    if (i<=n) {
12        while (i<=n) {
13            if (i%2==0) {
14                printf(" %d", i);
15                i++;
16            }
17        } else {
18            i=m;
19            while (i>=n) {
20                if (i%2==0) {
21                    printf(" %d",i);
22                }
23                i--;
24            }
25        } i=m;
26        printf("\nodd numbers:\n");
27        if (i<=n) {
28            while (i<=n) {
29                if (i%2!=0) {
30                    printf(" %d", i);
31                }
32                i++;
33            } else {
34                i=m;
35                while (i>=n) {
36                    if (i%2!=0) {
37                        printf(" %d",i);
38                    }
39                    i--;
40                }
41            }
42            return 0;
43        }

```


main.c

```
1 // print 1-500 but take n from user input
2 #include <stdio.h>
3 int main() {
4     int n=1;
5     int m=500;
6
7     int i;
8     printf("enter i :");
9     scanf("%d",&i);
10
11     while (n<= m) {
12         if(n%i==0) {
13             printf(" %d",n);
14         }
15         n++;
16     }
17
18     return 0;
19 }
```

I