WELSPUN
FLOORING

URBANE COLLECTION - DESIGN : UR01

WELSPUN FLOORING

LEED GOLD

	AC: CT000086	AC: CT000087	AC: CT000088

	AC: CT000089	AC: CT000090	AC: CT000091

Design Name	UR01
Machine	1/10 loop infinity
Filament	69
Yarn Details	1200/2,69F,120STPM,Cable
Size in centimeter	50 cm x 50 cm
GSM*	629.6
Finished pile thickness*	4-5 mm
Total thickness*	6-7 mm
Tufted pile wt OZ (Sq Yard)*	18.57
Dye Method	Solution Dyed
Fiber Type	100% Nylon Type-6
Stitch/10 cn	47.24/10 cm
Backing Material	PVC
PVC GSM	2000
Shape (Plank or tile)	Tile
SPI	12
Soil Release Technology	Perma Seal ENV
GSA Stain Release	Pass
Rating Foot Traffic Recommendation TARR	Severe
*Tolerance (+/-)%	5%

Article Code	Size in CM	Qty in SQM
CT000086	50x50	170
CT000087	50x50	200
CT000088	50x50	110
CT000089	50x50	565
CT000090	0	0
CT000091	50x50	45

URBANE COLLECTION - DESIGN : UR02

WELSPUN FLOORING

LEED GOLD

AC: CT000092

AC: CT000093

AC: CT000094

AC: CT000095

AC: CT000096

AC: CT000097

|	
Design Name	UR02
Machine	1/10 loop infinity
Filament	69
Yarn Details	1200/2,69F,120STPM,Cable
Size in centimeter	50cm x50 cm
GSM*	739.2
Finished pile thickness*	4-5 mm
total thickness*	6-7 mm
Tufted pile wt OZ (Sq Yard)*	21.8
Dye method	Solution Dyed
Fiber Type	100% Nylon Type-6
Stitch/10 cn	47.24/10 cm
Backing Material	PVC
PVC GSM	2000
Shape (Plank or tile)	Tile
SPI	12
Soil Release Technology	Perma Seal ENV
GSA Stain Release	Pass
Rating Foot Traffic Recommendation TARR	Severe
*Tolerance (+/-)%	5%

Article Code	Size in CM	Qty in SQM
CT000092	0	0
CT000093	50x50	85
CT000094	0	0
CT000095	0	0
CT000096	0	0
CT000097	0	0

URBANE COLLECTION - DESIGN : UR03

WELSPUN FLOORING

LEED

AC: CT000098

AC: CT000099

AC: CT000100

AC: CT000101

AC: CT000102

AC: CT000103

Design Name	UR03
Machine	1/10 loop infinity
Filament	69
Yarn Details	1200/2,69F,120STPM,Cable
Size in centimeter	50 cm x 50 cm
GSM*	610.2
Finished pile thickness*	4-5 mm
total thickness*	6-7 mm
Tufted pile wt OZ (Sq Yard)*	18
Dye method	Solution Dyed
Fiber Type	100% Nylon Type-6
Stitch/10 cn	47.24/10 cm
Backing Material	PVC
PVC GSM	2000
Shape (Plank or tile)	Tile
SPI	12
Soil Release Technology	Perma Seal ENV
GSA Stain Release	Pass
Rating Foot Traffic Recommendation TARR	Severe
*Tolerance (+/-)%	5%

Article Code	Size in CM	Qty in SQM
CT000098	50x50	10
CT000099	50x50	155
CT000100	0	0
CT000101	50x50	720
CT000102	50x50	250
CT000103	50x50	280

URBANE COLLECTION - DESIGN : UR04

AC: CT000104

AC: CT000105

AC: CT000106

AC: CT000107

AC: CT000108

AC: CT000109

WELSPUN FLOORING

LEED GOLD

Design Name	UR04
Machine	1/10 loop infinity
Filament	69
Yarn Details	1200/2,69F,120STPM,Cable
Size in centimeter	50 cm x 50 cm
GSM*	546.4
Finished pile thickness*	4-5 mm
total thickness*	6-7 mm
Tufted pile wt OZ (Sq Yard)*	16.11
Dye method	Solution Dyed
Fiber Type	100% Nylon Type-6
Stitch/10 cn	43.30/10 cm
Backing Material	PVC
PVC GSM	2000
Shape (Plank or tile)	Tile
SPI	11
Soil Release Technology	Perma Seal ENV
GSA Stain Release	Pass
Rating Foot Traffic Recommendation TARR	Severe
*Tolerance (+/-)%	5%

Article Code	Size in CM	Qty in SQM
CT000104	50x50	570
CT000105	50x50	880
CT000106	50x50	470
CT000107	50x50	310
CT000108	50x50	770
CT000109	50x50	1080

RELAY

Go Bold with Relay.

Bold, full of life and energy. That was the inspiration for our **Relay** collection. Bright colours, bold lines all of which shout activity and energy. Ideal for spaces where time is of essence, efficiency the king and collaboration the key. Ideal for your start-up as you scale new heights.

Use our carpet tiles and planks, separately or collaboratively. Dial up or dial down the intensity to bring that sharp dash of efficiency to your workspace.

RELAY COLLECTION - DESIGN : RE01

AC: CT000076

AC: CT000073

AC: CT000074

AC: CT000075

AC: CT000077

WELSPUN FLOORING

LEED

|	
Design Name	RE 1
Machine	1/12 infi
Filament	69
Yarn Details	1200/2,69F,120STPM,Cable
Size in centimeter	50 cm x50 cm
GSM*	755.97
Finished pile thickness*	4-5 mm
Total thickness*	6-7 mm
Tufted pile wt OZ (Sq Yard)*	22.3 OZ
Dye Method	Solution Dyed
Fiber Type	100% Nylon Type-6
Stitch/10 cn	53.14/10 cm
Backing Material	PVC
PVC GSM	2000
Shape (Plank or tile)	Tile
SPI	13.5
Soil Release Technology	Perma Seal ENV
GSA Stain Release	Pass
Rating Foot Traffic Recommendation TARR	Severe
*Tolerance (+/-)%	5%

Article Code	Size in CM	Qty in SQM
CT000073	25x100	20
CT000074	25x100	85
CT000077	25x100	45

RELAY COLLECTION - DESIGN : RE02

AC: CT000078

AC: CT000079

|	
Design Name	RE 2
Machine	1/12 infi
Filament	69
Yarn Details	1200/2,69F,120STPM,Cable
Size in centimeter	50 cm x50 cm
GSM*	735
Finished pile thickness*	4-5 mm
total thickness*	6-7 mm
Tufted pile wt OZ (Sq Yard)*	21.68 OZ
Dye method	Solution Dyed
Fiber Type	100% Nylon Type-6
Stitch/10 cn	53.14/10 cm
Backing Material	PVC
PVC GSM	2000
Shape (Plank or tile)	Tile
SPI	13.5
Soil Release Technology	Perma Seal ENV
GSA Stain Release	Pass
Rating Foot Traffic Recommendation TARR	Severe
*Tolerance (+/-)%	5%

Article Code	Size in CM	Qty in SQM
CT000078	25x100	10
CT000079	25x100	70

RELAY COLLECTION - DESIGN : RE03

AC: CT000080

AC: CT000081

AC: CT000082

WELSPUN FLOORING

LEED GOLD

Design Name	RE 3
Machine	1/12 infi
Filament	69
Yarn Details	1200/2,69F,120STPM,Cable
Size in centimeter	50 cm x50 cm
GSM*	533.6
Finished pile thickness*	4-5 mm
total thickness*	6-7 mm
Tufted pile wt OZ (Sq Yard)*	15.7 OZ
Dye method	Solution Dyed
Fiber Type	100% Nylon Type-6
Stitch/10 cn	43.30/10 cm
Backing Material	PVC
PVC GSM	2000
Shape (Plank or tile)	Tile
SPI	11
Soil Release Technology	Perma Seal ENV
GSA Stain Release	Pass
Rating Foot Traffic Recommendation TARR	Severe
*Tolerance (+/-)%	5%

Article Code	Size in CM	Qty in SQM
CT000080	25x100	205
CT000081	25x100	70
CT000082	25x100	215

RELAY COLLECTION - DESIGN : RE04

AC: CT000083

AC: CT000084

AC: CT000085

Design Name	RE 4
Machine	1/12 infi
Filament	69
Yarn Details	1200/2,69F,120STPM,Cable
Size in centimeter	50 cm x50 cm
GSM*	533.6
Finished pile thickness*	4-5 mm
total thickness*	6-7 mm
Tufted pile wt OZ (Sq Yard)*	15.7 OZ
Dye method	Solution Dyed
Fiber Type	100% Nylon Type-6
Stitch/10 cn	43.30/10 cm
Backing Material	PVC
PVC GSM	2000
Shape (Plank or tile)	Tile
SPI	11
Soil Release Technology	Perma Seal ENV
GSA Stain Release	Pass
Rating Foot Traffic Recommendation TARR	Severe
*Tolerance (+/-)%	5%

Article Code	Size in CM	Qty in SQM
CT000083	25x100	30

NATURE

Get more done with Nature

Calm is contagious and what better way to calm yourself and others than to spend some time in nature and come back refreshed and ready to take on your day. Inspired by elements from nature we created, carpet tiles that emulated that zen feeling of being out in **nature**.

Designed for work stations, the office corridor or the meeting room, our carpet tiles and planks offer an earthy natural retreat to calmness and productivity. Use them together or alone to create seamless earthy pathways and natural calm.

NATURE COLLECTION - DESIGN : NT01

AC: CT000057

AC: CT000058

AC: CT000059

AC: CT000060

AC: CT000061

WELSPUN FLOORING
LEED GOLD

Design Name	NT01
Machine	1/12 infi
Filament	69
Yarn Details	1200/2,69F,120STPM,Cable
Size in centimeter	50 cm x50 cm
GSM*	573.6
Finished pile thickness*	4-5 mm
Total thickness*	6-7 mm
Tufted pile wt OZ (Sq Yard)*	16.92OZ
Dye Method	Solution Dyed
Fiber Type	100% Nylon Type-6
Stitch/10 cn	43.30/10 cm
Backing Material	PVC
PVC GSM	2000
Shape (Plank or tile)	Tile
SPI	11
Soil Release Technology	Perma Seal ENV
GSA Stain Release	Pass
Rating Foot Traffic Recommendation TARR	Severe
*Tolerance (+/-)%	5%

Article Code	Size in CM	Qty in SQM
CT000057	50x50	120
CT000058	50x50	70
CT000059	50x50	295
CT000060	50x50	90
CT000061	50x50	15

NATURE COLLECTION - DESIGN : NT02

AC: CT000062

AC: CT000063

AC: CT000064

AC: CT000065

WELSPUN FLOORING

LEED GOLD

Design Name	NT02
Machine	1/12 infi
Filament	69
Yarn Details	1200/2,69F,120STPM,Cable
Size in centimeter	25 cm x100 cm
GSM*	613.6
Finished pile thickness*	4-5 mm
total thickness*	6-7 mm
Tufted pile wt OZ (Sq Yard)*	18.1OZ
Dye method	Solution Dyed
Fiber Type	100% Nylon Type-6
Stitch/10 cn	37.40/10 cm
Backing Material	PVC
PVC GSM	2000
Shape (Plank or tile)	Plank
SPI	9.5
Soil Release Technology	Perma Seal ENV
GSA Stain Release	Pass
Rating Foot Traffic Recommendation TARR	Severe
*Tolerance (+/-)%	5%

Article Code	Size in CM	Qty in SQM
CT000062	25x100	340
CT000063	25x100	975
CT000064	25x100	15
CT000065	0	0

NATURE COLLECTION - DESIGN : NT03

AC: CT000066

AC: CT000067

Design Name	NT03
Machine	1/12 infi
Filament	69
Yarn Details	1200/2,69F,120STPM,Cable
Size in centimeter	25 cm x100 cm
GSM*	552.8
Finished pile thickness*	4-5 mm
total thickness*	6-7 mm
Tufted pile wt OZ (Sq Yard)*	16.3 OZ
Dye method	Solution Dyed
Fiber Type	100% Nylon Type-6
Stitch/10 cn	37.40/10cm
Backing Material	PVC
PVC GSM	2000
Shape (Plank or tile)	Tile
SPI	9.5
Soil Release Technology	Perma Seal ENV
GSA Stain Release	Pass
Rating Foot Traffic Recommendation TARR	Severe
*Tolerance (+/-)%	5%

Article Code	Size in CM	Qty in SQM
CT000066	25x100	30
CT000067	0	0

NATURE COLLECTION - DESIGN : NT04

AC: CT000068

AC: CT000069

AC: CT000070

AC: CT000071

AC: CT000072

Design Name	NT04
Machine	1/12 infi
Filament	69
Yarn Details	1200/2,69F,120STPM,Cable
Size in centimeter	50cm x50 cm
GSM*	610
Finished pile thickness*	4-5 mm
total thickness*	6-7 mm
Tufted pile wt OZ (Sq Yard)*	17.99OZ
Dye method	Solution Dyed
Fiber Type	100% Nylon Type-6
Stitch/10 cn	45.28/10 cm
Backing Material	PVC
PVC GSM	2000
Shape (Plank or tile)	Tile
SPI	11.5
Soil Release Technology	Perma Seal ENV
GSA Stain Release	Pass
Rating Foot Traffic Recommendation TARR	Severe
*Tolerance (+/-)%	5%

| Article Code	Size in CM	Qty in SQM
CT000068	0	0
CT000069	50x50	730
CT000070	50x50	205
CT000071	0	0
CT000072	50x50	40

ORIGAMI

Design Philosophy...

Origami is an amalgamation of two words; ori meaning folding, and kami meaning paper. This Japanese art of paper folding is today an inclusive term for all folding practices, regardless of their culture of origin.

A 6th century paper art form, today Origami has found a widespread popularity for itself. And while it continues to be the most popular in the paper form, several designers have taken inspiration from it and used it to create bags, clothes, and other charming things.

The strong geometric lines and the definite shadow play, which characterise Origami have made it to several of our floorings this year. We invite you to deep dive into this world full of shapes, pleats, folds and creases.

WELSPUN FLOORING

LEED GOLD

ORIGAMI COLLECTION - DESIGN : OD 01

AC: CT000002

AC: CT000003

AC: CT000004

AC: CT000005

Design Name	OD1
Machine	1/10 COLOR POINT
Filament	69
Yarn Details	1200/2,69F,120STPM,Cable
Size in centimeter	50 cm x 50 cm
GSM*	920
Finished pile thickness*	4-5 mm
Total thickness*	6-7 mm
Tufted pile wt OZ (Sq Yard)*	27.13 OZ
Dye Method	Solution Dyed
Fiber Type	100% Nylon Type-6
Stitch/10 cn	35.43/10 cm
Backing Material	PVC
PVC GSM	2000
Shape (Plank or tile)	Tile
SPI	9
Soil Release Technology	Perma Seal ENV
GSA Stain Release	Pass
Rating Foot Traffic Recommendation TARR	Severe
*Tolerance (+/-)%	5%

Article Code	Size in CM	Qty in SQM
CT000002	0	0
CT000003	0	0
CT000004	0	0
CT000005	0	0

ORIGAMI COLLECTION - DESIGN : OD 02

AC: CT000007

AC: CT000008

AC: CT000006

AC: CT000009

WELSPUN FLOORING

LEED GOLD

Design Name	OD2
Machine	1/10 COLOR POINT
Filament	69
Yarn Details	1200/2,69F,120STPM,Cable
Size in centimeter	50 cm x 50 cm
GSM*	895
Finished pile thickness*	4-5 mm
total thickness*	6-7 mm
Tufted pile wt OZ (Sq Yard)*	26.40 OZ
Dye method	Solution Dyed
Fiber Type	100% Nylon Type-6
Stitch/10 cn	35.43/10 cm
Backing Material	PVC
PVC GSM	2000
Shape (Plank or tile)	Tile
SPI	9
Soil Release Technology	Perma Seal ENV
GSA Stain Release	Pass
Rating Foot Traffic Recommendation TARR	Severe
*Tolerance (+/-)%	5%

Article Code	Size in CM	Qty in SQM
CT000006	0	0
CT000007	50x50	10
CT000008	0	0
CT000009	50x50	30

ORIGAMI COLLECTION - DESIGN : OD 04

AC: CT000017

AC: CT000016

AC: CT000015

AC: CT000018

Design Name	OD4
Machine	1/10 loop infinity
Filament	69
Yarn Details	1200/2,69F,120STPM,Cable
Size in centimeter	50 x 50 cm
GSM*	567.2
Finished pile thickness*	4-5 mm
total thickness*	6-7 mm
Tufted pile wt OZ (Sq Yard)*	16.73
Dye method	Solution Dyed
Fiber Type	100% Nylon Type-6
Stitch/10 cn	41.33/10 cm
Backing Material	PVC
PVC GSM	2000
Shape (Plank or tile)	Tile
SPI	10.5
Soil Release Technology	Perma Seal ENV
GSA Stain Release	Pass
Rating Foot Traffic Recommendation TARR	Severe
*Tolerance (+/-)%	5%

Article Code	Size in CM	Qty in SQM
CT000015	50x50	35
CT000016	50x50	110
CT000017	50x50	70
CT000018	50x50	135

ORIGAMI COLLECTION - DESIGN : OD 05

AC: CT000011

AC: CT000010

AC: CT000012

AC: CT000014

WELSPUN FLOORING   LEED GOLD

Design Name	OD5
Machine	1/10 COLOR POINT
Filament	69
Yarn Details	1200/2,69F,120STPM,Cable
Size in centimeter	50 cm x 50 cm
GSM*	907
Finished pile thickness*	4-5 mm
total thickness*	6-7 mm
Tufted pile wt OZ (Sq Yard)*	26.40 OZ
Dye method	Solution Dyed
Fiber Type	100% Nylon Type-6
Stitch/10 cn	35.43/10 cm
Backing Material	PVC
PVC GSM	2000
Shape (Plank or tile)	Tile
SPI	9
Soil Release Technology	Perma Seal ENV
GSA Stain Release	Pass
Rating Foot Traffic Recommendation TARR	Severe
*Tolerance (+/-)%	5%

Article Code	Size in CM	Qty in SQM
CT000010	50x50	10
CT000011	50x50	195
CT000012	50x50	110
CT000014	50x50	535

ORIGAMI COLLECTION - DESIGN : OD 06

AC:CT000021

AC: CT000020

AC: CT000019

AC: CT000022

WELSPUN FLOORING

LEED GOLD

Design Name	OD6
Machine	1/10 loop infinity
Filament	69
Yarn Details	1200/2,69F,120STPM,Cable
Size in centimeter	25 cm x 100 cm
GSM*	605.6
Finished pile thickness*	4-5 mm
Total thickness*	6-7 mm
Tufted pile wt OZ (Sq Yard)*	17.86
Dye Method	Solution Dyed
Fiber Type	100% Nylon Type-6
Stitch/10 cn	47.24/10 cm
Backing Material	PVC
PVC GSM	2000
Shape (Plank or tile)	Plank
SPI	12
Soil Release Technology	Perma Seal ENV
GSA Stain Release	Pass
Rating Foot Traffic Recommendation TARR	Severe
*Tolerance (+/-)%	5%

Article Code	Size in CM	Qty in SQM
CT000019	25x100	345
CT000020	0	0
CT000021	0	0
CT000022	0	0

ORIGAMI COLLECTION - DESIGN : OD 07

AC: CT000024

AC: CT000023

AC: CT000026

AC: CT000025

WELSPUN FLOORING

LEED GOLD

Design Name	OD7
Machine	1/10 loop infinity
Filament	69
Yarn Details	1200/2,69F,120STPM,Cable
Size in centimeter	25 cm x 100 cm
GSM*	588
Finished pile thickness*	4-5 mm
total thickness*	6-7 mm
Tufted pile wt OZ (Sq Yard)*	17.34
Dye method	Solution Dyed
Fiber Type	100% Nylon Type-6
Stitch/10 cn	47.24/10 cm
Backing Material	PVC
PVC GSM	2000
Shape (Plank or tile)	Plank
SPI	12
Soil Release Technology	Perma Seal ENV
GSA Stain Release	Pass
Rating Foot Traffic Recommendation TARR	Severe
*Tolerance (+/-)%	5%

Article Code	Size in CM	Qty in SQM
CT000023	25x100	145
CT000024	0	0
CT000025	25x100	40
CT000026	25x100	200

Wabi Sabi

Design Philosophy...

In Imperfection lies true beauty.

Wabi-Sabi embraces acceptance of transience and imperfection. It's the belief that in imperfect, impermanent, and incomplete lies profound beauty. In life, everything we have goes through a process of evolution. It so happens that some imperfections end up making things more beautiful.

The philosophy of Wabi Sabi encourages people to not hide these but bring them to life. The art form of Kintsugi does a stellar job of bringing these flaws to life. This art is used to highlight cracks in a pot with lacquer and gold dust, thereby celebrating its flaws rather than hiding them.

The influences of this philosophy on our current collection of flooring is incredible as can been seen through the designs depicting the patina, kintsugi and patchwork effects.

WELSPUN FLOORING

LEED

WABI SABI COLLECTION - DESIGN : WSD1

WELSPUN FLOORING   **LEED GOLD**

AC: CT000029

AC: CT000027

AC: CT000030

AC: CT000028

Design Name	WSD1
Machine	1/10 loop infinity
Filament	69
Yarn Details	1200/2,69F,120STPM,Cable
Size in centimeter	25 cm x100 cm
GSM*	669.6
Finished pile thickness*	4-5 mm
Total thickness*	6-7 mm
Tufted pile wt OZ (Sq Yard)*	19.75
Dye Method	Solution Dyed
Fiber Type	100% Nylon Type-6
Stitch/10 cn	47.24/10 cm
Backing Material	PVC
PVC GSM	2000
Shape (Plank or tile)	Plank
SPI	12
Soil Release Technology	Perma Seal ENV
GSA Stain Release	Pass
Rating Foot Traffic Recommendation TARR	Severe
*Tolerance (+/-)%	5%

Article Code	Size in CM	Qty in SQM
CT000027	25x100	80
CT000028	25x100	190
CT000029	25x100	35
CT000030	25x100	120

WABI SABI COLLECTION - DESIGN : WSD3

AC: CT000032

AC: CT000034

AC: CT000033

AC: CT000031

WELSPUN FLOORING

LEED GOLD

Design Name	WSD3
Machine	1/10 Color Point
Filament	69
Yarn Details	1200/2,69F,120STPM,Cable
Size in centimeter	25 cm x100 cm
GSM*	1029.4
Finished pile thickness*	4-5 mm
total thickness*	6-7 mm
Tufted pile wt OZ (Sq Yard)*	30.3 OZ
Dye method	Solution Dyed
Fiber Type	100% Nylon Type-6
Stitch/10 cn	35.43/10 cm
Backing Material	PVC
PVC GSM	2000
Shape (Plank or tile)	Plank
SPI	9
Soil Release Technology	Perma Seal ENV
GSA Stain Release	Pass
Rating Foot Traffic Recommendation TARR	Severe
*Tolerance (+/-)%	5%

Article Code	Size in CM	Qty in SQM
CT000031	0	0
CT000032	25x100	140
CT000033	0	0
CT000034	0	0

WABI SABI COLLECTION - DESIGN : WSD4

AC: CT000037

AC: CT000035

AC: CT000039

AC: CT000036

WELSPUN FLOORING

LEED GOLD

Design Name	WSD4
Machine	1/10 loop infinity
Filament	69
Yarn Details	1200/2,69F,120STPM,Cable
Size in centimeter	50 cm x 50 cm
GSM*	592.8
Finished pile thickness*	4-5 mm
total thickness*	6-7 mm
Tufted pile wt OZ (Sq Yard)*	17.48
Dye method	Solution Dyed
Fiber Type	100% Nylon Type-6
Stitch/10 cn	47.24/10 cm
Backing Material	PVC
PVC GSM	2000
Shape (Plank or tile)	Tile
SPI	12
Soil Release Technology	Perma Seal ENV
GSA Stain Release	Pass
Rating Foot Traffic Recommendation TARR	Severe
*Tolerance (+/-)%	5%

Article Code	Size in CM	Qty in SQM
CT000035	50x50	95
CT000036	50x50	10
CT000037	50x50	370
CT000038	50x50	35

WABI SABI COLLECTION - DESIGN : WSD6

AC: CT000043

AC: CT000041

AC: CT000042

AC: CT000040

WELSPUN FLOORING

LEED GOLD

| Design Name	WSD6
Machine	1/10 loop infinity
Filament	69
Yarn Details	1200/2,69F,120STPM,Cable
Size in centimeter	25 cm x 100 cm/50 x 50 cm
GSM*	607.2
Finished pile thickness*	4-5 mm
total thickness*	6-7 mm
Tufted pile wt OZ (Sq Yard)*	17.91
Dye method	Solution Dyed
Fiber Type	100% Nylon Type-6
Stitch/10 cn	45.27/10 cm
Backing Material	PVC
PVC GSM	2000
Shape (Plank or tile)	Plank/Tile
SPI	11.5
Soil Release Technology	Perma Seal ENV
GSA Stain Release	Pass
Rating Foot Traffic Recommendation TARR	Severe
*Tolerance (+/-)%	5%

Article Code	Size in CM	Qty in SQM
CT000040	0	0
CT000041	50x50	105
CT000042	50x50	655
CT000043	50x50	510

WABI SABI COLLECTION - DESIGN : WSD7

AC: CT000047

AC: CT000044

AC: CT000046

AC: CT000045

Design Name	WSD7
Machine	1/10 Color Point
Filament	69
Yarn Details	1200/2,69F,120STPM,Cable
Size in centimeter	50 x 50 cm
GSM*	911
Finished pile thickness*	4-5 mm
Total thickness*	6-7 mm
Tufted pile wt OZ (Sq Yard)*	26.87 OZ
Dye Method	Solution Dyed
Fiber Type	100% Nylon Type-6
Stitch/10 cn	35.43/10 cm
Backing Material	PVC
PVC GSM	2000
Shape (Plank or tile)	Tile
SPI	9
Soil Release Technology	Perma Seal ENV
GSA Stain Release	Pass
Rating Foot Traffic Recommendation TARR	Severe
*Tolerance (+/-)%	5%

Article Code	Size in CM	Qty in SQM
CT000044	0	0
CT000045	50x50	60
CT000046	50x50	10
CT000047	0	0

WABI SABI COLLECTION - DESIGN : WSD8

AC: CT000050

AC: CT000048

AC: CT000049

AC: CT000051

WELSPUN FLOORING   **LEED GOLD**

Design Name	WSD8
Machine	1/10 Color Point
Filament	69
Yarn Details	1200/2,69F,120STPM,Cable
Size in centimeter	25 x 100 cm
GSM*	640
Finished pile thickness*	4-5 mm
total thickness*	6-7 mm
Tufted pile wt OZ (Sq Yard)*	18.87 oz
Dye method	Solution Dyed
Fiber Type	100% Nylon Type-6
Stitch/10 cn	39.37/10 cm
Backing Material	PVC
PVC GSM	2000
Shape (Plank or tile)	Plank
SPI	10
Soil Release Technology	Perma Seal ENV
GSA Stain Release	Pass
Rating Foot Traffic Recommendation TARR	Severe
**Tolerance (+/-)%	5%

Article Code	Size in CM	Qty in SQM
CT000048	0	0
CT000049	0	0
CT000050	25x100	30
CT000051	25x100	35

WABI SABI COLLECTION - DESIGN : WSD9

AC: CT000055

AC: CT000053

AC: CT000054

AC: CT000056

Design Name	WSD9
Machine	1/10 Color Point
Filament	69
Yarn Details	1200/2,69F,120STPM,Cable
Size in centimeter	50 x 50 cm
GSM*	1098
Finished pile thickness*	4-5 mm
total thickness*	6-7 mm
Tufted pile wt OZ (Sq Yard)*	32.28 OZ
Dye method	Solution Dyed
Fiber Type	100% Nylon Type-6
Stitch/10 cn	35.43/10 cm
Backing Material	PVC
PVC GSM	2000
Shape (Plank or tile)	Tile
SPI	9
Soil Release Technology	Perma Seal ENV
GSA Stain Release	Pass
Rating Foot Traffic Recommendation TARR	Severe
*Tolerance (+/-)%	5%

Article Code	Size in CM	Qty in SQM
CT000053	0	0
CT000054	0	0
CT000055	0	0
CT000056	0	0

Reimagining all weather Greens for a maintenance free natural surroundings

Balcony

Break out zone in office

Terrace garden

Around swimming pool

Market Grass

Only green yarn
Artificial looks

Less dtex
Low density
Leads to
Lower resilience

Welspun Greens

Its lush green colour is evenly blended throughout with a mix of gold and yellow that lends Greens the weathered look of real grass

Golden yarn: For much natural looks

Higher dtex
Higher density
Offers improved comfort and structure stability

WELSPUN
FLOORING

Lush Greens @NPD