

Cucumber Report

27-Jul-2023, 4:44:30 PM

Start : Jul 27, 4:41:03.439 PM

End : Jul 27, 4:44:29.569 PM

Duration : 3 m 26.130 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 6
SKIPPED - 0

PASSED - 0
FAILED - 6
SKIPPED - 63




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Cp Smoke Test</u>	3 m 26.130 s	6	0	6	0	69	0	6	63

Tag	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@cpLogin	1	0	1	0	1	0	1	0
@cp	6	0	6	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	Cp Smoke Test	6	0	6	0	3 m 26.130 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Cp Smoke Test</u>	<u>CP order entry - Placing a new order</u>	21	0	1	20	4.962 s
2	<u>Cp Smoke Test</u>	<u>Specimen Dissection - Scanning the Specimen</u>	14	0	1	13	50.424 s
3	<u>Cp Smoke Test</u>	<u>Block Processing - Scan Block LRN</u>	7	0	1	6	50.157 s
4	<u>Cp Smoke Test</u>	<u>Procedure Processing - Scan a procedure</u>	8	0	1	7	50.028 s
5	<u>Cp Smoke Test</u>	<u>Order Verification - Search with order LRN</u>	10	0	1	9	50.375 s
6	<u>Cp Smoke Test</u>	<u>Microscopy-Saving and releasing the final report</u>	9	0	1	8	0.013 s


Cp Smoke Test

FAILED	DURATION - 3 m 26.130 s	Scenarios		Steps	
/ 4:41:03.439 PM // 4:44:29.569 PM /		Total - 6		Total - 69	
		Pass - 0		Pass - 0	
		Fail - 6		Fail - 6	
		Skip - 0		Skip - 63	



CP order entry - Placing a new order

<div>FAILED</div> <div>DURATION - 4.962 s</div>		<div></div>	<div>Steps</div> <div>Total - 21</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 20</div>	<div></div>
<div>/ 4:41:03.444 PM // 4:41:08.406 PM /</div>				
<div>Cp Smoke Test</div>				
<div>@cpLogin @cp</div>				

#	Step / Hook Details	Status	Duration
1	<p>Given User in Login page</p> <p>org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_CLOSED (Session info: MicrosoftEdge=114.0.1823.86) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [704dad468550483ee838ff3e9e94a9e8, get {url=https://130.78.62.243:444/#/Login}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 114.0.1823.86, ms:edgeOptions: {debuggerAddress: localhost:51404}, msedge: {msedgedriverVersion: 114.0.1823.90 (a7fc3a4aaee7..., userDataDir: C:\Users\lar287\AppData\Loca..., networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51404/devtoo..., se:cdpVersion: 114.0.1823.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 704dad468550483ee838ff3e9e94a9e8</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)</p>	FAILED	0.469 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at org.stepdefinition.StepDefinitionClass.user_in_Login_page(StepDefinitionClass.java:77) at ?.User in Login page(file:///C:/Users/ar287/eclipse-workspace/LIMS/src/test/resources/FeatureFiles/CP_SmokeTest.feature:6) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - org.stepdefinition.Hooks.snapMethod(io.cucumber.java.Scenario)	PASSED	0.111 s
	error msg		
			
2	When User enters valid username and valid password	SKIPPED	0.000 s
3	And Click on Order Management menu, Click on CP order entry menu	SKIPPED	0.000 s
4	And Search for the patient using the given name as Arun and Family name as R and click on Search	SKIPPED	0.000 s
5	And Select the patient from the Grid	SKIPPED	0.000 s
6	And Click on New Order button	SKIPPED	0.004 s
7	And Check for the Patient banner	SKIPPED	0.000 s
8	And Click on the down-arrow key	SKIPPED	0.000 s
9	And Select a value from the Location field drop-down or type few characters and select the value EX: BREH	SKIPPED	0.000 s
10	And Select a value from the Clinician field drop-down or type few characters (Ste) and select the value EX: SUB	SKIPPED	0.000 s
11	And Select a value from Patient category drop-down as NHS	SKIPPED	0.000 s
12	And Enter collection date and time	SKIPPED	0.000 s
13	And Enter the details in the following fields - Clinical Comments,Clinical Diagnosis,Clinical question,Medical Intervention	SKIPPED	0.000 s
14	And In the SPECIMEN/BLOCK/PROCEDURE pane click on Specimen	SKIPPED	0.000 s
15	And Click on Histology sub-discipline	SKIPPED	0.000 s
16	And Double click/Drag and drop on one of the specimen EX: Breast tissue	SKIPPED	0.000 s
17	And Drag and drop one more specimen from Histology sub-discipline Ex: Bone	SKIPPED	0.000 s
18	And In the SPECIMEN/BLOCK/PROCEDURE pane click on Procedure group and select a procedure from histology sub-discipline	SKIPPED	0.000 s
19	And Double click on the second block LRN from popup	SKIPPED	0.000 s
20	And Delete one of the procedure added to the block by click on X in the procedure card	SKIPPED	0.000 s
21	And Click on Save button	SKIPPED	0.004 s

Specimen Dissection - Scanning the Specimen



<div>FAILED</div> <div>DURATION - 50.424 s</div>			<div>Steps</div> <div>Total - 14</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 13</div>	
/ 4:41:08.471 PM // 4:41:58.895 PM /				
Cp Smoke Test				
@cp				

#	Step / Hook Details	Status	Duration
1	<p>Given Click on Laboratory processing menu and Click on Specimen dissection menu</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: MicrosoftEdge=114.0.1823.86) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [704dad468550483ee838ff3e9e94a9e8, findElement {using=xpath, value=([span[@class="mat-tooltip-trigger"]])[2]] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 114.0.1823.86, ms:edgeOptions: {debuggerAddress: localhost:51404}, msedge: {msedgedriverVersion: 114.0.1823.90 (a7fc3a4aaee7..., userDataDir: C:\Users\ar287\AppData\Loca..., networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:51404/devtoo..., se.cdpVersion: 114.0.1823.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 704dad468550483ee838ff3e9e94a9e8 at jdk.internal.reflect.GeneratedConstructorAccessor16.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy25.toString(Unknown Source)</pre>	FAILED	50.403 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.String.valueOf(String.java:2951) at java.base/java.lang.StringBuilder.append(StringBuilder.java:173) at org.openqa.selenium.support.ui.ExpectedConditions\$10.toString(ExpectedConditions.java:298) at java.base/java.lang.String.valueOf(String.java:2951) at java.base/java.lang.StringBuilder.append(StringBuilder.java:173) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229) at org.baseclass.BaseClass.expWait(BaseClass.java:135) at org.stepdefinition.StepDefinitionClass. click_on_laboratory_processing_menu_and_click_on_specimen_dissection_menu(StepDefinitionClass.java:833) at ?.Click on Laboratory processing menu and Click on Specimen dissection menu(file:///C:/Users/ar287/eclipse-workspace/LIMS/src/test/ resources/FeatureFiles/CP_SmokeTest.feature:29) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - org.stepdefinition.Hooks.snapMethod(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: MicrosoftEdge=114.0.1823.86) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [704dad468550483ee838ff3e9e94a9e8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 114.0.1823.86, ms:edgeOptions: {debuggerAddress: localhost:51404}, msedge: {msedgedriverVersion: 114.0.1823.90 (a7fc3a4aee7..., userDataDir: C:\Users\ar287\AppData\Loca..., networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51404/devtoo..., se:cdpVersion: 114.0.1823.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 704dad468550483ee838ff3e9e94a9e8 at jdk.internal.reflect.GeneratedConstructorAccessor16.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at org.stepdefinition.Hooks.snapMethod(Hooks.java:66) </pre>	FAILED	0.003 s
2	When User enters Specimen LRN in the scan field and does search	SKIPPED	0.000 s
3	And Check the details displaying in the Specimen dissection	SKIPPED	0.000 s
4	And On the First Block,Without entering other details, click on Save Blocks.	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
5	And Click on No	SKIPPED	0.001 s
6	And Again Click on Save Block without entering Pieces, Displays warning , Click on Yes.	SKIPPED	0.000 s
7	And Again scan the Same Specimen LRN	SKIPPED	0.000 s
8	And For Block1,Enter all the details and Verify that on selecting the block Corresponding procedure for that block will be displayed	SKIPPED	0.000 s
9	And Select Keep Setting check box and Click on click on Next	SKIPPED	0.000 s
10	And Now enter no.of Pieces on Block2 as One	SKIPPED	0.000 s
11	And Click on Save Block and scan the Same Specimen LRN	SKIPPED	0.000 s
12	And Select Disregard Unused Blocks check box and scan the Same Specimen LRN	SKIPPED	0.000 s
13	And Select All Tissue used check box and click on save blocks	SKIPPED	0.000 s
14	Then Scan the specimen Lrn again	SKIPPED	0.000 s

Block Processing - Scan Block LRN



<div>FAILED</div> <div>DURATION - 50.157 s</div>			<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 6</div>	
/ 4:41:58.929 PM // 4:42:49.086 PM /				
Cp Smoke Test				
@cp				

#	Step / Hook Details	Status	Duration
1	Given User changes the workarea to Embed org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: MicrosoftEdge=114.0.1823.86) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [704dad468550483ee838ff3e9e94a9e8, findElement {using=xpath, value=(//span[@class="mat-tooltip-trigger"])[2]}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 114.0.1823.86, ms:edgeOptions: {debuggerAddress: localhost:51404}, msedge: {msedgedriverVersion: 114.0.1823.90 (a7fc3a4aaee7..., userDataDir: C:\Users\lar287\AppData\Loca..., networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51404/devtoo..., se:cdpVersion: 114.0.1823.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 704dad468550483ee838ff3e9e94a9e8 at jdk.internal.reflect.GeneratedConstructorAccessor16.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)	FAILED	50.145 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy25.toString(Unknown Source) at java.base/java.lang.String.valueOf(String.java:2951) at java.base/java.lang.StringBuilder.append(StringBuilder.java:173) at org.openqa.selenium.support.ui.ExpectedConditions\$10.toString(ExpectedConditions.java:298) at java.base/java.lang.String.valueOf(String.java:2951) at java.base/java.lang.StringBuilder.append(StringBuilder.java:173) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229) at org.baseclass.BaseClass.expWait(BaseClass.java:135) at org.stepdefinition.StepDefinitionClass.user_changes_the_workarea_to_Embed(StepDefinitionClass.java:1211) at ?.User changes the workarea to Embed(file:///C:/Users/ar287/eclipse-workspace/LIMS/src/test/resources/FeatureFiles/CP_SmokeTest.feature:45) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - org.stepdefinition.Hooks.snapMethod(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: MicrosoftEdge=114.0.1823.86) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [704dad468550483ee838ff3e9e94a9e8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 114.0.1823.86, ms:edgeOptions: {debuggerAddress: localhost:51404}, msedge: {msedgedriverVersion: 114.0.1823.90 (a7fc3a4aaee7..., userDataDir: C:\Users\lar287\AppData\Loca...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51404/devtoo..., se:cdpVersion: 114.0.1823.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 704dad468550483ee838ff3e9e94a9e8 at jdk.internal.reflect.GeneratedConstructorAccessor16.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) </pre>	FAILED	0.008 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at org.stepdefinition.Hooks.snapMethod(Hooks.java:66) </pre>		
2	When User selects the block processing worklist from Menu	SKIPPED	0.000 s
3	And User Scans the order LRN and validate the corresponding blocks for the order	SKIPPED	0.000 s
4	And Verify Print Save Cancel and CAnceL EDits button	SKIPPED	0.000 s
5	And Edit the values and verify the save and cancel Edits button	SKIPPED	0.004 s
6	And Click on Print button	SKIPPED	0.000 s
7	And Click on Save button in Block Processing screen	SKIPPED	0.000 s

Procedure Processing - Scan a procedure

<div>FAILED</div> <div>DURATION - 50.028 s</div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 7</div>	<div></div>
/ 4:42:49.116 PM // 4:43:39.144 PM /				
Cp Smoke Test				
@cp				


#	Step / Hook Details	Status	Duration
1	<p>Given Click on Laboratory processing menu and Click on Procedure processing worklist menu.</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: MicrosoftEdge=114.0.1823.86) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [704dad468550483ee838ff3e9e94a9e8, findElement {using=xpath, value=(//span[@class="mat-tooltip-trigger"])[2]}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 114.0.1823.86, ms:edgeOptions: {debuggerAddress: localhost:51404}, msedge: {msedgedriverVersion: 114.0.1823.90 (a7fc3a4aaee7..., userDataDir: C:\Users\lar287\AppData\Loca..., networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51404/devtoo..., se:cdpVersion: 114.0.1823.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}}, </pre>	FAILED	50.018 s

#	Step / Hook Details	Status	Duration
	<p>unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 704dad468550483ee838ff3e9e94a9e8</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor16.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy25.toString(Unknown Source) at java.base/java.lang.String.valueOf(String.java:2951) at java.base/java.lang.StringBuilder.append(StringBuilder.java:173) at org.openqa.selenium.support.ui.ExpectedConditions\$10.toString(ExpectedConditions.java:298) at java.base/java.lang.String.valueOf(String.java:2951) at java.base/java.lang.StringBuilder.append(StringBuilder.java:173) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229) at org.baseclass.BaseClass.expWait(BaseClass.java:135) at org.stepdefinition.StepDefinitionClass. click_on_laboratory_processing_menu_and_click_on_procedure_processing_worklist_menu(StepDefinitionClass.java:1360) at ?.Click on Laboratory processing menu and Click on Procedure processing worklist menu.(file:///C:/Users/ar287/eclipse-workspace/LIMS/src/test/resources/FeatureFiles/CP_SmokeTest.feature:54) * Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - org.stepdefinition.Hooks.snapMethod(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: MicrosoftEdge=114.0.1823.86) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [704dad468550483ee838ff3e9e94a9e8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 114.0.1823.86, ms:edgeOptions: {debuggerAddress: localhost:51404}, msedge: {msedgedriverVersion: 114.0.1823.90 (a7fc3a4aee7..., userDataDir: C:\Users\ar287\AppData\Loca...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51404/devtoo..., se:cdpVersion: 114.0.1823.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,</p>	FAILED	0.006 s


#	Step / Hook Details	Status	Duration
	<pre>webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 704dad468550483ee838ff3e9e94a9e8 at jdk.internal.reflect.GeneratedConstructorAccessor16.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at org.stepdefinition.Hooks.snapMethod(Hooks.java:66)</pre>		
2	When Scan with Procedure LRN and press ENTER key and Verify the columns in the grid.	SKIPPED	0.000 s
3	And Verify Print Save Cancel and CAncel EDits button	SKIPPED	0.004 s
4	And Edit the values and verify the save and cancel Edits button in Pp screen	SKIPPED	0.000 s
5	And Click on Print button in pp screen	SKIPPED	0.000 s
6	And Click on Save button in pp screen	SKIPPED	0.000 s
7	And Click on Assign button.	SKIPPED	0.000 s
8	Then Click on cancel button.	SKIPPED	0.000 s

Order Verification - Search with order LRN

FAILED		DURATION - 50.375 s	
/ 4:43:39.170 PM // 4:44:29.545 PM /			
Cp Smoke Test			
@cp			

										
--	--	--	--	--	--	--	--	--	--	--

Steps
Total - 10
Pass - 0
Fail - 1
Skip - 9





#	Step / Hook Details	Status	Duration
1	Given Click on Laboratory processing menu and Click on Order verification menu.	FAILED	50.371 s

#	Step / Hook Details	Status	Duration
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: MicrosoftEdge=114.0.1823.86) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [704dad468550483ee838ff3e9e94a9e8, findElement {using=xpath, value=//i[text()='menu']}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 114.0.1823.86, ms.edgeOptions: {debuggerAddress: localhost:51404}, msedge: {msedgedriverVersion: 114.0.1823.90 (a7fc3a4aaee7..., userDataDir: C:\Users\ar287\AppData\Loca..., networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51404/devtoo..., se:cdpVersion: 114.0.1823.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 704dad468550483ee838ff3e9e94a9e8</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor16.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</p> <p>at com.sun.proxy.\$Proxy25.toString(Unknown Source)</p> <p>at java.base/java.lang.String.valueOf(String.java:2951)</p> <p>at java.base/java.lang.StringBuilder.append(StringBuilder.java:173)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.toString(ExpectedConditions.java:298)</p> <p>at java.base/java.lang.String.valueOf(String.java:2951)</p> <p>at java.base/java.lang.StringBuilder.append(StringBuilder.java:173)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229)</p> <p>at org.baseclass.BaseClass.expWait(BaseClass.java:135)</p> <p>at org.stepdefinition.StepDefinitionClass.click_on_laboratory_processing_menu_and_click_on_order_verification_menu(StepDefinitionClass.java:1496)</p> <p>at ?.Click on Laboratory processing menu and Click on Order verification menu.(file:///C:/Users/ar287/eclipse-workspace/LIMS/src/test/resources/FeatureFiles/CP_SmokeTest.feature:64)</p> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - org.stepdefinition.Hooks.snapMethod(io.cucumber.java.Scenario)	FAILED	0.004 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found		

#	Step / Hook Details	Status	Duration
	<p>(Session info: MicrosoftEdge=114.0.1823.86) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [704dad468550483ee838ff3e9e94a9e8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 114.0.1823.86, ms:edgeOptions: {debuggerAddress: localhost:51404}, msedge: {msedgedriverVersion: 114.0.1823.90 (a7fc3a4aaee7..., userDataDir: C:\Users\lar287\AppData\Loca...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51404/devtoo..., se:cdpVersion: 114.0.1823.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 704dad468550483ee838ff3e9e94a9e8</p> <p>atjdk.internal.reflect.GeneratedConstructorAccessor16.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at org.stepdefinition.Hooks.snapMethod(Hooks.java:66)</p>		
2	When Scan the Order LRN and hit enter key	SKIPPED	0.000 s
3	And Check for the verification and history tab	SKIPPED	0.000 s
4	And Double click under scanned column in grid	SKIPPED	0.000 s
5	And Check for Verify and Release button	SKIPPED	0.000 s
6	And Click on Release button	SKIPPED	0.000 s
7	And Scan the Order LRN and hit enter key	SKIPPED	0.000 s
8	And Check for the corresponding row under verified column	SKIPPED	0.000 s
9	And Validate Verify date has been updated against the respective procedure	SKIPPED	0.000 s
10	Then Click on the History tab	SKIPPED	0.000 s

Microscopy-Saving and releasing the final report

<div>FAILED</div> <div>DURATION - 0.013 s</div>		<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 8</div>	<div></div>
/ 4:44:29.556 PM // 4:44:29.569 PM /				
Cp Smoke Test				
@cp				

#	Step / Hook Details	Status	Duration
1	<p>Given Click on Result Management menu, Click on Microscopy menu.</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: MicrosoftEdge=114.0.1823.86) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [704dad468550483ee838ff3e9e94a9e8, findElement {using=xpath, value=//i[text()='menu']}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 114.0.1823.86, ms:edgeOptions: {debuggerAddress: localhost:51404}, msedge: {msedgedriverVersion: 114.0.1823.90 (a7fc3a4aaee7..., userDataDir: C:\Users\lar287\AppData\Loca..., networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51404/devtoo..., se:cdpVersion: 114.0.1823.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 704dad468550483ee838ff3e9e94a9e8 at jdk.internal.reflect.GeneratedConstructorAccessor16.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at com.sun.proxy.\$Proxy25.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:52) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:195) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:948)</pre>	FAILED	0.008 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:484) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:474) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:913) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:578) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:477) at org.stepdefinition.StepDefinitionClass.click_on_result_management_menu_click_on_microscopy_menu(StepDefinitionClass.java:1667) at ?.Click on Result Management menu, Click on Microscopy menu.(file:///C:/Users/ar287/eclipse-workspace/LIMS/src/test/resources/FeatureFiles/CP_SmokeTest.feature:77) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - org.stepdefinition.Hooks.snapMethod(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: MicrosoftEdge=114.0.1823.86) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.16.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [704dad468550483ee838ff3e9e94a9e8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 114.0.1823.86, ms:edgeOptions: {debuggerAddress: localhost:51404}, msedge: {msedgedriverVersion: 114.0.1823.90 (a7fc3a4aee7..., userDataDir: C:\Users\ar287\AppData\Loca..., networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51404/devtoo..., se:cdpVersion: 114.0.1823.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 704dad468550483ee838ff3e9e94a9e8 atjdk.internal.reflect.GeneratedConstructorAccessor16.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at org.stepdefinition.Hooks.snapMethod(Hooks.java:66) </pre>	FAILED	0.000 s
2	When Enter OR Scan LRN in Scan field and Press ENTER key	SKIPPED	0.000 s
3	And Check the patient details displaying in Microscopy screen	SKIPPED	0.000 s
4	And User Selects any reporting pathologist from the reporting pathologist field and enter some details on report editor and Click on SAVE AS option	SKIPPED	0.000 s
5	And User enters order LRN and retrieving the patient	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
6	And User clicks on insert text blocks option	SKIPPED	0.000 s
7	And User click on Synoptic wizard option	SKIPPED	0.000 s
8	And User click on Diagnosis coding option	SKIPPED	0.000 s
9	And User click on Release AS option and selects Final report	SKIPPED	0.000 s