

/openapi.json

				^
GET	/sheep/{id} Read Sheep			~
DELETE	/sheep/{id} Delete Sheep			^
Parameters				Cancel
Name	Description			
<pre>id * required integer (path)</pre>	7			
Servers  These operation	ion-level options override the	e global server opti	ons.	
	Evocuto		Cloor	
	Execute		Clear	
Responses			Clear	

```
http://127.0.0.1:8000/sheep/7
```

## Server response

### Code

**Details** 

200

## Response body

```
{
  "detail": "Sheep deleted"
}
```

Download

## Response headers

```
content-length: 26
content-type: application/json
date: Wed,30 Oct 2024 00:08:48 GMT
server: uvicorn
```

## Responses

Code

Links

200 Successful Response

Description

No links

Media type

## application/json

Controls Accept header.

Example Value Schema

{}


422 Validation Error

No links

Media type

## application/json

## Example Value Schema



```
curl -X 'PUT' \
   'http://127.0.0.1:8000/sheep/7' \
   -H 'accept: application/json' \
  -H 'Content-Type: application/json' \
  -d '{
   "id": 7,
"name": "Lessie",
   "breed": "Lincoln Longwool",
   "sex": "ewe"
Request URL
 http://127.0.0.1:8000/sheep/7
Server response
Code
             Details
200
             Response body
                "id": 7,
"name": "Lessie",
                "breed": "Lincoln Longwool",
                "sex": "ewe"
                                                                                           Download
             Response headers
                content-length: 63
                content-type: application/json
                date: Wed, 30 Oct 2024 00:08:30 GMT
                server: uvicorn
Responses
Code
             Description
                                                                                               Links
200
                                                                                               No links
             Successful Response
             Media type
               application/json
             Controls Accept header.
             Example Value Schema
                "id": 0,
                "name": "string",
"breed": "string",
                "sex": "string"
422
             Validation Error
                                                                                               No links
             Media type
               application/json
             Example Value Schema
```

```
Code
             Description
                                                                                               Links
                "detail": [
                  {
    "loc": [
                      "string",
                    "msg": "string",
"type": "string"
                ]
 GET
            /sheep Read All Sheep
Parameters
                                                                                             Cancel
No parameters
Servers
These operation-level options override the global server options.
                      Execute
                                                                           Clear
Responses
Curl
curl -X 'GET' \
  'http://127.0.0.1:8000/sheep' \
   -H 'accept: application/json'
Request URL
 http://127.0.0.1:8000/sheep
Server response
Code
             Details
200
             Response body
```

```
Code
```

**Details** 

```
[
    "id": 1,
    "name": "Spice",
    "breed": "Gotland",
    "sex": "ewe"
    },
    {
        "id": 2,
        "name": "Polypay",
        "sex": "ram"
    },
    {
        "id": 3,
        "name": "Deedee",
        "breed": "Jacobs Four Horns",
        "sex": "ram"
    },
    {
        "id": 4,
        "name": "Rommy",
        "breed": "Romney",
        "sex": "ewe"
    },
    {
        "id": 5,
        "name": "Vala",
    }
}
```

### Response headers

```
content-length: 355
content-type: application/json
date: Wed,30 Oct 2024 00:08:57 GMT
server: uvicorn
```

## Responses

## Code Description

Links

# 200 Successful Response

No links

Media type

## application/json

Controls Accept header.

## Example Value Schema

```
[
    "id": 0,
    "name": "string",
    "breed": "string",
    "sex": "string"
}
]
```

POST /sheep Add Sheep

 $\wedge$ 

Cancel

Reset

No parameters

Request body required

application/json

```
{
  "id": 7,
  "name": "Lessie",
  "breed": "Lincoln Longwool",
  "sex": "ram"
}
```

1

#### **Servers**

These operation-level options override the global server options.

1

Execute Clear

## Responses

# Curl

```
curl -X 'POST' \
  'http://127.0.0.1:8000/sheep' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/json' \
  -d '{
  "id": 7,
  "name": "Lessie",
  "breed": "Lincoln Longwool",
  "sex": "ram"
}'
```

## Request URL

## Server response

### Code

**Details** 

201

## Response body

```
"id": 7,
  "name": "Lessie",
  "breed": "Lincoln Longwool",
  "sex": "ram"
}
```

Download

# Response headers

```
content-length: 63
content-type: application/json
date: Wed,30 Oct 2024 00:07:43 GMT
server: uvicorn
```

## Responses

Code

# Description

Links

201 Successful Response

No links

Media type

# application/json

Controls Accept header.

# Example Value Schema

```
{
    "id": 0,
    "name": "string",
    "breed": "string",
    "sex": "string"
}
```

# Schemas

^

HTTPValidationError > Expand all object

**Sheep** > Expand all object

ValidationError > Expand all object