



# BridgeLabz

Employability Delivered

Programming  
Constructs –  
if Selection  
Statements

## 2. Selection Statement

1. A selection statement provides for selection between alternatives
2. A program can take certain route depending on a situation and selection statements help in choosing between the routes.

## 2. Selection Statement Types

1. If statements
2. Case Statements
3. Pattern Matching

# If Statements

1. *if [condition] then action1 fi*
2. *if [condition] then action1 else action2 fi*
3. *if [condition] then action1  
elif [condition] then action2  
else action3 fi*

# if and else Statement

```
#!/bin/bash -x

var1=10
var2=10
if [ $var1 -ge $var2 ]
then
    echo "$var2 is greater than or equal to $var1"
else
    echo "$var2 is less than $var1"
fi
iftest.sh (END)
```

```
Narayans-MacBook-Pro:TerminalCommands narayan$ ./iftest.sh
+ var1=10
+ var2=10
+ '[' 10 -ge 10 ']'
+ echo '10 is greater than or equal to 10'
10 is greater than or equal to 10
```

# Execution Thread of a Employee Wage Example



Selection : (Either Choose Route A or Route B)



**UC 1**

Check Employee is  
Present or Absent

# Check Employee is Present or Abscent

---

```
#!/bin/bash -x

isPresent=1;
randomCheck=$((RANDOM%2));

if [ $isPresent -eq $randomCheck ];
then
    echo "Employee is Present";
else
    echo "Employee is Abscent";
fi
empWageV1.sh (END)
```

```
+ isPresent=1
+ randomCheck=0
+ '[' 1 -eq 0 ']'
+ echo 'Employee is Abscent'
Employee is Abscent
```





**UC 2**

Calculate Daily  
Employee Wage

# Calculating Employee Wage

---

```
#!/bin/bash -x

isPresent=1;
randomCheck=$((RANDOM%2));

if [ $isPresent -eq $randomCheck ];
then
    empRatePerHr=20;
    empHrs=8;
    salary=$(( $empHrs*$empRatePerHr ));
else
    salary=0;
fi
empWageV2.sh (END)
```

```
+ isPresent=1
+ randomCheck=1
+ '[' 1 -eq 1 ']'
+ empRatePerHr=20
+ empHrs=8
+ salary=160
```

# Selection Practice Problems with if & else



1. Write a program that reads 5 Random 3 Digit values and then outputs the minimum and the maximum value
2. Write a program that takes day and month from the command line and prints true if day of month is between March 20 and June 20, false otherwise.
3. Write a program that takes a year as input and outputs the Year is a Leap Year or not a Leap Year. A Leap Year checks for 4 Digit Number, Divisible by 4 and not 100 unless divisible by 400.
4. Write a program to simulate a coin flip and print out "Heads" or "Tails" accordingly.



**BridgeLabz**

Employability Delivered

Thank  
You