

KEJRIWAL Z-Portfolio → SAP S/4HANA 2025 Fiori

Module-wise build inventory & development-server runbook

Clean-core extension package · KSQ/KHQ · client 500

Generated 26 June 2026 · All 285 Z-transactions classified & routed
Repository: [ajaykejriwal1974-oss/fiori-apps](#) (merged to main)

Executive summary

The entire custom Z-portfolio — **285 transactions** — has been classified, routed clean-core (no SAP source modified), and for everything that warrants custom code, scaffolded with real fields from the field dictionary. This document lists the work **by SAP module** and gives a **step-by-step plan for the development server**.

Class	Count	Disposition
CUS	72	Built (masters + transactional) or reuse / DRC excluded
EXT	19	Built / wired into adaptations
STD	17	Standard Fiori app + business role
PRT	61	Output Management (gate pass built)
BI	87	Consolidated → ~31; 11 CDS queries built
UPL	28	Migration Cockpit / APIs; 2 automation classes built
RET	1	Retire

Clean core throughout: key-user / adaptation / RAP / released-API only — never a modification. Module grouping below is functional; textile logistics (packing / HU / gate pass) legitimately spans PP, MM and SD.

Part A — Deliverable register (module-wise, by code)

Every app, master and report built in this package, grouped by SAP module, each with a **delivery code** and its **complete set** of replaced Z-transactions (expanded from docs/CLASSIFICATION.md + docs/BI-CONSOLIDATION.md, not just the representative tcode). **29** apps/masters (-NN), **11** analytical reports (-RN), **118** distinct Z-tcodes covered. Type: *Adaptation* = key-user extension of a standard app; *Custom app* = freestyle SAPUI5; *Master (RAP)* = managed-RAP Fiori Elements; *Report* = analytical CDS query. † = retired duplicate folded into the consolidated query.

SD Sales & Distribution

Code	App / Report	Type	Replaces (Z-tcodes)
SD-01	Manage Sales Orders (adaptation, F1873)	Adaptation	ZVA01, ZVA01N, ZSOCL0SE, ZSOCL0SE1
SD-02	Manage Sales Contracts (adaptation)	Adaptation	ZCON_CLOSE, ZCON_CLOSE1, ZCOREL, ZCON02
SD-03	Manage Outbound Deliveries (adaptation, F0867A)	Adaptation	ZDEL, ZDELC
SD-04	Contract Batch Update	Custom app	ZBATCH_CHANGE
SD-05	Dispatch Correction	Custom app	ZDSP_CORR
SD-06	Manage Packing Details	Custom app	ZPACK01, ZPACK01N, ZPACK02, ZPACK02N, ZPACK03, ZREPACK
SD-07	Dyeing Packing	Custom app	ZPACK01D, ZPACK02D, ZPACK03D, ZREPACKD
SD-08	Transport Code Master	Master (RAP)	ZTRANS
SD-09	Truck Master	Master (RAP)	ZTRUCK
SD-10	Export Details Master	Master (RAP)	ZMBR2
SD-R1	Packing / Dispatch Register (17 → 1)	Report	ZPACKLIST, ZPACKLIST01, ZPACKLISTN, ZPLIST01, ZPLIST01A, ZPLIST01T, ZPLIST02, ZPLIST02A, ZPLIST02N†, ZPLIST02T, ZPLIST03, ZPLIST03A, ZPLIST03N†, ZPLIST03T, ZPLISTD, ZPLISTDA, ZPLISTDT
SD-R2	Dispatch Register	Report	ZPWDIS, ZDISPATCH, ZPDESP, ZSCAND
SD-R3	Export / Incentive Register	Report	ZGCUDB, ZBRC, ZEXP
SD-R4	Pending Contract Register	Report	ZPCON, ZPCOND, ZPCONS, ZPCON_CP†

PP Production Planning

Code	App / Report	Type	Replaces (Z-tcodes)
PP-01	Confirm Production Operation (adaptation, F3069)	Adaptation	ZC011N, ZC011A
PP-02	Palletization	Custom app	ZPALLET, ZPALLET1, ZPAL_BOX, ZSOL_ASRS
PP-03	Post Packing & GR	Custom app	ZPOST01
PP-04	Batch Status	Custom app	ZBATCHD, ZBATCH_CLS
PP-05	Recipe Master	Master (RAP)	ZRECP01, ZRECP02, ZRECP03
PP-06	Job Master	Master (RAP)	ZJOB01, ZJOB01N, ZJOB02, ZJOB02N, ZJOB03, ZJOB03N
PP-07	Schedule Master	Master (RAP)	ZSCH01, ZSCH01N, ZSCH02, ZSCH02N, ZSCH03, ZSCH03N
PP-08	Merge Details Master	Master (RAP)	ZMERGE
PP-09	Checked / Packed-By Master	Master (RAP)	ZPCBY
PP-10	Packing Material Master	Master (RAP)	ZPACK_MAST
PP-11	Shade Master (Dope Dyeing)	Master (RAP)	ZDD_SHADE
PP-R1	Packed-Stock Analysis (8 → 1)	Report	ZBOXSTOCK, ZGSTOCK, ZPRP1, ZSSTOCK, ZDSTOCK, ZSTOCK, ZPRP, ZPRPSZ
PP-R2	WIP Batch	Report	ZBATCH_WIP
PP-R3	Job Card Report	Report	ZJOBREPTN, ZJOBREPORT†
PP-R4	Recipe Master Report	Report	ZRECPM
PP-R5	Merge Analysis	Report	new analytics over ZPP_MERGE (Merge master; no standalone legacy report)

MM Materials Management & Handling Units

Code	App / Report	Type	Replaces (Z-tcodes)
MM-01	Post Goods Movement (HU / Box)	Custom app	ZBOX_MOVE
MM-02	Inbound Delivery HUs	Custom app	ZHUINB
MM-03	HU Unpack	Custom app	ZHUPK
MM-04	MTOS Process	Custom app	ZMTOS, ZHUINV
MM-05	Gate Pass	Master (RAP)	ZGPS01, ZGPS02, ZGPS03, ZGPSI1, ZGPSI2, ZGPSI3
MM-R1	HU Inventory Analysis	Report	ZHUM0, ZHUREC, ZHUINV_CLS

QM Quality Management

Code	App / Report	Type	Replaces (Z-tcodes)
QM-01	Record Inspection Results (Mass)	Custom app	ZQA32

FI Financial Accounting & Compliance

Code	App / Report	Type	Replaces (Z-tcodes)
FI-01	C-Form Allocation Master	Master (RAP)	ZCFORM1, ZFORM, ZFORMS, ZPCFORM
FI-02	Digital Signature Master	Master (RAP)	ZDIGI
FI-R1	GST Tax Register	Report	ZGST, ZGST1, ZGST2, ZGSTCR

Part B — Build inventory by module

SD Sales & Distribution

Sales orders, contracts, deliveries, packing, dispatch and the export/sales registers.


Apps built

- **Manage Sales Orders (F1873) — adaptation** — textile custom fields + Close Order
- **Manage Sales Contracts — adaptation** — Close / Complete / Release / Update-Rate
- **Manage Outbound Deliveries (F0867A) — adaptation** — delivery challan via Output Mgmt
- **Contract Batch Update** — mass batch assignment across contract items
- **Dispatch Correction** — re-assign dispatch boxes (SO/item/status)
- **Manage Packing Details** — pack / repack (ZPACK01..03N, ZREPACK)
- **Dyeing Packing** — cone/carton/pallet HU structure (ZPACK*D)

Backend (RAP / classes)

- **sales-doc-status-rap** — merged VBAK service: 6 lifecycle actions (contracts + orders)
- **contract-batch-rap** — BAPI_SD_SALESDOCUMENT_CHANGE (batch)
- **dispatch-correction-rap** — ZSOL_HUDISPATCH ⇄ ZPP_PACK
- **packing-detail-rap / packing-hu-rap** — BAPI_HU_PACK family
- **transport-code-master / truck-master / export-detail-master** — managed RAP over ZTRANS / ZTB_TRUCK_MSTR / ZEXP

Analytics



Reuse / standard

Sales-register variants → 1 query; ZVA01/N custom fields via key-user adaptation; reuse ZSOL_SALCONT_CDS / ZSOL_F4* value helps.

Representative Z-tcodes

ZVA01/N, ZSOCLOSE(1), ZCON_CLOSE/CLOSE1/COREL/CON02, ZDEL/ZDELC, ZBATCH_CHANGE, ZDSP_CORR, ZPLIST*/ZPACK*, ZSALES*, ZSOREG, ZGCUIDB/ZBRC/ZEXP

PP Production Planning

Dyeing production entry, batches, job cards, schedules, recipes, merge, palletization and the production/stock analytics.

Apps built

- **Confirm Production Operation (F3069) — adaptation** — dyeing production entry (ZCO11N/A)
- **Palletization** — pack boxes on pallet (ZPALLET/1, ZPAL_BOX)
- **Post Packing & GR** — post packing + goods receipt (ZPOST01)
- **Batch Status** — close / delete batch (ZBATCHD, ZBATCH_CLS)

Backend (RAP / classes)

- **recipe / job / schedule / merge / checked-by / packing-material masters** — managed RAP over the real ZPP_* tables
- **shade-master-rap** — reference managed CBO (ZDD_SHADE)
- **gate-pass-rap** — managed RAP composition ZGP_HDR → ZGP_ITEM
- **batch-status / palletization / post-packing-gr** — unmanaged RAP action services

Analytics

Packed-Stock Analysis (8 reports → 1) · WIP Batch · Job Card · Recipe Analysis · Merge Analysis

Reuse / standard

Create/Change/Display master variants collapse into one Fiori Elements app each; recipe/job-card PRINT becomes an Output-Management form on the master.

Representative Z-tcodes

ZCO11N/A, ZRECP*, ZJOB*, ZSCH*, ZBATCH* (master/del/close/WIP), ZMERGE, ZPALLET*, ZPOST01, ZREPACK, ZPRP*, ZLABEL, ZPCBY

MM Materials Management & Handling Units

Handling-unit handling, goods movement, gate pass, purchasing automation, MTO → MTS and stock.

Apps built

- **Post Goods Movement (HU / Box)** — box/HU-wise movement (ZBOX_MOVE)
- **Inbound Delivery HUs** — post inbound GR (ZHUINB)
- **HU Unpack** — RM unpack (ZHUPK)
- **MTOS Process** — MTO → MTS transfer + phys-inv doc (ZMTOS+ZHUINV, merged)

Backend (RAP / classes)

- **goods-movement-hu / hu-inbound / hu-unpack / mtos-process** — unmanaged RAP over standard HU (VEKP/VEPO)
- **hu-shared** — shared ZI_HU_ItemBase / ZI_HU_HeaderBase (used by 7 services)
- **gate-pass-rap** — the custom gate-pass object (also serves MM inward/outward)
- **po-automation / obd-automation** — ABAP job classes: PO & delivery automation
- **minmax-master-rap** — reuse standard MRP on MARC (stub)

Analytics

HU Inventory Analysis (ZHUMO/ZHUREC/ZHUINV_CLS → 1)

Reuse / standard

Generic stock (ZMB5B/ZCMM001/ZBSTOCK) → standard inventory apps; ZAUTOPO* (9) → one PO-automation class; reuse ZSOL_INBOUND_HU / ZSOL_POST_GOODS_MOVEMENTS / ZSOL_PALLETIZATION.

Representative Z-tcodes

ZBOX_MOVE, ZHUINB, ZHUPK, ZHUINV, ZMTOS, ZGP*/ZGATE* (gate pass), ZAUTOPO*, ZME49, ZMM60, ZPR, ZRFQ, ZWMT0_UPLD, ZMB5B/ZBSTOCK

QM Quality Management

Mass inspection-result recording and inspection-lot handling.

Apps built

- **Record Inspection Results (Mass)** — multi-lot result entry (ZQA32) — vs F2655 one-lot

Backend (RAP / classes)

- **qm-mass-results-rap** — reads standard QM (QAMV/QALS/QAPO/QAMR); posts via QM result API

Reuse / standard

ZINSLOT may map to standard Create Inspection Lot; ZQAR (cancel lot) and ZQ_FORM (cert) → standard + Output Management.

Representative Z-tcodes

ZQA32, ZINSLOT, ZQAR, ZQ_FORM

FI Financial Accounting & Compliance

Line-item display, ageing, statements, GST/TDS, banking, assets, C-Form, Bill of Exchange and posting automation.

(no custom Fiori app — see masters & reuse) FI is mostly standard apps + automation

Backend (RAP / classes)

- **cform-master-rap** — C-Form allocation (ZCFORM1) — pending ↔ received
- **digital-signature-master-rap** — ZTDIGI_SIGN configuration
- **bill-of-exchange-std** — reuse standard FI Bill of Exchange (stub)
- **po-automation (FI posting variants)** — F-02 BDC clones → Journal Entry API

Analytics

Ageing · Account Statement · Interest · TDS · GST Tax Register · Commission · Credit/Debit Note

Reuse / standard

Line-item apps (FBL3N/5N), cheque (Check Mgmt), Bill of Exchange (F-36/F-33/FBW*), GST/excise (DRC) all reuse STANDARD; FI uploads → Migration Cockpit / Journal Entry API; all BDC retired.

Representative Z-tcodes

ZFBL3N/5N, ZF02/ZFIEX/ZFIVT, ZFI* (ageing/stmt/interest/TDS), ZGST*, ZCHQ, ZABMA, ZCFORM*, ZBOE, ZCRDR*, ZBANK

CROSS Cross-application / Platform / Compliance

Document & Reporting Compliance (e-invoice/e-way), Output Management, data migration and platform utilities.

(platform / config — not Fiori tiles)

Backend (RAP / classes)

- **DRC (India e-invoice / e-way)** — ZEINV*/ZEWAY*/ZEXN → standard SAP DRC (excluded from build)
- **Output Management (PRT layer, 61)** — forms/labels/stickers/gate-pass print → BRF+ + Adobe templates
- **Data migration (UPL layer, 28)** — uploads → Migration Cockpit; automation → APIs / Application Jobs
- **digital signature / PDF / task list / audit log** — platform utilities

Reuse / standard

DRC replaces the entire e-invoice/e-way family; PRT → Output Management; UPL → Migration Cockpit + public APIs (BDC retired).

Representative Z-tcodes

ZEINV*, ZEWAY*, ZEXN, ZPDF, ZDIGI, ZTASKLIST, ZAUDIT_LOG, + 61 PRT + 28 UPL programs

Part C — Next steps on the development server (in order)

Each step is a stage of activation/wiring on DEV. Earlier steps unblock later ones; masters need the least wiring, the transactional BAPI bodies the most. References point to the repo docs.

1 Prerequisites & baseline

Confirm ADT access to the DEV system feeding KSQ/KHQ (client 500), the embedded Front-End Server is active, and the standard base apps (F1873, F3069, F0867A, Manage Sales Contracts, F2655, MIGO/HU) are activated via Basis Rapid Activation. Import the repo objects into a development package + transport request (see TRANSPORT-PLAN.md).

Reference: ACTIVATION.md, TRANSPORT-PLAN.md

2 Activate the managed-RAP masters first (lowest effort)

For each master (Recipe, Job, Schedule, Transport, Truck, Merge, Checked-by, Packing-Material, Export, Digital-Signature, C-Form, Shade, Gate Pass): confirm the underlying legacy table exists (all bind EXISTING tables; only ZDD_SHADE may need its table created), then activate the CDS interface → projection → behavior definition → behavior class → metadata extension → service definition. Create the OData V4 service binding (e.g. ZUI_RECIPES_O4) and publish it.

Reference: backend/*-master-rap, backend/gate-pass-rap

3 Generate & test the master Fiori Elements apps

Each master's List Report / Object Page is generated from its .ddlx via the service binding — no UI code. Launch from the binding preview, verify the field list against the live data, then wire the Gate-Pass number range (ZGPASS_NUM) in setHeaderDefaults and reuse ZSOL_F4* value helps.

Reference: WIRING-CHECKLIST.md §1, §5

4 Wire the adaptation projects (SD + PP)

For the 4 adaptation projects, fill the base-app identifiers from the activated standard apps: REPLACE_WITH_BASE_APP_COMPONENT_ID / BSP_NAME / FIORI_ID / OBJECT_PAGE_VIEW_ID / CONTROLLER_NAME / EXTENSION_POINT_NAME. Deploy the app-variant; confirm the custom section/column/controller extension renders on the standard app.

Reference: apps/manage-sales-orders-ext, manage-sales-contracts-ext, manage-outbound-deliveries-ext, confirm-production-operation-ext

5 Implement the unmanaged transactional services (the BAPI bodies)

For each transactional service, replace the TODO in the behavior class with the real BAPI call: sales-doc-status → BAPI_SD_SALESDOCUMENT_CHANGE; mtos-process → BAPI_GOODSMVT_CREATE + BAPI_MATPHYSINV_CREATE_MULT; packing/HU → BAPI_HU_PACK/_REPACK/_UNPACK/_CREATE; goods-movement → BAPI_GOODSMVT_CREATE; hu-inbound → BAPI_INB_DELIVERY_CONFIRM_DEC; batch-status → BAPI_BATCH_CHANGE; dispatch-correction → ZSOL_DISPATCH_CORRECTION; qm-mass-results → QM result API. Add BAPI_TRANSACTION_COMMIT and map the BAPI return into reported/failed. Resolve the 5 VERIFY markers (release-specific filters).

Reference: WIRING-CHECKLIST.md §3, REUSE-EXISTING.md

6 Create the service bindings & wire the freestyle apps

Create the OData V4 binding for each transactional service (ZUI_*_O4) and put the name into each app's manifest.json (REPLACE_WITH_*_SERVICE) and the two adaptation controllers (REPLACE_WITH_SALESDOC_STATUS_SERVICE). Then wire the front-end action invocation (oOperation.invoke()) with the parameter structure) in the 12 worklist/controller TODOs; set REPLACE_WITH_ABAP_SYSTEM_URL in each ui5.yaml for local test.

Reference: WIRING-CHECKLIST.md §1, §4

7 Build the analytical queries (BI)

Activate the 11 CDS cube/query pairs in backend/analytics. Switch @AccessControl.authorizationCheck from #NOT_REQUIRED to #CHECK with a DCL. Expose each ZC_*Query via the Query Browser or an Analytical List Page; add the secondary-object joins noted (billing tax amounts, contract value, dispatch weight). Map the retired report users to the new query + role.

Reference: backend/analytics, BI-CONSOLIDATION.md

8 Register the automation jobs (UPL)

Activate ZCL_PO_AUTOMATION and ZCL_OBD_AUTOMATION; complete the API calls and the Application-Job parameter definitions; register each as an Application Job catalog entry and schedule it (VKORG / WERKS parameters). Build the remaining UPL items as Migration Cockpit objects / standard API clients — retire all BDC.

Reference: backend/po-automation, backend/obd-automation, UPL-MIGRATION.md

9 Output Management & statutory (PRT + DRC)

Re-platform the 61 PRT programs onto Output Management: one BRF+ determination + Adobe form template per output object (billing, delivery, gate pass, labels). Configure standard SAP DRC for India e-invoice / e-way bill (the excluded ZEINV* family). Retire the pre-GST 201-series and RG1 forms.

Reference: PRT-OUTPUT-MANAGEMENT.md

10 Retire the STD & reuse items; assign roles

Assign the 17 STD standard apps + the reuse-standard items (Min/Max on MARC, Bill of Exchange, generic stock, ageing/statements) to the relevant SAP_BR_* business roles; publish tiles in the users' Spaces/Pages; retire the corresponding Z transactions after a parallel run.

Reference: STD-RETIREMENT.md, REUSE-EXISTING.md

11 Validate, transport, go-live

Run ATC on every activated object, execute the per-app GO-LIVE-CHECKLIST, then transport DEV → KSQ → PROD per the TRANSPORT-PLAN. The repo's structural CI (ci/validate.py) gates JSON/XML/CDS/ABAP structure on each change.

Reference: GO-LIVE-CHECKLIST.md, TRANSPORT-PLAN.md, ci/validate.py