Tables (15)

Name	Type	Schema
API_foodcategory		CREATE TABLE "API_foodcategory" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "category" varchar(20) NOT NULL, "description" varchar(200) NULL)
id	integer	"id" integer NOT NULL
category	varchar(20)	"category" varchar(20) NOT NULL
description	varchar(200)	"description" varchar(200)
API_foods		CREATE TABLE "API_foods" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "name" varchar(60) NOT NULL, "food_img" varchar(100) NOT NULL, "price" real NOT NULL, "res_name_id" integer NOT NULL REFERENCES "API_restaurant" ("id") DEFERRABLE INITIALLY DEFERRED, "description" text NULL, "food_cat_id" integer NOT NULL REFERENCES "API_foodcategory" ("id") DEFERRABLE INITIALLY DEFERRED, "food_rating" real NOT NULL)
id	integer	"id" integer NOT NULL
name	varchar(60)	"name" varchar(60) NOT NULL
food_img	varchar(100)	"food_img" varchar(100) NOT NULL
price	real	"price" real NOT NULL
res_name_id	integer	"res_name_id" integer NOT NULL
description	text	"description" text
food_cat_id	integer	"food_cat_id" integer NOT NULL
food_rating	real	"food_rating" real NOT NULL
API_restaurant		CREATE TABLE "API_restaurant" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "name" varchar(60) NOT NULL, "res_img" varchar(100) NOT NULL, "res_avg_rating" real NOT NULL, "description" text NULL, "user_id" integer NOT NULL REFERENCES "accounts_user" ("id") DEFERRABLE INITIALLY DEFERRED, "latitude" varchar(50) NOT NULL, "longitude" varchar(50) NOT NULL, "location" varchar(50) NOT NULL)
id	integer	"id" integer NOT NULL
name	varchar(60)	"name" varchar(60) NOT NULL
res_img	varchar(100)	"res_img" varchar(100) NOT NULL
res_avg_rating	real	"res_avg_rating" real NOT NULL
description	text	"description" text
user_id	integer	"user_id" integer NOT NULL
latitude	varchar(50)	"latitude" varchar(50) NOT NULL
longitude	varchar(50)	"longitude" varchar(50) NOT NULL
location	varchar(50)	"location" varchar(50) NOT NULL
accounts_user		CREATE TABLE "accounts_user" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "password" varchar(128) NOT NULL, "last_login" datetime NULL, "username" varchar(50) NOT NULL UNIQUE, "email" varchar(255) NOT NULL UNIQUE, "is_active" bool NOT NULL, "is_admin" bool NOT NULL, "address" varchar(500) NOT NULL, "type" varchar(3) NOT NULL, "image" varchar(100) NOT NULL, "mobile" varchar(15) NOT NULL, "full_name" varchar(100) NOT NULL, "latitude" varchar(60) NOT NULL, "longitude" varchar(60) NOT NULL)
id	integer	"id" integer NOT NULL
password	varchar(128)	"password" varchar(128) NOT NULL
last_login	datetime	"last_login" datetime
username	varchar(50)	"username" varchar(50) NOT NULL UNIQUE
email	varchar(255)	"email" varchar(255) NOT NULL UNIQUE
is_active	bool	"is_active" bool NOT NULL
is_admin	bool	"is_admin" bool NOT NULL
address	varchar(500)	"address" varchar(500) NOT NULL
type	varchar(3)	"type" varchar(3) NOT NULL
image	varchar(100)	"image" varchar(100) NOT NULL
mobile	varchar(15)	"mobile" varchar(15) NOT NULL
full_name	varchar(100)	"full_name" varchar(100) NOT NULL
latitude	varchar(60)	"latitude" varchar(60) NOT NULL
longitude	varchar(60)	"longitude" varchar(60) NOT NULL
auth_group		CREATE TABLE "auth_group" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "name" varchar(150) NOT NULL UNIQUE)
id	integer	"id" integer NOT NULL
name	varchar(150)	"name" varchar(150) NOT NULL UNIQUE
auth_group_permissions		CREATE TABLE "auth_group_permissions" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "group_id" integer NOT NULL REFERENCES "auth_group" ("id") DEFERRABLE INITIALLY DEFERRED, "permission_id" integer NOT NULL REFERENCES "auth_permission" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
group_id	integer	"group_id" integer NOT NULL
permission_id	integer	"permission_id" integer NOT NULL
auth_permission		CREATE TABLE "auth_permission" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "content_type_id" integer NOT NULL REFERENCES "django_content_type" ("id") DEFERRABLE INITIALLY DEFERRED, "codename" varchar(100) NOT NULL, "name" varchar(255) NOT NULL)
id	integer	"id" integer NOT NULL
content_type_id	integer	"content_type_id" integer NOT NULL
codename	varchar(100)	"codename" varchar(100) NOT NULL
name	varchar(255)	"name" varchar(255) NOT NULL
authtoken_token		CREATE TABLE "authtoken_token" ("key" varchar(40) NOT NULL PRIMARY KEY, "created" datetime NOT NULL, "user_id" integer NOT NULL UNIQUE REFERENCES "accounts_user" ("id") DEFERRABLE INITIALLY DEFERRED)
key	varchar(40)	"key" varchar(40) NOT NULL
created	datetime	"created" datetime NOT NULL
user_id	integer	"user_id" integer NOT NULL UNIQUE
django_admin_log		CREATE TABLE "django_admin_log" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "action_time" datetime NOT NULL, "object_id" text NULL, "object_repr" varchar(200) NOT NULL, "change_message" text NOT NULL, "content_type_id" integer NULL REFERENCES "django_content_type" ("id") DEFERRABLE INITIALLY DEFERRED, "user_id" integer NOT NULL REFERENCES "accounts_user" ("id") DEFERRABLE INITIALLY DEFERRED, "action_flag" smallint unsigned NOT NULL CHECK ("action_flag" >= 0))
id	integer	"id" integer NOT NULL
action_time	datetime	"action_time" datetime NOT NULL
object_id	text	"object_id" text
object_repr	varchar(200)	"object_repr" varchar(200) NOT NULL
change_message	text	"change_message" text NOT NULL
content_type_id	integer	"content_type_id" integer

Name	Type	Schema
user_id	integer	"user_id" integer NOT NULL
action_flag	smallint unsigned	"action_flag" smallint unsigned NOT NULL CHECK("action_flag" >= 0)
django_content_type		CREATE TABLE "django_content_type" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "app_label" varchar(100) NOT NULL, "model" varchar(100) NOT NULL)
id	integer	"id" integer NOT NULL
app_label	varchar(100)	"app_label" varchar(100) NOT NULL
model	varchar(100)	"model" varchar(100) NOT NULL
django_migrations		CREATE TABLE "django_migrations" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "app" varchar(255) NOT NULL, "name" varchar(255) NOT NULL, "applied" datetime NOT NULL)
id	integer	"id" integer NOT NULL
app	varchar(255)	"app" varchar(255) NOT NULL
name	varchar(255)	"name" varchar(255) NOT NULL
applied	datetime	"applied" datetime NOT NULL
django_session		CREATE TABLE "django_session" ("session_key" varchar(40) NOT NULL PRIMARY KEY, "session_data" text NOT NULL, "expire_date" datetime NOT NULL)
session_key	varchar(40)	"session_key" varchar(40) NOT NULL
session_data	text	"session_data" text NOT NULL
expire_date	datetime	"expire_date" datetime NOT NULL
order_order		CREATE TABLE "order_order" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "full_name" varchar(120) NOT NULL, "email" varchar(254) NOT NULL, "phone" varchar(15) NOT NULL, "address" varchar(250) NOT NULL, "created" datetime NOT NULL, "updated" datetime NOT NULL, "paid" bool NOT NULL, "invoice_no" varchar(70) NULL, "created_by" varchar(100) NOT NULL, "order_delivered" bool NOT NULL, "order_picked" bool NOT NULL, "rest_approval" bool NOT NULL, "pick_up_by" varchar(50) NOT NULL)
id	integer	"id" integer NOT NULL
full_name	varchar(120)	"full_name" varchar(120) NOT NULL
email	varchar(254)	"email" varchar(254) NOT NULL
phone	varchar(15)	"phone" varchar(15) NOT NULL
address	varchar(250)	"address" varchar(250) NOT NULL
created	datetime	"created" datetime NOT NULL
updated	datetime	"updated" datetime NOT NULL
paid	bool	"paid" bool NOT NULL
invoice_no	varchar(70)	"invoice_no" varchar(70)
created_by	varchar(100)	"created_by" varchar(100) NOT NULL
order_delivered	bool	"order_delivered" bool NOT NULL
order_picked	bool	"order_picked" bool NOT NULL
rest_approval	bool	"rest_approval" bool NOT NULL
pick_up_by	varchar(50)	"pick_up_by" varchar(50) NOT NULL
order_orderitem		CREATE TABLE "order_orderitem" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "price" decimal NOT NULL, "quantity" integer unsigned NOT NULL CHECK ("quantity" >= 0), "product_id" integer NOT NULL REFERENCES "API_foods" ("id") DEFERRABLE INITIALLY DEFERRED, "order_id" integer NOT NULL REFERENCES "order_order" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
price	decimal	"price" decimal NOT NULL
quantity	integer unsigned	"quantity" integer unsigned NOT NULL CHECK("quantity" >= 0)
product_id	integer	"product_id" integer NOT NULL
order_id	integer	"order_id" integer NOT NULL
sqlite_sequence		CREATE TABLE sqlite_sequence(name,seq)
name		"name"
seq		"seq"

Indices (14)

Name	Type	Schema
API_foods_food_cat_id_c210047a		CREATE INDEX "API_foods_food_cat_id_c210047a" ON "API_foods" ("food_cat_id")
food_cat_id		"food_cat_id"
API_foods_res_name_id_03aef32c		CREATE INDEX "API_foods_res_name_id_03aef32c" ON "API_foods" ("res_name_id")
res_name_id		"res_name_id"
API_restaurant_user_id_ef308c94		CREATE INDEX "API_restaurant_user_id_ef308c94" ON "API_restaurant" ("user_id")
user_id		"user_id"
auth_group_permissions_group_id_b120cbf9		CREATE INDEX "auth_group_permissions_group_id_b120cbf9" ON "auth_group_permissions" ("group_id")
group_id		"group_id"
auth_group_permissions_group_id_permission_id_0cd325b0_uniq		CREATE UNIQUE INDEX "auth_group_permissions_group_id_permission_id_0cd325b0_uniq" ON "auth_group_permissions" ("group_id", "permission_id")
group_id		"group_id"
permission_id		"permission_id"
auth_group_permissions_permission_id_84c5c92e		CREATE INDEX "auth_group_permissions_permission_id_84c5c92e" ON "auth_group_permissions" ("permission_id")
permission_id		"permission_id"
auth_permission_content_type_id_2f476e4b		CREATE INDEX "auth_permission_content_type_id_2f476e4b" ON "auth_permission" ("content_type_id")
content_type_id		"content_type_id"
auth_permission_content_type_id_codename_01ab375a_uniq		CREATE UNIQUE INDEX "auth_permission_content_type_id_codename_01ab375a_uniq" ON "auth_permission" ("content_type_id", "codename")
content_type_id		"content_type_id"
codename		"codename"
django_admin_log_content_type_id_c4bce8eb		CREATE INDEX "django_admin_log_content_type_id_c4bce8eb" ON "django_admin_log" ("content_type_id")
content_type_id		"content_type_id"
django_admin_log_user_id_c564eb		CREATE INDEX "django_admin_log_user_id_c564eba6" ON "django_admin_log" ("user_id")

Name	Type	Schema
a6		
user_id		"user_id"
django_content_type_app_label_model_76bd3d3b_uniq		CREATE UNIQUE INDEX "django_content_type_app_label_model_76bd3d3b_uniq" ON "django_content_type" ("app_label", "model")
app_label		"app_label"
model		"model"
django_session_expire_date_a5c62663		CREATE INDEX "django_session_expire_date_a5c62663" ON "django_session" ("expire_date")
expire_date		"expire_date"
order_orderitem_order_id_aba34f44		CREATE INDEX "order_orderitem_order_id_aba34f44" ON "order_orderitem" ("order_id")
order_id		"order_id"
order_orderitem_product_id_c5c6b07a		CREATE INDEX "order_orderitem_product_id_c5c6b07a" ON "order_orderitem" ("product_id")
product_id		"product_id"

Views (0)

Name	Type	Schema

Triggers (0)

Name	Type	Schema