Module 1: Linked List Types, operations and Pseudocode

Data Structure types	Structure to be defined	Operations	Pseudocode

A. Singly Linked list	`struct node`
	`{`
	`  int data;`
	`  struct node *next;`
	`};`
		1. Traversing a list	`Step 1: [INITIALIZE] SET PTR = START`
			`Step 2: Repeat Steps 3 and 4 while PTR != NULL`
			`Step 3:  Apply Process to PTR->DATA`
			`Step 4:  SET PTR = PTR->NEXT`
			`  [END OF LOOP]`
			`Step 5: EXIT`
			Figure 6.8 Algorithm for traversing a linked list

Singly Linked list		2. Print number of nodes(counting)	`Step 1: [INITIALIZE] SET COUNT = 0`
			`Step 2: [INITIALIZE] SET PTR = START`
			`Step 3: Repeat Steps 4 and 5 while PTR != NULL`
			`Step 4:  SET COUNT = COUNT + 1`
			`Step 5:  SET PTR = PTR->NEXT`
			`  [END OF LOOP]`
			`Step 6: Write COUNT`
			`Step 7: EXIT`
			Figure 6.9 Algorithm to print the number of nodes in a linked list

Singly Linked list		3. Insertion at the beginning	`Step 1: IF AVAIL = NULL`
			`  Write OVERFLOW`
			`  Go to Step 7`
			`  [END OF IF]`
			`Step 2: SET NEW_NODE = AVAIL`
			`Step 3: SET AVAIL = AVAIL->NEXT`
			`Step 4: SET NEW_NODE->DATA = VAL`
			`Step 5: SET NEW_NODE->NEXT = START`
			`Step 6: SET START = NEW_NODE`
			`Step 7: EXIT`
			Figure 6.13 Algorithm to insert a new node at the beginning

Singly Linked list		4. Insertion at the end	

			 **Figure 6.15** Algorithm to insert a new node at the end
Singly Linked list		5. Insertion in the middle after a given number	 **Figure 6.16** Algorithm to insert a new node after a node that has value NUM
Singly Linked list		6. Insertion in the middle before a given number	

```
Step 1: IF AVAIL = NULL
            Write OVERFLOW
            Go to Step 10
        [END OF IF]
Step 2: SET NEW_NODE = AVAIL
Step 3: SET AVAIL = AVAIL->NEXT
Step 4: SET NEW_NODE->DATA = VAL
Step 5: SET NEW_NODE->NEXT = NULL
Step 6: SET PTR = START
Step 7: Repeat Step 8 while PTR->NEXT != NULL
Step 8:     SET PTR = PTR->NEXT
        [END OF LOOP]
Step 9: SET PTR->NEXT = NEW_NODE
Step 10: EXIT
```

```
Step 1: IF AVAIL = NULL
            Write OVERFLOW
            Go to Step 12
        [END OF IF]
Step 2: SET NEW_NODE = AVAIL
Step 3: SET AVAIL = AVAIL->NEXT
Step 4: SET NEW_NODE->DATA = VAL
Step 5: SET PTR = START
Step 6: SET PREPTR = PTR
Step 7: Repeat Steps 8 and 9 while PREPTR->DATA
        != NUM
Step 8:     SET PREPTR = PTR
Step 9:     SET PTR = PTR->NEXT
         [END OF LOOP]
Step 10: PREPTR->NEXT = NEW_NODE
Step 11: SET NEW_NODE->NEXT = PTR
Step 12: EXIT
```

			 **Figure 6.18** Algorithm to insert a new node before a node that has value NUM
Singly Linked list		7. Deletion of first node	 **Figure 6.21** Algorithm to delete the first node
Singly Linked list		8. Deletion of last node	 **Figure 6.23** Algorithm to delete the last node
Singly Linked list		9. Deletion of a node after a given node	

```
Step 1: IF AVAIL = NULL
            Write OVERFLOW
            Go to Step 12
        [END OF IF]
Step 2: SET NEW_NODE = AVAIL
Step 3: SET AVAIL = AVAIL->NEXT
Step 4: SET NEW_NODE->DATA = VAL
Step 5: SET PTR = START
Step 6: SET PREPTR = PTR
Step 7: Repeat Steps 8 and 9 while PTR->DATA != NUM
Step 8:     SET PREPTR = PTR
Step 9:     SET PTR = PTR->NEXT
        [END OF LOOP]
Step 10: PREPTR->NEXT = NEW_NODE
Step 11: SET NEW_NODE->NEXT = PTR
Step 12: EXIT
```

```
Step 1: IF START = NULL
            Write UNDERFLOW
            Go to Step 5
        [END OF IF]
Step 2: SET PTR = START
Step 3: SET START = START->NEXT
Step 4: FREE PTR
Step 5: EXIT
```

```
Step 1: IF START = NULL
            Write UNDERFLOW
            Go to Step 8
        [END OF IF]
Step 2: SET PTR = START
Step 3: Repeat Steps 4 and 5 while PTR->NEXT != NULL
Step 4:     SET PREPTR = PTR
Step 5:     SET PTR = PTR->NEXT
        [END OF LOOP]
Step 6: SET PREPTR->NEXT = NULL
Step 7: FREE PTR
Step 8: EXIT
```

			 **Figure 6.25** Algorithm to delete the node after a given node
Circular Linked list		1. Insertion of a node in the beginning	 **Figure 6.30** Algorithm to insert a new node at the beginning
Circular Linked list		2. Insertion of a node at the end	 **Figure 6.32** Algorithm to insert a new node at the end
Circular		3. Deletion	

```
Step 1: IF START = NULL
            Write UNDERFLOW
            Go to Step 10
        [END OF IF]
Step 2: SET PTR = START
Step 3: SET PREPTR = PTR
Step 4: Repeat Steps 5 and 6 while PREPTR -> DATA != NUM
Step 5:      SET PREPTR = PTR
Step 6:      SET PTR = PTR -> NEXT
        [END OF LOOP]
Step 7: SET TEMP = PTR
Step 8: SET PREPTR -> NEXT = PTR -> NEXT
Step 9: FREE TEMP
Step 10: EXIT
```

```
Step 1: IF AVAIL = NULL
            Write OVERFLOW
            Go to Step 11
        [END OF IF]
Step 2: SET NEW_NODE = AVAIL
Step 3: SET AVAIL = AVAIL -> NEXT
Step 4: SET NEW_NODE -> DATA = VAL
Step 5: SET PTR = START
Step 6: Repeat Step 7 while PTR -> NEXT != START
Step 7:      PTR = PTR -> NEXT
        [END OF LOOP]
Step 8: SET NEW_NODE -> NEXT = START
Step 9: SET PTR -> NEXT = NEW_NODE
Step 10: SET START = NEW_NODE
Step 11: EXIT
```

```
Step 1: IF AVAIL = NULL
            Write OVERFLOW
            Go to Step 10
        [END OF IF]
Step 2: SET NEW_NODE = AVAIL
Step 3: SET AVAIL = AVAIL -> NEXT
Step 4: SET NEW_NODE -> DATA = VAL
Step 5: SET NEW_NODE -> NEXT = START
Step 6: SET PTR = START
Step 7: Repeat Step 8 while PTR -> NEXT != START
Step 8:      SET PTR = PTR -> NEXT
        [END OF LOOP]
Step 9: SET PTR -> NEXT = NEW_NODE
Step 10: EXIT
```

<table>
<tr>
<td>Linked list</td>
<td></td>
<td>of a first node</td>
<td>

```
Step 1: IF START = NULL
              Write UNDERFLOW
              Go to Step 8
         [END OF IF]
Step 2: SET PTR = START
Step 3: Repeat Step 4 while PTR -> NEXT != START
Step 4:         SET PTR = PTR -> NEXT
        [END OF LOOP]
Step 5: SET PTR -> NEXT = START -> NEXT
Step 6: FREE START
Step 7: SET START = PTR -> NEXT
Step 8: EXIT
```

Figure 6.34 Algorithm to delete the first node
</td>
</tr>
<tr>
<td>Circular Linked list</td>
<td></td>
<td>4. Deletion of a last node</td>
<td>

```
Step 1: IF START = NULL
              Write UNDERFLOW
              Go to Step 8
         [END OF IF]
Step 2: SET PTR = START
Step 3: Repeat Steps 4 and 5 while PTR -> NEXT != START
Step 4:         SET PREPTR = PTR
Step 5:         SET PTR = PTR -> NEXT
         [END OF LOOP]
Step 6: SET PREPTR -> NEXT = START
Step 7: FREE PTR
Step 8: EXIT
```

Figure 6.36 Algorithm to delete the last node
</td>
</tr>
<tr>
<td>DOUBLY LINKED LISTS</td>
<td>

```
struct node
{
        struct node *prev;
        int data;
        struct node *next;
};
```

</td>
<td>1. Insertion of a new node at the beginning</td>
<td>

```
Step 1: IF AVAIL = NULL
              Write OVERFLOW
              Go to Step 9
        [END OF IF]
Step 2: SET NEW_NODE = AVAIL
Step 3: SET AVAIL = AVAIL -> NEXT
Step 4: SET NEW_NODE -> DATA = VAL
Step 5: SET NEW_NODE -> PREV = NULL
Step 6: SET NEW_NODE -> NEXT = START
Step 7: SET START -> PREV = NEW_NODE
Step 8: SET START = NEW_NODE
Step 9: EXIT
```

Figure 6.40 Algorithm to insert a new node at the beginning
</td>
</tr>
<tr>
<td>DOUBLY LINKED LISTS</td>
<td></td>
<td>2. Insertion of a new node at the end</td>
<td></td>
</tr>
</table>

			Step 1: IF AVAIL = NULL Write OVERFLOW Go to Step 11 [END OF IF] Step 2: SET NEW_NODE = AVAIL Step 3: SET AVAIL = AVAIL -> NEXT Step 4: SET NEW_NODE -> DATA = VAL Step 5: SET NEW_NODE -> NEXT = NULL Step 6: SET PTR = START Step 7: Repeat Step 8 while PTR -> NEXT != NULL Step 8: SET PTR = PTR -> NEXT [END OF LOOP] Step 9: SET PTR -> NEXT = NEW_NODE Step 10: SET NEW_NODE -> PREV = PTR Step 11: EXIT **Figure 6.42** Algorithm to insert a new node at the end
DOUBLY LINKED LISTS		3. Insert the node after a given node	Step 1: IF AVAIL = NULL Write OVERFLOW Go to Step 12 [END OF IF] Step 2: SET NEW_NODE = AVAIL Step 3: SET AVAIL = AVAIL -> NEXT Step 4: SET NEW_NODE -> DATA = VAL Step 5: SET PTR = START Step 6: Repeat Step 7 while PTR -> DATA != NUM Step 7: SET PTR = PTR -> NEXT [END OF LOOP] Step 8: SET NEW_NODE -> NEXT = PTR -> NEXT Step 9: SET NEW_NODE -> PREV = PTR Step 10: SET PTR -> NEXT = NEW_NODE Step 11: SET PTR -> NEXT -> PREV = NEW_NODE Step 12: EXIT **Figure 6.43** Algorithm to insert a new node after a given node
DOUBLY LINKED LISTS		4. Insert the node before the given node	

			Step 1: IF AVAIL = NULL Write OVERFLOW Go to Step 12 [END OF IF] Step 2: SET NEW_NODE = AVAIL Step 3: SET AVAIL = AVAIL -> NEXT Step 4: SET NEW_NODE -> DATA = VAL Step 5: SET PTR = START Step 6: Repeat Step 7 while PTR -> DATA != NUM Step 7: SET PTR = PTR -> NEXT [END OF LOOP] Step 8: SET NEW_NODE -> NEXT = PTR Step 9: SET NEW_NODE -> PREV = PTR -> PREV Step 10: SET PTR -> PREV = NEW_NODE Step 11: SET PTR -> PREV -> NEXT = NEW_NODE Step 12: EXIT **Figure 6.45** Algorithm to insert a new node before a given node
DOUBLY LINKED LISTS		5. Deletion of a first node	Step 1: IF START = NULL Write UNDERFLOW Go to Step 6 [END OF IF] Step 2: SET PTR = START Step 3: SET START = START -> NEXT Step 4: SET START -> PREV = NULL Step 5: FREE PTR Step 6: EXIT **Figure 6.48** Algorithm to delete the first node
DOUBLY LINKED LISTS		6. Deletion of a last node	Step 1: IF START = NULL Write UNDERFLOW Go to Step 7 [END OF IF] Step 2: SET PTR = START Step 3: Repeat Step 4 while PTR -> NEXT != NULL Step 4: SET PTR = PTR -> NEXT [END OF LOOP] Step 5: SET PTR -> PREV -> NEXT = NULL Step 6: FREE PTR Step 7: EXIT **Figure 6.50** Algorithm to delete the last node
DOUBLY LINKED LISTS		7. Delete node after a given node	

			 **Figure 6.52** Algorithm to delete a node after a given node
DOUBLY LINKED LISTS		8. Delete node before a given node	 **Figure 6.54** Algorithm to delete a node before a given node

```
Step 1: IF START = NULL
            Write UNDERFLOW
            Go to Step 9
        [END OF IF]
Step 2: SET PTR = START
Step 3: Repeat Step 4 while PTR -> DATA != NUM
Step 4:       SET PTR = PTR -> NEXT
        [END OF LOOP]
Step 5: SET TEMP = PTR -> NEXT
Step 6: SET PTR -> NEXT = TEMP -> NEXT
Step 7: SET TEMP -> NEXT -> PREV = PTR
Step 8: FREE TEMP
Step 9: EXIT
```

```
Step 1: IF START = NULL
            Write UNDERFLOW
            Go to Step 9
        [END OF IF]
Step 2: SET PTR = START
Step 3: Repeat Step 4 while PTR -> DATA != NUM
Step 4:      SET PTR = PTR -> NEXT
        [END OF LOOP]
Step 5: SET TEMP = PTR -> PREV
Step 6: SET TEMP -> PREV -> NEXT = PTR
Step 7: SET PTR -> PREV = TEMP -> PREV
Step 8: FREE TEMP
Step 9: EXIT
```