

## Nearby Vocational Job Finder

Generated by Doxygen 1.8.20



<b>1 Namespace Index</b>	<b>1</b>
1.1 Namespace List	1
<b>2 Hierarchical Index</b>	<b>3</b>
2.1 Class Hierarchy	3
<b>3 Class Index</b>	<b>5</b>
3.1 Class List	5
<b>4 File Index</b>	<b>7</b>
4.1 File List	7
<b>5 Namespace Documentation</b>	<b>9</b>
5.1 feed Namespace Reference	9
5.2 feed.admin Namespace Reference	9
5.3 feed.apps Namespace Reference	9
5.4 feed.migrations Namespace Reference	9
5.5 feed.migrations.0001_initial Namespace Reference	10
5.6 feed.migrations.0002_job_details_image Namespace Reference	10
5.7 feed.migrations.0003_auto_20201112_1230 Namespace Reference	10
5.8 feed.migrations.0004_auto_20201112_1433 Namespace Reference	10
5.9 feed.migrations.0005_auto_20201112_1436 Namespace Reference	10
5.10 feed.models Namespace Reference	10
5.11 feed.tests Namespace Reference	11
5.12 feed.views Namespace Reference	11
5.12.1 Function Documentation	11
5.12.1.1 applied_job()	12
5.12.1.2 applied_job_update()	12
5.12.1.3 current_location()	12
5.12.1.4 delete_applied_job()	12
5.12.1.5 distance()	12
5.12.1.6 feed()	13
5.12.1.7 feed_update()	13
5.12.1.8 get_sorted_job_details()	13
5.12.1.9 job_info()	14
5.12.1.10 mark_complete()	14
5.12.1.11 post_job()	14
5.12.1.12 posted_job_response()	14
5.12.1.13 posted_job_response_update()	14
5.12.1.14 save_applied()	15
5.12.1.15 save_job_response()	15
5.12.1.16 show_job_responses()	15
5.12.1.17 submit_job()	15
5.13 manage Namespace Reference	15

5.13.1 Function Documentation	15
5.13.1.1 main()	16
5.14 myprofile Namespace Reference	16
5.15 myprofile.admin Namespace Reference	16
5.16 myprofile.apps Namespace Reference	16
5.17 myprofile.migrations Namespace Reference	16
5.18 myprofile.migrations.0001_initial Namespace Reference	16
5.19 myprofile.migrations.0002_auto_20201111_1337 Namespace Reference	16
5.20 myprofile.models Namespace Reference	17
5.21 myprofile.tests Namespace Reference	17
5.22 myprofile.views Namespace Reference	17
5.22.1 Function Documentation	17
5.22.1.1 fetch_profile()	17
5.22.1.2 profile()	17
5.22.1.3 save_profile()	17
5.23 NVJF Namespace Reference	18
5.24 NVJF.asgi Namespace Reference	18
5.24.1 Variable Documentation	18
5.24.1.1 application	18
5.25 NVJF.settings Namespace Reference	18
5.25.1 Variable Documentation	19
5.25.1.1 ALLOWED_HOSTS	19
5.25.1.2 AUTH_PASSWORD_VALIDATORS	19
5.25.1.3 AUTHENTICATION_BACKENDS	19
5.25.1.4 BASE_DIR	19
5.25.1.5 DATABASES	20
5.25.1.6 DEBUG	20
5.25.1.7 INSTALLED_APPS	20
5.25.1.8 LANGUAGE_CODE	20
5.25.1.9 LOGIN_REDIRECT_URL	20
5.25.1.10 LOGIN_URL	21
5.25.1.11 LOGOUT_REDIRECT_URL	21
5.25.1.12 MEDIA_ROOT	21
5.25.1.13 MEDIA_URL	21
5.25.1.14 MIDDLEWARE	21
5.25.1.15 ROOT_URLCONF	21
5.25.1.16 SECRET_KEY	21
5.25.1.17 SOCIAL_AUTH_GOOGLE_OAUTH2_KEY	22
5.25.1.18 SOCIAL_AUTH_GOOGLE_OAUTH2_SECRET	22
5.25.1.19 SOCIAL_AUTH_URL_NAMESPACE	22
5.25.1.20 STATIC_URL	22
5.25.1.21 STATICFILES_DIRS	22

5.25.1.22 TEMPLATES . . . . .	22
5.25.1.23 TIME_ZONE . . . . .	23
5.25.1.24 USE_I18N . . . . .	23
5.25.1.25 USE_L10N . . . . .	23
5.25.1.26 USE_TZ . . . . .	23
5.25.1.27 WSGI_APPLICATION . . . . .	23
5.26 NVJF.urls Namespace Reference . . . . .	23
5.26.1 Variable Documentation . . . . .	23
5.26.1.1 urlpatterns . . . . .	23
5.27 NVJF.wsgi Namespace Reference . . . . .	24
5.27.1 Variable Documentation . . . . .	24
5.27.1.1 application . . . . .	24
5.28 sign_in Namespace Reference . . . . .	24
5.29 sign_in.admin Namespace Reference . . . . .	24
5.30 sign_in.apps Namespace Reference . . . . .	24
5.31 sign_in.migrations Namespace Reference . . . . .	24
5.32 sign_in.migrations.0001_initial Namespace Reference . . . . .	25
5.33 sign_in.models Namespace Reference . . . . .	25
5.34 sign_in.tests Namespace Reference . . . . .	25
5.35 sign_in.views Namespace Reference . . . . .	25
5.35.1 Function Documentation . . . . .	25
5.35.1.1 index() . . . . .	25
5.35.1.2 new_view() . . . . .	25
<b>6 Class Documentation</b> . . . . .	<b>27</b>
6.1 feed.models.applied_jobs Class Reference . . . . .	27
6.1.1 Detailed Description . . . . .	27
6.1.2 Member Data Documentation . . . . .	27
6.1.2.1 is_job_approved . . . . .	27
6.1.2.2 job_id . . . . .	28
6.1.2.3 user_id . . . . .	28
6.2 feed.apps.FeedConfig Class Reference . . . . .	28
6.2.1 Member Data Documentation . . . . .	28
6.2.1.1 name . . . . .	28
6.3 feed.models.Job_details Class Reference . . . . .	29
6.3.1 Detailed Description . . . . .	29
6.3.2 Member Data Documentation . . . . .	29
6.3.2.1 image . . . . .	29
6.3.2.2 is_job_completed . . . . .	29
6.3.2.3 job_address . . . . .	30
6.3.2.4 job_date . . . . .	30
6.3.2.5 job_desc . . . . .	30

6.3.2.6 job_distance . . . . .	30
6.3.2.7 job_email . . . . .	30
6.3.2.8 job_id . . . . .	30
6.3.2.9 job_latitude . . . . .	30
6.3.2.10 job_longitude . . . . .	30
6.3.2.11 job_price . . . . .	31
6.3.2.12 job_skill . . . . .	31
6.3.2.13 job_time . . . . .	31
6.3.2.14 phone_no . . . . .	31
6.4 sign_in.migrations.0001_initial.Migration Class Reference . . . . .	31
6.4.1 Member Data Documentation . . . . .	31
6.4.1.1 dependencies . . . . .	32
6.4.1.2 initial . . . . .	32
6.4.1.3 operations . . . . .	32
6.5 feed.migrations.0001_initial.Migration Class Reference . . . . .	32
6.5.1 Member Data Documentation . . . . .	33
6.5.1.1 dependencies . . . . .	33
6.5.1.2 initial . . . . .	33
6.5.1.3 operations . . . . .	33
6.6 feed.migrations.0003_auto_20201112_1230.Migration Class Reference . . . . .	34
6.6.1 Member Data Documentation . . . . .	34
6.6.1.1 dependencies . . . . .	34
6.6.1.2 operations . . . . .	34
6.7 myprofile.migrations.0002_auto_20201111_1337.Migration Class Reference . . . . .	35
6.7.1 Member Data Documentation . . . . .	35
6.7.1.1 dependencies . . . . .	35
6.7.1.2 operations . . . . .	35
6.8 feed.migrations.0004_auto_20201112_1433.Migration Class Reference . . . . .	36
6.8.1 Member Data Documentation . . . . .	36
6.8.1.1 dependencies . . . . .	36
6.8.1.2 operations . . . . .	36
6.9 myprofile.migrations.0001_initial.Migration Class Reference . . . . .	37
6.9.1 Member Data Documentation . . . . .	37
6.9.1.1 dependencies . . . . .	37
6.9.1.2 initial . . . . .	37
6.9.1.3 operations . . . . .	37
6.10 feed.migrations.0005_auto_20201112_1436.Migration Class Reference . . . . .	38
6.10.1 Member Data Documentation . . . . .	38
6.10.1.1 dependencies . . . . .	38
6.10.1.2 operations . . . . .	38
6.11 feed.migrations.0002_job_details_image.Migration Class Reference . . . . .	39
6.11.1 Member Data Documentation . . . . .	39

6.11.1.1 dependencies	39
6.11.1.2 operations	39
6.12 myprofile.apps.MyprofileConfig Class Reference	40
6.12.1 Member Data Documentation	40
6.12.1.1 name	40
6.13 sign_in.models.Post Class Reference	40
6.13.1 Member Data Documentation	40
6.13.1.1 contest	41
6.13.1.2 data	41
6.13.1.3 title	41
6.14 myprofile.models.Profile_details Class Reference	41
6.14.1 Detailed Description	41
6.14.2 Member Data Documentation	42
6.14.2.1 aadhar_no	42
6.14.2.2 choices	42
6.14.2.3 email	42
6.14.2.4 image	42
6.14.2.5 name	42
6.14.2.6 phone_no	42
6.14.2.7 profile_type	43
6.14.2.8 skills	43
6.14.2.9 user_id	43
6.15 sign_in.apps.SignInConfig Class Reference	43
6.15.1 Member Data Documentation	43
6.15.1.1 name	43
<b>7 File Documentation</b>	<b>45</b>
7.1 D:/Study_only/IITB/NVJF/feed/__init__.py File Reference	45
7.2 D:/Study_only/IITB/NVJF/feed/migrations/__init__.py File Reference	45
7.3 D:/Study_only/IITB/NVJF/myprofile/__init__.py File Reference	45
7.4 D:/Study_only/IITB/NVJF/myprofile/migrations/__init__.py File Reference	45
7.5 D:/Study_only/IITB/NVJF/NVJF/__init__.py File Reference	45
7.6 D:/Study_only/IITB/NVJF/sign_in/__init__.py File Reference	46
7.7 D:/Study_only/IITB/NVJF/sign_in/migrations/__init__.py File Reference	46
7.8 D:/Study_only/IITB/NVJF/feed/admin.py File Reference	46
7.9 D:/Study_only/IITB/NVJF/myprofile/admin.py File Reference	46
7.10 D:/Study_only/IITB/NVJF/sign_in/admin.py File Reference	46
7.11 D:/Study_only/IITB/NVJF/feed/apps.py File Reference	46
7.12 D:/Study_only/IITB/NVJF/myprofile/apps.py File Reference	47
7.13 D:/Study_only/IITB/NVJF/sign_in/apps.py File Reference	47
7.14 D:/Study_only/IITB/NVJF/feed/migrations/0001_initial.py File Reference	47
7.15 D:/Study_only/IITB/NVJF/myprofile/migrations/0001_initial.py File Reference	47

7.16 D:/Study_only/IITB/NVJF/sign_in/migrations/0001_initial.py File Reference . . . . .	48
7.17 D:/Study_only/IITB/NVJF/feed/migrations/0002_job_details_image.py File Reference . . . . .	48
7.18 D:/Study_only/IITB/NVJF/feed/migrations/0003_auto_20201112_1230.py File Reference . . . . .	48
7.19 D:/Study_only/IITB/NVJF/feed/migrations/0004_auto_20201112_1433.py File Reference . . . . .	48
7.20 D:/Study_only/IITB/NVJF/feed/migrations/0005_auto_20201112_1436.py File Reference . . . . .	49
7.21 D:/Study_only/IITB/NVJF/feed/models.py File Reference . . . . .	49
7.22 D:/Study_only/IITB/NVJF/myprofile/models.py File Reference . . . . .	49
7.23 D:/Study_only/IITB/NVJF/sign_in/models.py File Reference . . . . .	50
7.24 D:/Study_only/IITB/NVJF/feed/tests.py File Reference . . . . .	50
7.25 D:/Study_only/IITB/NVJF/myprofile/tests.py File Reference . . . . .	50
7.26 D:/Study_only/IITB/NVJF/sign_in/tests.py File Reference . . . . .	50
7.27 D:/Study_only/IITB/NVJF/feed/views.py File Reference . . . . .	50
7.27.1 Detailed Description . . . . .	51
7.28 D:/Study_only/IITB/NVJF/myprofile/views.py File Reference . . . . .	51
7.28.1 Detailed Description . . . . .	52
7.29 D:/Study_only/IITB/NVJF/sign_in/views.py File Reference . . . . .	52
7.29.1 Detailed Description . . . . .	52
7.30 D:/Study_only/IITB/NVJF/manage.py File Reference . . . . .	52
7.31 D:/Study_only/IITB/NVJF/myprofile/migrations/0002_auto_20201111_1337.py File Reference . . . . .	53
7.32 D:/Study_only/IITB/NVJF/NVJF/asgi.py File Reference . . . . .	53
7.33 D:/Study_only/IITB/NVJF/NVJF/settings.py File Reference . . . . .	53
7.34 D:/Study_only/IITB/NVJF/NVJF/urls.py File Reference . . . . .	54
7.35 D:/Study_only/IITB/NVJF/NVJF/wsgi.py File Reference . . . . .	54
<b>Index</b>	<b>55</b>



# Chapter 1

## Namespace Index

### 1.1 Namespace List

Here is a list of all namespaces with brief descriptions:

<a href="#">feed</a>	9
<a href="#">feed.admin</a>	9
<a href="#">feed.apps</a>	9
<a href="#">feed.migrations</a>	9
<a href="#">feed.migrations.0001_initial</a>	10
<a href="#">feed.migrations.0002_job_details_image</a>	10
<a href="#">feed.migrations.0003_auto_20201112_1230</a>	10
<a href="#">feed.migrations.0004_auto_20201112_1433</a>	10
<a href="#">feed.migrations.0005_auto_20201112_1436</a>	10
<a href="#">feed.models</a>	10
<a href="#">feed.tests</a>	11
<a href="#">feed.views</a>	11
<a href="#">manage</a>	15
<a href="#">myprofile</a>	16
<a href="#">myprofile.admin</a>	16
<a href="#">myprofile.apps</a>	16
<a href="#">myprofile.migrations</a>	16
<a href="#">myprofile.migrations.0001_initial</a>	16
<a href="#">myprofile.migrations.0002_auto_20201111_1337</a>	16
<a href="#">myprofile.models</a>	17
<a href="#">myprofile.tests</a>	17
<a href="#">myprofile.views</a>	17
<a href="#">NVJF</a>	18
<a href="#">NVJF.asgi</a>	18
<a href="#">NVJF.settings</a>	18
<a href="#">NVJF.urls</a>	23
<a href="#">NVJF.wsgi</a>	24
<a href="#">sign_in</a>	24
<a href="#">sign_in.admin</a>	24
<a href="#">sign_in.apps</a>	24
<a href="#">sign_in.migrations</a>	24
<a href="#">sign_in.migrations.0001_initial</a>	25
<a href="#">sign_in.models</a>	25
<a href="#">sign_in.tests</a>	25
<a href="#">sign_in.views</a>	25



## Chapter 2

# Hierarchical Index

### 2.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

Migration	
feed.migrations.0001_initial.Migration . . . . .	32
feed.migrations.0002_job_details_image.Migration . . . . .	39
feed.migrations.0003_auto_20201112_1230.Migration . . . . .	34
feed.migrations.0004_auto_20201112_1433.Migration . . . . .	36
feed.migrations.0005_auto_20201112_1436.Migration . . . . .	38
myprofile.migrations.0001_initial.Migration . . . . .	37
myprofile.migrations.0002_auto_20201111_1337.Migration . . . . .	35
sign_in.migrations.0001_initial.Migration . . . . .	31
Model	
feed.models.applied_jobs . . . . .	27
feed.models.Job_details . . . . .	29
myprofile.models.Profile_details . . . . .	41
sign_in.models.Post . . . . .	40
AppConfig	
feed.apps.FeedConfig . . . . .	28
myprofile.apps.MyprofileConfig . . . . .	40
sign_in.apps.SignInConfig . . . . .	43



## Chapter 3

# Class Index

### 3.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

<a href="#">feed.models.applied_jobs</a>	
This class is used to create the <a href="#">applied_jobs</a> table	27
<a href="#">feed.apps.FeedConfig</a>	28
<a href="#">feed.models.Job_details</a>	
This class is used to create the <a href="#">Job_details</a> table	29
<a href="#">sign_in.migrations.0001_initial.Migration</a>	31
<a href="#">feed.migrations.0001_initial.Migration</a>	32
<a href="#">feed.migrations.0003_auto_20201112_1230.Migration</a>	34
<a href="#">myprofile.migrations.0002_auto_20201111_1337.Migration</a>	35
<a href="#">feed.migrations.0004_auto_20201112_1433.Migration</a>	36
<a href="#">myprofile.migrations.0001_initial.Migration</a>	37
<a href="#">feed.migrations.0005_auto_20201112_1436.Migration</a>	38
<a href="#">feed.migrations.0002_job_details_image.Migration</a>	39
<a href="#">myprofile.apps.MyprofileConfig</a>	40
<a href="#">sign_in.models.Post</a>	40
<a href="#">myprofile.models.Profile_details</a>	
This class is used to create the <a href="#">Profile_details</a> table	41
<a href="#">sign_in.apps.SignInConfig</a>	43



## Chapter 4

# File Index

### 4.1 File List

Here is a list of all files with brief descriptions:

D:/Study_only/IITB/NVJF/ <a href="#">manage.py</a> . . . . .	52
D:/Study_only/IITB/NVJF/feed/ <a href="#">__init__.py</a> . . . . .	45
D:/Study_only/IITB/NVJF/feed/ <a href="#">admin.py</a> . . . . .	46
D:/Study_only/IITB/NVJF/feed/ <a href="#">apps.py</a> . . . . .	46
D:/Study_only/IITB/NVJF/feed/ <a href="#">models.py</a> . . . . .	49
D:/Study_only/IITB/NVJF/feed/ <a href="#">tests.py</a> . . . . .	50
D:/Study_only/IITB/NVJF/feed/ <a href="#">views.py</a>	
File documentation . . . . .	50
D:/Study_only/IITB/NVJF/feed/migrations/ <a href="#">0001_initial.py</a> . . . . .	47
D:/Study_only/IITB/NVJF/feed/migrations/ <a href="#">0002_job_details_image.py</a> . . . . .	48
D:/Study_only/IITB/NVJF/feed/migrations/ <a href="#">0003_auto_20201112_1230.py</a> . . . . .	48
D:/Study_only/IITB/NVJF/feed/migrations/ <a href="#">0004_auto_20201112_1433.py</a> . . . . .	48
D:/Study_only/IITB/NVJF/feed/migrations/ <a href="#">0005_auto_20201112_1436.py</a> . . . . .	49
D:/Study_only/IITB/NVJF/feed/migrations/ <a href="#">__init__.py</a> . . . . .	45
D:/Study_only/IITB/NVJF/myprofile/ <a href="#">__init__.py</a> . . . . .	45
D:/Study_only/IITB/NVJF/myprofile/ <a href="#">admin.py</a> . . . . .	46
D:/Study_only/IITB/NVJF/myprofile/ <a href="#">apps.py</a> . . . . .	47
D:/Study_only/IITB/NVJF/myprofile/ <a href="#">models.py</a> . . . . .	49
D:/Study_only/IITB/NVJF/myprofile/ <a href="#">tests.py</a> . . . . .	50
D:/Study_only/IITB/NVJF/myprofile/ <a href="#">views.py</a>	
File documentation . . . . .	51
D:/Study_only/IITB/NVJF/myprofile/migrations/ <a href="#">0001_initial.py</a> . . . . .	47
D:/Study_only/IITB/NVJF/myprofile/migrations/ <a href="#">0002_auto_20201111_1337.py</a> . . . . .	53
D:/Study_only/IITB/NVJF/myprofile/migrations/ <a href="#">__init__.py</a> . . . . .	45
D:/Study_only/IITB/NVJF/NVJF/ <a href="#">__init__.py</a> . . . . .	45
D:/Study_only/IITB/NVJF/NVJF/ <a href="#">asgi.py</a> . . . . .	53
D:/Study_only/IITB/NVJF/NVJF/ <a href="#">settings.py</a> . . . . .	53
D:/Study_only/IITB/NVJF/NVJF/ <a href="#">urls.py</a> . . . . .	54
D:/Study_only/IITB/NVJF/NVJF/ <a href="#">wsgi.py</a> . . . . .	54
D:/Study_only/IITB/NVJF/sign_in/ <a href="#">__init__.py</a> . . . . .	46
D:/Study_only/IITB/NVJF/sign_in/ <a href="#">admin.py</a> . . . . .	46
D:/Study_only/IITB/NVJF/sign_in/ <a href="#">apps.py</a> . . . . .	47
D:/Study_only/IITB/NVJF/sign_in/ <a href="#">models.py</a> . . . . .	50
D:/Study_only/IITB/NVJF/sign_in/ <a href="#">tests.py</a> . . . . .	50
D:/Study_only/IITB/NVJF/sign_in/ <a href="#">views.py</a>	
File documentation . . . . .	52
D:/Study_only/IITB/NVJF/sign_in/migrations/ <a href="#">0001_initial.py</a> . . . . .	48
D:/Study_only/IITB/NVJF/sign_in/migrations/ <a href="#">__init__.py</a> . . . . .	46





## Chapter 5

# Namespace Documentation

### 5.1 feed Namespace Reference

#### Namespaces

- [admin](#)
- [apps](#)
- [migrations](#)
- [models](#)
- [tests](#)
- [views](#)

### 5.2 feed.admin Namespace Reference

### 5.3 feed.apps Namespace Reference

#### Classes

- class [FeedConfig](#)

### 5.4 feed.migrations Namespace Reference

#### Namespaces

- [0001\\_initial](#)
- [0002\\_job\\_details\\_image](#)
- [0003\\_auto\\_20201112\\_1230](#)
- [0004\\_auto\\_20201112\\_1433](#)
- [0005\\_auto\\_20201112\\_1436](#)

## 5.5 feed.migrations.0001\_initial Namespace Reference

### Classes

- class [Migration](#)

## 5.6 feed.migrations.0002\_job\_details\_image Namespace Reference

### Classes

- class [Migration](#)

## 5.7 feed.migrations.0003\_auto\_20201112\_1230 Namespace Reference

### Classes

- class [Migration](#)

## 5.8 feed.migrations.0004\_auto\_20201112\_1433 Namespace Reference

### Classes

- class [Migration](#)

## 5.9 feed.migrations.0005\_auto\_20201112\_1436 Namespace Reference

### Classes

- class [Migration](#)

## 5.10 feed.models Namespace Reference

### Classes

- class [applied\\_jobs](#)  
*This class is used to create the [applied\\_jobs](#) table.*
- class [Job\\_details](#)  
*This class is used to create the [Job\\_details](#) table.*

## 5.11 feed.tests Namespace Reference

## 5.12 feed.views Namespace Reference

### Functions

- def [feed](#) (request)  
*This function is used genrating new Job feed for the user.*
- def [feed\\_update](#) (request)  
*This function is used updating and filtering new Job feed for the user.*
- def [post\\_job](#) (request)  
*This function is used displaying a page that job provider uses to add job.*
- def [submit\\_job](#) (request)  
*This function is used store the job data in databse, recieved from the job provider.*
- def [job\\_info](#) (request)  
*This function is used to display the job posted by job provider.*
- def [save\\_applied](#) (request)  
*This function is used to save status of job applier to the job he has applied.*
- def [applied\\_job](#) (request)  
*This function is used to show job seeker all the jobs he has applied to.*
- def [applied\\_job\\_update](#) (request)  
*This function is used apply various filter to view the jobs posted.*
- def [delete\\_applied\\_job](#) (request)  
*This function lets users to delete the job he has previously applied.*
- def [posted\\_job\\_response](#) (request)  
*This function lets job provider to see responses from job seekers.*
- def [posted\\_job\\_response\\_update](#) (request)  
*This function lets job provider to query his posted jobs and apply filters to them.*
- def [show\\_job\\_responses](#) (request)  
*This function lets job provider to see detailed info of the job seekers who have applied for the job.*
- def [save\\_job\\_response](#) (request)  
*This function helps job provider to select one or more job seeker for his posted job.*
- def [mark\\_complete](#) (request)  
*This function helps job provider to mark his posted job as complete.*
- def [distance](#) (lat1, lon1, lat2, lon2)  
*This function helps to calculate distance between job seeker and job location.*
- def [get\\_sorted\\_job\\_details](#) (details, lat, lon)  
*This function helps to sort job details table on basis distance between job seeker and job location.*
- def [current\\_location](#) (request)  
*This function helps to fetch current location of job seeker.*

### 5.12.1 Function Documentation

#### 5.12.1.1 applied\_job()

```
def feed.views.applied_job (
    request )
```

This function is used to show job seeker all the jobs he has applied to.

This function helps user to see all the jobs he has applied to. We query both job-applied table and job-details table and perform a natural join to get the details of jobs job seeker has applied.

#### 5.12.1.2 applied\_job\_update()

```
def feed.views.applied_job_update (
    request )
```

This function is used apply various filter to view the jobs posted.

This function helps user to query/view jobs and apply four filters. 1)current\_approval\_awaiting\_jobs 2)past\_↔ approved\_jobs 3)past\_not\_responded\_jobs 4)Current\_approved\_jobs

#### 5.12.1.3 current\_location()

```
def feed.views.current_location (
    request )
```

This function helps to fetch current location of job seeker.

We are reuesting job seeker's location, if the location isn't already available in request.session

#### 5.12.1.4 delete\_applied\_job()

```
def feed.views.delete_applied_job (
    request )
```

This function lets users to delete the job he has previously applied.

This function helps user to delete his previously applied jobs. We query applied\_jobs table and delete the entry containing the current profile and job the user has selected.

#### 5.12.1.5 distance()

```
def feed.views.distance (
    lat1,
    lon1,
    lat2,
    lon2 )
```

This function helps to calculate distance between job seeker and job location.

" This function will calculate the distance between two points job seeker(lat1,lon1) & job location(lat2,lon2)

**Parameters**

<i>lat1</i>	Job-seeker Latitude
<i>lon1</i>	Job-seeker Longitude
<i>lat2</i>	Job-location Latitude
<i>lon2</i>	Job-location Longitude

**5.12.1.6 feed()**

```
def feed.views.feed (
    request )
```

This function is used generating new Job feed for the user.

This function generates feed for user. Tasks that this function accomplishes are displaying user avatar, Ordering jobs based on Longitude and Latitude of the current User, and displaying the final job feeds.

**5.12.1.7 feed\_update()**

```
def feed.views.feed_update (
    request )
```

This function is used updating and filtering new Job feed for the user.

This function updates the feed for user. Tasks that this function accomplishes are Filtering job feeds on basis of price, on basis of skill required for the job, also facilitates searching in job description of jobs through search bar.

**5.12.1.8 get\_sorted\_job\_details()**

```
def feed.views.get_sorted_job_details (
    details,
    lat,
    lon )
```

This function helps to sort job details table on basis distance between job seeker and job location.

Returns the job details queryset in sorted order by distance

**Parameters**

<i>lat</i>	Job-seeker Latitude
<i>lon</i>	Job-seeker Longitude

#### 5.12.1.9 job\_info()

```
def feed.views.job_info (
    request )
```

This function is used to display the job posted by job provider.

This function helps to create a template of Job details to display to job-seeker. We first extract data of job details from database and add it to a variable. Then we also query the profile table in database to get details about job poster. After all that we generate a template using this variable.

#### 5.12.1.10 mark\_complete()

```
def feed.views.mark_complete (
    request )
```

This function helps job provider to mark his posted job as complete.

In this function we query Job details table using job\_id and set is\_job\_completed column to be TRUE.

#### 5.12.1.11 post\_job()

```
def feed.views.post_job (
    request )
```

This function is used displaying a page that job provider uses to add job.

This function enables the job provider for adding a new job.

#### 5.12.1.12 posted\_job\_response()

```
def feed.views.posted_job_response (
    request )
```

This function lets job provider to see responses from job seekers.

This function helps job provider to see responses from job seeker on his posted job. We query the job details and Applied jobs and inner join them. Then we filter jobs using job id of current user.

#### 5.12.1.13 posted\_job\_response\_update()

```
def feed.views.posted_job_response_update (
    request )
```

This function lets job provider to query his posted jobs and apply filters to them.

This function helps job provider to filter and view his posted jobs: This filter works using a variable is\_job\_completed to see if the job is completed.

#### 5.12.1.14 save\_applied()

```
def feed.views.save_applied (
    request )
```

This function is used to save status of job applier to the job he has applied.

#### 5.12.1.15 save\_job\_response()

```
def feed.views.save_job_response (
    request )
```

This function helps job provider to select one or more job seeker for his posted job.

In this function we query applied jobs table using user id and job\_id and set is\_job\_approved column to be TRUE.

#### 5.12.1.16 show\_job\_responses()

```
def feed.views.show_job_responses (
    request )
```

This function lets job provider to see detailed info of the job seekers who have applied for the job.

This function helps job provider to see detailed job seekers info. From Applied jobs table on the basis of job\_id we get all users who have applied that particular job. Then using Profile table we get detailed information about each job seeker.

#### 5.12.1.17 submit\_job()

```
def feed.views.submit_job (
    request )
```

This function is used to store the job data in database, received from the job provider.

This function extracts the data from the post of the frontend and populates it in the database.

## 5.13 manage Namespace Reference

### Functions

- def `main` ()  
*Run administrative tasks.*

#### 5.13.1 Function Documentation

#### 5.13.1.1 main()

```
def manage.main ( )
```

Run administrative tasks.

## 5.14 myprofile Namespace Reference

### Namespaces

- [admin](#)
- [apps](#)
- [migrations](#)
- [models](#)
- [tests](#)
- [views](#)

## 5.15 myprofile.admin Namespace Reference

## 5.16 myprofile.apps Namespace Reference

### Classes

- class [MyprofileConfig](#)

## 5.17 myprofile.migrations Namespace Reference

### Namespaces

- [0001\\_initial](#)
- [0002\\_auto\\_20201111\\_1337](#)

## 5.18 myprofile.migrations.0001\_initial Namespace Reference

### Classes

- class [Migration](#)

## 5.19 myprofile.migrations.0002\_auto\_20201111\_1337 Namespace Reference

### Classes

- class [Migration](#)



## 5.20 myprofile.models Namespace Reference

### Classes

- class [Profile\\_details](#)

*This class is used to create the [Profile\\_details](#) table.*

## 5.21 myprofile.tests Namespace Reference

## 5.22 myprofile.views Namespace Reference

### Functions

- def [profile](#) (request)
- def [save\\_profile](#) (request)  
*This function is used to store information of user in database.*
- def [fetch\\_profile](#) (request)  
*This function is used to fetch user information from database.*

### 5.22.1 Function Documentation

#### 5.22.1.1 [fetch\\_profile\(\)](#)

```
def myprofile.views.fetch_profile (  
    request )
```

This function is used to fetch user information from database.

We load profile details in our profile\_details form for the user to update profile .

#### 5.22.1.2 [profile\(\)](#)

```
def myprofile.views.profile (  
    request )
```

#### 5.22.1.3 [save\\_profile\(\)](#)

```
def myprofile.views.save_profile (  
    request )
```

This function is used to store information of user in database.

We save the details provide by user in Profile\_details Table. There are three types of profile user can choose Job-seeker only,Job-provider only and both.

## 5.23 NVJF Namespace Reference

### Namespaces

- [asgi](#)
- [settings](#)
- [urls](#)
- [wsgi](#)

## 5.24 NVJF.asgi Namespace Reference

### Variables

- [application](#) = `get_asgi_application()`

### 5.24.1 Variable Documentation

#### 5.24.1.1 application

```
NVJF.asgi.application = get_asgi_application()
```

## 5.25 NVJF.settings Namespace Reference

### Variables

- [BASE\\_DIR](#) = `Path(__file__).resolve().parent.parent`
- string [SECRET\\_KEY](#) = `'r3i%b!(n16h4ll00!c1w*!6ba&@g@ct$v(tta$(5!=h=!y4b_i'`
- bool [DEBUG](#) = `True`
- list [ALLOWED\\_HOSTS](#) = `[]`
- list [INSTALLED\\_APPS](#)
- list [MIDDLEWARE](#)
- string [ROOT\\_URLCONF](#) = `'NVJF.urls'`
- list [TEMPLATES](#)
- string [WSGI\\_APPLICATION](#) = `'NVJF.wsgi.application'`
- dictionary [DATABASES](#)
- list [AUTH\\_PASSWORD\\_VALIDATORS](#)
- string [LANGUAGE\\_CODE](#) = `'en-us'`
- string [TIME\\_ZONE](#) = `'UTC'`
- bool [USE\\_I18N](#) = `True`
- bool [USE\\_L10N](#) = `True`
- bool [USE\\_TZ](#) = `True`
- string [STATIC\\_URL](#) = `'/static/'`
- list [STATICFILES\\_DIRS](#) = `[os.path.join(BASE_DIR,"images"),]`
- string [MEDIA\\_URL](#) = `'/media/'`
- [MEDIA\\_ROOT](#) = `os.path.join(BASE_DIR,"images")`
- tuple [AUTHENTICATION\\_BACKENDS](#)
- string [SOCIAL\\_AUTH\\_GOOGLE\\_OAUTH2\\_KEY](#) = `'235752046632-0k1jriid4e1v6q2esp6feia580oiab1p.<-- apps.googleusercontent.com'`
- string [SOCIAL\\_AUTH\\_GOOGLE\\_OAUTH2\\_SECRET](#) = `'sqQ8K0X-KK-s7lzCb-Lz-IM9'`
- string [LOGIN\\_URL](#) = `'/auth/login/google-oauth2/'`
- string [LOGIN\\_REDIRECT\\_URL](#) = `'/sign_in/redirect'`
- string [LOGOUT\\_REDIRECT\\_URL](#) = `'/'`
- string [SOCIAL\\_AUTH\\_URL\\_NAMESPACE](#) = `'social'`

## 5.25.1 Variable Documentation

### 5.25.1.1 ALLOWED\_HOSTS

```
list NVJF.settings.ALLOWED_HOSTS = []
```

### 5.25.1.2 AUTH\_PASSWORD\_VALIDATORS

```
list NVJF.settings.AUTH_PASSWORD_VALIDATORS
```

#### Initial value:

```
1 = [  
2     {  
3         'NAME': 'django.contrib.auth.password_validation.UserAttributeSimilarityValidator',  
4     },  
5     {  
6         'NAME': 'django.contrib.auth.password_validation.MinimumLengthValidator',  
7     },  
8     {  
9         'NAME': 'django.contrib.auth.password_validation.CommonPasswordValidator',  
10    },  
11    {  
12        'NAME': 'django.contrib.auth.password_validation.NumericPasswordValidator',  
13    },  
14 ]
```

### 5.25.1.3 AUTHENTICATION\_BACKENDS

```
tuple NVJF.settings.AUTHENTICATION_BACKENDS
```

#### Initial value:

```
1 = (  
2     'social_core.backends.google.GoogleOAuth2',  
3     'django.contrib.auth.backends.ModelBackend',  
4 )
```

### 5.25.1.4 BASE\_DIR

```
NVJF.settings.BASE_DIR = Path(__file__).resolve().parent.parent
```

### 5.25.1.5 DATABASES

dictionary NVJF.settings.DATABASES

#### Initial value:

```
1 = {
2     'default': {
3         'ENGINE': 'django.db.backends.postgresql',
4         'NAME': 'NVJF',
5         'USER': 'postgres',
6         'PASSWORD': '1234',
7         'HOST' : 'localhost'
8     }
9 }
```

### 5.25.1.6 DEBUG

bool NVJF.settings.DEBUG = True

### 5.25.1.7 INSTALLED\_APPS

list NVJF.settings.INSTALLED\_APPS

#### Initial value:

```
1 = [
2     'django.contrib.admin',
3     'django.contrib.auth',
4     'django.contrib.contenttypes',
5     'django.contrib.sessions',
6     'django.contrib.messages',
7     'django.contrib.staticfiles',
8     'sign_in',
9     'feed',
10    'myprofile',
11    'social_django',
12
13
14 ]
```

### 5.25.1.8 LANGUAGE\_CODE

string NVJF.settings.LANGUAGE\_CODE = 'en-us'

### 5.25.1.9 LOGIN\_REDIRECT\_URL

string NVJF.settings.LOGIN\_REDIRECT\_URL = '/sign\_in/redirect'

### 5.25.1.10 LOGIN\_URL

```
string NVJF.settings.LOGIN_URL = '/auth/login/google-oauth2/'
```

### 5.25.1.11 LOGOUT\_REDIRECT\_URL

```
string NVJF.settings.LOGOUT_REDIRECT_URL = '/'
```

### 5.25.1.12 MEDIA\_ROOT

```
NVJF.settings.MEDIA_ROOT = os.path.join(BASE_DIR, "images")
```

### 5.25.1.13 MEDIA\_URL

```
string NVJF.settings.MEDIA_URL = '/media/'
```

### 5.25.1.14 MIDDLEWARE

```
list NVJF.settings.MIDDLEWARE
```

#### Initial value:

```
1 = [  
2     'django.middleware.security.SecurityMiddleware',  
3     'django.contrib.sessions.middleware.SessionMiddleware',  
4     'django.middleware.common.CommonMiddleware',  
5     'django.middleware.csrf.CsrfViewMiddleware',  
6     'django.contrib.auth.middleware.AuthenticationMiddleware',  
7     'django.contrib.messages.middleware.MessageMiddleware',  
8     'django.middleware.clickjacking.XFrameOptionsMiddleware',  
9 ]
```

### 5.25.1.15 ROOT\_URLCONF

```
string NVJF.settings.ROOT_URLCONF = 'NVJF.urls'
```

### 5.25.1.16 SECRET\_KEY

```
string NVJF.settings.SECRET_KEY = 'r3i%b!(n16h41l00!clw*!6ba&@g@ct$v(tta$(5!=h=!y4b_i'
```

#### 5.25.1.17 SOCIAL\_AUTH\_GOOGLE\_OAUTH2\_KEY

```
string NVJF.settings.SOCIAL_AUTH_GOOGLE_OAUTH2_KEY = '235752046632-0k1jriid4elv6q2esp6feia580oiablpl.↵  
apps.googleusercontent.com'
```

#### 5.25.1.18 SOCIAL\_AUTH\_GOOGLE\_OAUTH2\_SECRET

```
string NVJF.settings.SOCIAL_AUTH_GOOGLE_OAUTH2_SECRET = 'sqQ8K0X-KK-s7lzCb-Lz-lM9'
```

#### 5.25.1.19 SOCIAL\_AUTH\_URL\_NAMESPACE

```
string NVJF.settings.SOCIAL_AUTH_URL_NAMESPACE = 'social'
```

#### 5.25.1.20 STATIC\_URL

```
string NVJF.settings.STATIC_URL = '/static/'
```

#### 5.25.1.21 STATICFILES\_DIRS

```
list NVJF.settings.STATICFILES_DIRS = [os.path.join(BASE_DIR, "images"),]
```

#### 5.25.1.22 TEMPLATES

```
list NVJF.settings.TEMPLATES
```

##### Initial value:

```
1 = [  
2     {  
3         'BACKEND': 'django.template.backends.django.DjangoTemplates',  
4         'DIRS': [os.path.join(BASE_DIR, 'templates')],  
5         'APP_DIRS': True,  
6         'OPTIONS': {  
7             'context_processors': [  
8                 'django.template.context_processors.debug',  
9                 'django.template.context_processors.request',  
10                'django.contrib.auth.context_processors.auth',  
11                'django.contrib.messages.context_processors.messages',  
12                'social_django.context_processors.backends',  
13                'social_django.context_processors.login_redirect',  
14            ],  
15        },  
16    },  
17 ]
```

#### 5.25.1.23 TIME\_ZONE

```
string NVJF.settings.TIME_ZONE = 'UTC'
```

#### 5.25.1.24 USE\_I18N

```
bool NVJF.settings.USE_I18N = True
```

#### 5.25.1.25 USE\_L10N

```
bool NVJF.settings.USE_L10N = True
```

#### 5.25.1.26 USE\_TZ

```
bool NVJF.settings.USE_TZ = True
```

#### 5.25.1.27 WSGI\_APPLICATION

```
string NVJF.settings.WSGI_APPLICATION = 'NVJF.wsgi.application'
```

## 5.26 NVJF.urls Namespace Reference

### Variables

- list [urlpatterns](#)

### 5.26.1 Variable Documentation

#### 5.26.1.1 urlpatterns

```
list NVJF.urls.urlpatterns
```

## 5.27 NVJF.wsgi Namespace Reference

### Variables

- [application](#) = `get_wsgi_application()`

### 5.27.1 Variable Documentation

#### 5.27.1.1 [application](#)

```
NVJF.wsgi.application = get_wsgi_application()
```

## 5.28 [sign\\_in](#) Namespace Reference

### Namespaces

- [admin](#)
- [apps](#)
- [migrations](#)
- [models](#)
- [tests](#)
- [views](#)

## 5.29 [sign\\_in.admin](#) Namespace Reference

## 5.30 [sign\\_in.apps](#) Namespace Reference

### Classes

- class [SignInConfig](#)

## 5.31 [sign\\_in.migrations](#) Namespace Reference

### Namespaces

- [0001\\_initial](#)



## 5.32 sign\_in.migrations.0001\_initial Namespace Reference

### Classes

- class [Migration](#)

## 5.33 sign\_in.models Namespace Reference

### Classes

- class [Post](#)

## 5.34 sign\_in.tests Namespace Reference

## 5.35 sign\_in.views Namespace Reference

### Functions

- def [index](#) (request)  
*This function directs user to log-in ,if user isn't logged in.Otherwise directs user to main page.*
- def [new\\_view](#) (request)  
*This function dircts user to create a profile ,if user doesn't exist in our database.*

### 5.35.1 Function Documentation

#### 5.35.1.1 index()

```
def sign_in.views.index (  
    request )
```

This function directs user to log-in ,if user isn't logged in.Otherwise directs user to main page.

We check if a user session is created and depending on it direct user to appropriate page.

#### 5.35.1.2 new\_view()

```
def sign_in.views.new_view (  
    request )
```

This function dircts user to create a profile ,if user doesn't exist in our database.

We are checking on basis of google signed-in email, if the user email exists in our database. If user exists in our database we direct him to mainpage. Else we redirect him to create a new profile.




## Chapter 6

# Class Documentation

### 6.1 feed.models.applied\_jobs Class Reference

This class is used to create the [applied\\_jobs](#) table.

Inheritance diagram for feed.models.applied\_jobs:



#### Static Public Attributes

- `job_id` = `models.ForeignKey(Job_details,on_delete=models.CASCADE)`
- `user_id` = `models.ForeignKey(Profile_details,on_delete=models.CASCADE)`
- `is_job_approved` = `models.BooleanField(default=False)`

#### 6.1.1 Detailed Description

This class is used to create the [applied\\_jobs](#) table.

#### 6.1.2 Member Data Documentation

##### 6.1.2.1 is\_job\_approved

```
feed.models.applied_jobs.is_job_approved = models.BooleanField(default=False) [static]
```

### 6.1.2.2 job\_id

```
feed.models.applied_jobs.job_id = models.ForeignKey(Job_details,on_delete=models.CASCADE)
[static]
```

### 6.1.2.3 user\_id


```
feed.models.applied_jobs.user_id = models.ForeignKey(Profile_details,on_delete=models.CASCADE)
[static]
```

The documentation for this class was generated from the following file:

- D:/Study\_only/IITB/NVJF/feed/[models.py](#)

## 6.2 feed.apps.FeedConfig Class Reference

Inheritance diagram for feed.apps.FeedConfig:



### Static Public Attributes

- string [name](#) = 'feed'

### 6.2.1 Member Data Documentation

#### 6.2.1.1 name

```
string feed.apps.FeedConfig.name = 'feed' [static]
```


The documentation for this class was generated from the following file:

- D:/Study\_only/IITB/NVJF/feed/[apps.py](#)

## 6.3 feed.models.Job\_details Class Reference

This class is used to create the [Job\\_details](#) table.

Inheritance diagram for feed.models.Job\_details:



### Static Public Attributes

- [job\\_id](#) = models.AutoField(primary\_key=True)
- [job\\_desc](#) = models.TextField(blank=False, null=True)
- [job\\_email](#) = models.EmailField(null=True)
- [phone\\_no](#) = models.TextField(max\_length=10, null=True)
- [job\\_price](#) = models.IntegerField(null=True)
- [job\\_time](#) = models.TimeField(auto\_now=False)
- [job\\_date](#) = models.DateField(auto\_now=False)
- [job\\_latitude](#) = models.FloatField(null=True)
- [job\\_address](#) = models.TextField(blank=False, null=True)
- [job\\_longitude](#) = models.FloatField(null=True)
- [job\\_skill](#) = models.TextField(blank=False, null=True)
- [job\\_distance](#) = models.IntegerField(null=True)
- [is\\_job\\_completed](#) = models.BooleanField(default=False)
- [image](#) = models.TextField(blank=False, null=True)

### 6.3.1 Detailed Description

This class is used to create the [Job\\_details](#) table.

### 6.3.2 Member Data Documentation

#### 6.3.2.1 image

```
feed.models.Job_details.image = models.TextField(blank=False, null=True) [static]
```

#### 6.3.2.2 is\_job\_completed

```
feed.models.Job_details.is_job_completed = models.BooleanField(default=False) [static]
```

### 6.3.2.3 job\_address

```
feed.models.Job_details.job_address = models.TextField(blank=False, null=True) [static]
```

### 6.3.2.4 job\_date

```
feed.models.Job_details.job_date = models.DateField(auto_now=False) [static]
```

### 6.3.2.5 job\_desc

```
feed.models.Job_details.job_desc = models.TextField(blank=False, null=True) [static]
```

### 6.3.2.6 job\_distance

```
feed.models.Job_details.job_distance = models.IntegerField(null=True) [static]
```

### 6.3.2.7 job\_email

```
feed.models.Job_details.job_email = models.EmailField(null=True) [static]
```

### 6.3.2.8 job\_id

```
feed.models.Job_details.job_id = models.AutoField(primary_key=True) [static]
```

### 6.3.2.9 job\_latitude

```
feed.models.Job_details.job_latitude = models.FloatField(null=True) [static]
```

### 6.3.2.10 job\_longitude

```
feed.models.Job_details.job_longitude = models.FloatField(null=True) [static]
```

### 6.3.2.11 job\_price

```
feed.models.Job_details.job_price = models.IntegerField(null=True) [static]
```

### 6.3.2.12 job\_skill

```
feed.models.Job_details.job_skill = models.TextField(blank=False, null=True) [static]
```

### 6.3.2.13 job\_time

```
feed.models.Job_details.job_time = models.TimeField(auto_now=False) [static]
```

### 6.3.2.14 phone\_no


```
feed.models.Job_details.phone_no = models.TextField(max_length=10, null=True) [static]
```

The documentation for this class was generated from the following file:

- D:/Study\_only/IITB/NVJF/feed/[models.py](#)

## 6.4 sign\_in.migrations.0001\_initial.Migration Class Reference

Inheritance diagram for sign\_in.migrations.0001\_initial.Migration:



### Static Public Attributes

- bool [initial](#) = True
- list [dependencies](#)
- list [operations](#)

### 6.4.1 Member Data Documentation

### 6.4.1.1 dependencies

```
list sign_in.migrations.0001_initial.Migration.dependencies [static]
```

**Initial value:**

```
= [
]
```

### 6.4.1.2 initial

```
bool sign_in.migrations.0001_initial.Migration.initial = True [static]
```

### 6.4.1.3 operations

```
list sign_in.migrations.0001_initial.Migration.operations [static]
```

**Initial value:**


```
= [
    migrations.CreateModel(
        name='Post',
        fields=[
            ('id', models.AutoField(auto_created=True, primary_key=True, serialize=False,
verbose_name='ID')),
            ('title', models.CharField(max_length=100)),
            ('contest', models.TextField(blank=True, null=True)),
            ('data', models.DateField(auto_now=True)),
        ],
    ),
]
```

The documentation for this class was generated from the following file:

- [D:/Study\\_only/IITB/NVJF/sign\\_in/migrations/0001\\_initial.py](#)

## 6.5 feed.migrations.0001\_initial.Migration Class Reference

Inheritance diagram for feed.migrations.0001\_initial.Migration:



### Static Public Attributes

- bool [initial](#) = True
- list [dependencies](#)
- list [operations](#)



## 6.5.1 Member Data Documentation

### 6.5.1.1 dependencies

```
list feed.migrations.0001_initial.Migration.dependencies [static]
```

#### Initial value:

```
= [
    ('myprofile', '0002_auto_20201111_1337'),
]
```

### 6.5.1.2 initial

```
bool feed.migrations.0001_initial.Migration.initial = True [static]
```

### 6.5.1.3 operations

```
list feed.migrations.0001_initial.Migration.operations [static]
```

#### Initial value:


```
= [
    migrations.CreateModel(
        name='Job_details',
        fields=[
            ('job_id', models.AutoField(primary_key=True, serialize=False)),
            ('job_desc', models.TextField(null=True)),
            ('job_email', models.EmailField(max_length=254, null=True)),
            ('phone_no', models.TextField(max_length=10, null=True)),
            ('job_price', models.IntegerField(null=True)),
            ('job_time', models.TimeField(auto_now=True)),
            ('job_date', models.DateField(auto_now=True)),
            ('job_latitude', models.FloatField(null=True)),
            ('job_address', models.TextField(null=True)),
            ('job_longitude', models.FloatField(null=True)),
            ('job_skill', models.TextField(null=True)),
            ('job_distance', models.IntegerField(null=True)),
            ('is_job_completed', models.BooleanField(default=False)),
        ],
    ),
    migrations.CreateModel(
        name='applied_jobs',
        fields=[
            ('id', models.AutoField(auto_created=True, primary_key=True, serialize=False,
verbose_name='ID')),
            ('is_job_approved', models.BooleanField(default=False)),
            ('job_id', models.ForeignKey(on_delete=django.db.models.deletion.CASCADE,
to='feed.job_details')),
            ('user_id', models.ForeignKey(on_delete=django.db.models.deletion.CASCADE,
to='myprofile.profile_details')),
        ],
    ),
]
```

The documentation for this class was generated from the following file:

- [D:/Study\\_only/IITB/NVJF/feed/migrations/0001\\_initial.py](D:/Study_only/IITB/NVJF/feed/migrations/0001_initial.py)

## 6.6 feed.migrations.0003\_auto\_20201112\_1230.Migration Class Reference

Inheritance diagram for feed.migrations.0003\_auto\_20201112\_1230.Migration:



### Static Public Attributes

- list [dependencies](#)
- list [operations](#)

### 6.6.1 Member Data Documentation

#### 6.6.1.1 dependencies

```
list feed.migrations.0003_auto_20201112_1230.Migration.dependencies [static]
```

**Initial value:**

```
= [ ('feed', '0002_job_details_image'), ]
```

#### 6.6.1.2 operations

```
list feed.migrations.0003_auto_20201112_1230.Migration.operations [static]
```

**Initial value:**


```
= [ migrations.AlterField(
    model_name='job_details',
    name='image',
    field=models.TextField(null=True),
), ]
```

The documentation for this class was generated from the following file:

- [D:/Study\\_only/IITB/NVJF/feed/migrations/0003\\_auto\\_20201112\\_1230.py](#)

## 6.7 myprofile.migrations.0002\_auto\_20201111\_1337.Migration Class Reference

Inheritance diagram for myprofile.migrations.0002\_auto\_20201111\_1337.Migration:



### Static Public Attributes

- list [dependencies](#)
- list [operations](#)

### 6.7.1 Member Data Documentation

#### 6.7.1.1 dependencies

```
list myprofile.migrations.0002_auto_20201111_1337.Migration.dependencies [static]
```

**Initial value:**

```
= [  
    ('myprofile', '0001_initial'),  
]
```

#### 6.7.1.2 operations

```
list myprofile.migrations.0002_auto_20201111_1337.Migration.operations [static]
```

**Initial value:**


```
= [  
    migrations.AlterField(  
        model_name='profile_details',  
        name='image',  
        field=models.ImageField(upload_to='profile_pics/'),  
    ),  
]
```

The documentation for this class was generated from the following file:

- [D:/Study\\_only/IITB/NVJF/myprofile/migrations/0002\\_auto\\_20201111\\_1337.py](#)

## 6.8 feed.migrations.0004\_auto\_20201112\_1433.Migration Class Reference

Inheritance diagram for feed.migrations.0004\_auto\_20201112\_1433.Migration:



### Static Public Attributes

- list [dependencies](#)
- list [operations](#)

### 6.8.1 Member Data Documentation

#### 6.8.1.1 dependencies

```
list feed.migrations.0004_auto_20201112_1433.Migration.dependencies [static]
```

**Initial value:**

```
= [ ('feed', '0003_auto_20201112_1230'), ]
```

#### 6.8.1.2 operations

```
list feed.migrations.0004_auto_20201112_1433.Migration.operations [static]
```

**Initial value:**


```
= [ migrations.AlterField( model_name='job_details', name='job_date', field=models.DateField(), ), ]
```

The documentation for this class was generated from the following file:

- [D:/Study\\_only/IITB/NVJF/feed/migrations/0004\\_auto\\_20201112\\_1433.py](#)

## 6.9 myprofile.migrations.0001\_initial.Migration Class Reference

Inheritance diagram for myprofile.migrations.0001\_initial.Migration:



### Static Public Attributes

- bool `initial` = True
- list `dependencies`
- list `operations`

### 6.9.1 Member Data Documentation

#### 6.9.1.1 dependencies

```
list myprofile.migrations.0001_initial.Migration.dependencies [static]
```

**Initial value:**

```
= [
]
```

#### 6.9.1.2 initial

```
bool myprofile.migrations.0001_initial.Migration.initial = True [static]
```

#### 6.9.1.3 operations

```
list myprofile.migrations.0001_initial.Migration.operations [static]
```

**Initial value:**


```
= [
    migrations.CreateModel(
        name='Profile_details',
        fields=[
            ('user_id', models.TextField(primary_key=True, serialize=False)),
            ('name', models.TextField(null=True)),
            ('email', models.EmailField(max_length=254)),
            ('image', models.ImageField(upload_to=)),
            ('phone_no', models.TextField(max_length=10)),
            ('aadhar_no', models.TextField(max_length=12)),
            ('profile_type', models.CharField(choices=[('1', 'Job-seeker only'), ('2', 'Job-provider
only'), ('3', 'both')], max_length=1)),
            ('skills', models.TextField(null=True)),
        ],
    ),
]
```

The documentation for this class was generated from the following file:

- `D:/Study_only/IITB/NVJF/myprofile/migrations/0001_initial.py`

## 6.10 feed.migrations.0005\_auto\_20201112\_1436.Migration Class Reference

Inheritance diagram for feed.migrations.0005\_auto\_20201112\_1436.Migration:



### Static Public Attributes

- list [dependencies](#)
- list [operations](#)

### 6.10.1 Member Data Documentation

#### 6.10.1.1 dependencies

```
list feed.migrations.0005_auto_20201112_1436.Migration.dependencies [static]
```

**Initial value:**

```
= [ ('feed', '0004_auto_20201112_1433'), ]
```

#### 6.10.1.2 operations

```
list feed.migrations.0005_auto_20201112_1436.Migration.operations [static]
```

**Initial value:**


```
= [ migrations.AlterField( model_name='job_details', name='job_time', field=models.TimeField(), ), ]
```

The documentation for this class was generated from the following file:

- [D:/Study\\_only/IITB/NVJF/feed/migrations/0005\\_auto\\_20201112\\_1436.py](#)

## 6.11 feed.migrations.0002\_job\_details\_image.Migration Class Reference

Inheritance diagram for feed.migrations.0002\_job\_details\_image.Migration:



### Static Public Attributes

- list [dependencies](#)
- list [operations](#)

#### 6.11.1 Member Data Documentation

##### 6.11.1.1 dependencies

```
list feed.migrations.0002_job_details_image.Migration.dependencies [static]
```

**Initial value:**

```
= [
    ('feed', '0001_initial'),
]
```

##### 6.11.1.2 operations

```
list feed.migrations.0002_job_details_image.Migration.operations [static]
```

**Initial value:**


```
= [
    migrations.AddField(
        model_name='job_details',
        name='image',
        field=models.ImageField(null=True, upload_to='images/'),
    ),
]
```

The documentation for this class was generated from the following file:

- [D:/Study\\_only/IITB/NVJF/feed/migrations/0002\\_job\\_details\\_image.py](#)

## 6.12 myprofile.apps.MyprofileConfig Class Reference

Inheritance diagram for myprofile.apps.MyprofileConfig:



### Static Public Attributes

- string `name` = 'myprofile'

### 6.12.1 Member Data Documentation

#### 6.12.1.1 name


```
string myprofile.apps.MyprofileConfig.name = 'myprofile' [static]
```

The documentation for this class was generated from the following file:

- `D:/Study_only/IITB/NVJF/myprofile/apps.py`

## 6.13 sign\_in.models.Post Class Reference

Inheritance diagram for sign\_in.models.Post:



### Static Public Attributes

- `title` = `models.CharField(max_length=100)`
- `contest` = `models.TextField(blank=True, null=True)`
- `data` = `models.DateField(auto_now=True)`

### 6.13.1 Member Data Documentation



### 6.13.1.1 contest

```
sign_in.models.Post.contest = models.TextField(blank=True, null=True) [static]
```

### 6.13.1.2 data

```
sign_in.models.Post.data = models.DateField(auto_now=True) [static]
```

### 6.13.1.3 title

```
sign_in.models.Post.title = models.CharField(max_length=100) [static]
```


The documentation for this class was generated from the following file:

- D:/Study\_only/IITB/NVJF/sign\_in/[models.py](#)

## 6.14 myprofile.models.Profile\_details Class Reference

This class is used to create the [Profile\\_details](#) table.

Inheritance diagram for myprofile.models.Profile\_details:



### Static Public Attributes

- [user\\_id](#) = models.TextField(primary\_key=True)
- [name](#) = models.TextField(blank=False, null=True)
- [email](#) = models.EmailField()
- [image](#) = models.ImageField(upload\_to='profile\_pics/')
- [phone\\_no](#) = models.TextField(max\_length=10)
- [aadhar\\_no](#) = models.TextField(max\_length=12)
- tuple [choices](#)
- [profile\\_type](#) = models.CharField(max\_length=1, [choices=choices](#))
- [skills](#) = models.TextField(blank=False, null=True)

### 6.14.1 Detailed Description

This class is used to create the [Profile\\_details](#) table.

## 6.14.2 Member Data Documentation

### 6.14.2.1 aadhar\_no

```
myprofile.models.Profile_details.aadhar_no = models.TextField(max_length=12) [static]
```

### 6.14.2.2 choices

```
tuple myprofile.models.Profile_details.choices [static]
```

#### Initial value:

```
= (
    ('1', 'Job-seeker only'),
    ('2', 'Job-provider only'),
    ('3', 'both')
)
```

### 6.14.2.3 email

```
myprofile.models.Profile_details.email = models.EmailField() [static]
```

### 6.14.2.4 image

```
myprofile.models.Profile_details.image = models.ImageField(upload_to='profile_pics/') [static]
```

### 6.14.2.5 name

```
myprofile.models.Profile_details.name = models.TextField(blank=False, null=True) [static]
```

### 6.14.2.6 phone\_no

```
myprofile.models.Profile_details.phone_no = models.TextField(max_length=10) [static]
```

### 6.14.2.7 profile\_type

```
myprofile.models.Profile_details.profile_type = models.CharField(max_length=1, choices=choices)
[static]
```

### 6.14.2.8 skills

```
myprofile.models.Profile_details.skills = models.TextField(blank=False, null=True) [static]
```

### 6.14.2.9 user\_id


```
myprofile.models.Profile_details.user_id = models.TextField(primary_key=True) [static]
```

The documentation for this class was generated from the following file:

- D:/Study\_only/IITB/NVJF/myprofile/[models.py](#)

## 6.15 sign\_in.apps.SignInConfig Class Reference

Inheritance diagram for sign\_in.apps.SignInConfig:



### Static Public Attributes

- string [name](#) = 'sign\_in'

### 6.15.1 Member Data Documentation

#### 6.15.1.1 name

```
string sign_in.apps.SignInConfig.name = 'sign_in' [static]
```

The documentation for this class was generated from the following file:

- D:/Study\_only/IITB/NVJF/sign\_in/[apps.py](#)



## Chapter 7

# File Documentation

### 7.1 D:/Study\_only/IITB/NVJF/feed/\_\_init\_\_.py File Reference

#### Namespaces

- [feed](#)

### 7.2 D:/Study\_only/IITB/NVJF/feed/migrations/\_\_init\_\_.py File Reference

#### Namespaces

- [feed.migrations](#)

### 7.3 D:/Study\_only/IITB/NVJF/myprofile/\_\_init\_\_.py File Reference

#### Namespaces

- [myprofile](#)

### 7.4 D:/Study\_only/IITB/NVJF/myprofile/migrations/\_\_init\_\_.py File Reference

#### Namespaces

- [myprofile.migrations](#)

### 7.5 D:/Study\_only/IITB/NVJF/NVJF/\_\_init\_\_.py File Reference

#### Namespaces

- [NVJF](#)

## 7.6 D:/Study\_only/IITB/NVJF/sign\_in/\_\_init\_\_.py File Reference

### Namespaces

- [sign\\_in](#)

## 7.7 D:/Study\_only/IITB/NVJF/sign\_in/migrations/\_\_init\_\_.py File Reference

### Namespaces

- [sign\\_in.migrations](#)

## 7.8 D:/Study\_only/IITB/NVJF/feed/admin.py File Reference

### Namespaces

- [feed.admin](#)

## 7.9 D:/Study\_only/IITB/NVJF/myprofile/admin.py File Reference

### Namespaces

- [myprofile.admin](#)

## 7.10 D:/Study\_only/IITB/NVJF/sign\_in/admin.py File Reference

### Namespaces

- [sign\\_in.admin](#)

## 7.11 D:/Study\_only/IITB/NVJF/feed/apps.py File Reference

### Classes

- class [feed.apps.FeedConfig](#)

### Namespaces

- [feed.apps](#)

## 7.12 D:/Study\_only/IITB/NVJF/myprofile/apps.py File Reference

### Classes

- class [myprofile.apps.MyprofileConfig](#)

### Namespaces

- [myprofile.apps](#)

## 7.13 D:/Study\_only/IITB/NVJF/sign\_in/apps.py File Reference

### Classes

- class [sign\\_in.apps.SignInConfig](#)

### Namespaces

- [sign\\_in.apps](#)

## 7.14 D:/Study\_only/IITB/NVJF/feed/migrations/0001\_initial.py File Reference

### Classes

- class [feed.migrations.0001\\_initial.Migration](#)

### Namespaces

- [feed.migrations.0001\\_initial](#)

## 7.15 D:/Study\_only/IITB/NVJF/myprofile/migrations/0001\_initial.py File Reference

### Classes

- class [myprofile.migrations.0001\\_initial.Migration](#)

### Namespaces

- [myprofile.migrations.0001\\_initial](#)

## 7.16 D:/Study\_only/IITB/NVJF/sign\_in/migrations/0001\_initial.py File Reference

### Classes

- class [sign\\_in.migrations.0001\\_initial.Migration](#)

### Namespaces

- [sign\\_in.migrations.0001\\_initial](#)

## 7.17 D:/Study\_only/IITB/NVJF/feed/migrations/0002\_job\_details\_image.py File Reference

### Classes

- class [feed.migrations.0002\\_job\\_details\\_image.Migration](#)

### Namespaces

- [feed.migrations.0002\\_job\\_details\\_image](#)

## 7.18 D:/Study\_only/IITB/NVJF/feed/migrations/0003\_auto\_20201112\_1230.py File Reference

### Classes

- class [feed.migrations.0003\\_auto\\_20201112\\_1230.Migration](#)

### Namespaces

- [feed.migrations.0003\\_auto\\_20201112\\_1230](#)

## 7.19 D:/Study\_only/IITB/NVJF/feed/migrations/0004\_auto\_20201112\_1433.py File Reference

### Classes

- class [feed.migrations.0004\\_auto\\_20201112\\_1433.Migration](#)



## Namespaces

- [feed.migrations.0004\\_auto\\_20201112\\_1433](#)

## 7.20 D:/Study\_only/IITB/NVJF/feed/migrations/0005\_auto\_20201112\_1436.py File Reference

### Classes

- class [feed.migrations.0005\\_auto\\_20201112\\_1436.Migration](#)

## Namespaces

- [feed.migrations.0005\\_auto\\_20201112\\_1436](#)

## 7.21 D:/Study\_only/IITB/NVJF/feed/models.py File Reference

### Classes

- class [feed.models.Job\\_details](#)  
*This class is used to create the [Job\\_details](#) table.*
- class [feed.models.applied\\_jobs](#)  
*This class is used to create the [applied\\_jobs](#) table.*

## Namespaces

- [feed.models](#)

## 7.22 D:/Study\_only/IITB/NVJF/myprofile/models.py File Reference

### Classes

- class [myprofile.models.Profile\\_details](#)  
*This class is used to create the [Profile\\_details](#) table.*

## Namespaces

- [myprofile.models](#)

## 7.23 D:/Study\_only/IITB/NVJF/sign\_in/models.py File Reference

### Classes

- class [sign\\_in.models.Post](#)

### Namespaces

- [sign\\_in.models](#)

## 7.24 D:/Study\_only/IITB/NVJF/feed/tests.py File Reference

### Namespaces

- [feed.tests](#)

## 7.25 D:/Study\_only/IITB/NVJF/myprofile/tests.py File Reference

### Namespaces

- [myprofile.tests](#)

## 7.26 D:/Study\_only/IITB/NVJF/sign\_in/tests.py File Reference

### Namespaces

- [sign\\_in.tests](#)

## 7.27 D:/Study\_only/IITB/NVJF/feed/views.py File Reference

File documentation.

### Namespaces

- [feed.views](#)

## Functions

- def [feed.views.feed](#) (request)  
*This function is used genrating new Job feed for the user.*
- def [feed.views.feed\\_update](#) (request)  
*This function is used updating and filtering new Job feed for the user.*
- def [feed.views.post\\_job](#) (request)  
*This function is used displaying a page that job provider uses to add job.*
- def [feed.views.submit\\_job](#) (request)  
*This function is used store the job data in databse, recieved from the job provider.*
- def [feed.views.job\\_info](#) (request)  
*This function is used to display the job posted by job provider.*
- def [feed.views.save\\_applied](#) (request)  
*This function is used to save status of job applier to the job he has applied.*
- def [feed.views.applied\\_job](#) (request)  
*This function is used to show job seeker all the jobs he has applied to.*
- def [feed.views.applied\\_job\\_update](#) (request)  
*This function is used apply various filter to view the jobs posted.*
- def [feed.views.delete\\_applied\\_job](#) (request)  
*This function lets users to delete the job he has previously applied.*
- def [feed.views.posted\\_job\\_response](#) (request)  
*This function lets job provider to see responses from job seekers.*
- def [feed.views.posted\\_job\\_response\\_update](#) (request)  
*This function lets job provider to query his posted jobs and apply filters to them.*
- def [feed.views.show\\_job\\_responses](#) (request)  
*This function lets job provider to see detailed info of the job seekers who have applied for the job.*
- def [feed.views.save\\_job\\_response](#) (request)  
*This function helps job provider to select one or more job seeker for his posted job.*
- def [feed.views.mark\\_complete](#) (request)  
*This function helps job provider to mark his posted job as complete.*
- def [feed.views.distance](#) (lat1, lon1, lat2, lon2)  
*This function helps to calculate distance between job seeker and job location.*
- def [feed.views.get\\_sorted\\_job\\_details](#) (details, lat, lon)  
*This function helps to sort job details table on basis distance between job seeker and job location.*
- def [feed.views.current\\_location](#) (request)  
*This function helps to fetch current location of job seeker.*

### 7.27.1 Detailed Description

File documentation.

## 7.28 D:/Study\_only/IITB/NVJF/myprofile/views.py File Reference

File documentation.

## Namespaces

- [myprofile.views](#)

## Functions

- def [myprofile.views.profile](#) (request)  
*This function is used to store information of user in database.*
- def [myprofile.views.save\\_profile](#) (request)  
*This function is used to fetch user information from database.*

### 7.28.1 Detailed Description

File documentation.

## 7.29 D:/Study\_only/IITB/NVJF/sign\_in/views.py File Reference

File documentation.

## Namespaces

- [sign\\_in.views](#)

## Functions

- def [sign\\_in.views.index](#) (request)  
*This function directs user to log-in ,if user isn't logged in.Otherwise directs user to main page.*
- def [sign\\_in.views.new\\_view](#) (request)  
*This function dircts user to create a profile ,if user doesn't exist in our database.*

### 7.29.1 Detailed Description

File documentation.

## 7.30 D:/Study\_only/IITB/NVJF/manage.py File Reference

## Namespaces

- [manage](#)

## Functions

- def [manage.main](#) ()  
*Run administrative tasks.*

## 7.31 D:/Study\_only/IITB/NVJF/myprofile/migrations/0002\_auto\_20201111\_1337.py File Reference

### Classes

- class [myprofile.migrations.0002\\_auto\\_20201111\\_1337.Migration](#)

### Namespaces

- [myprofile.migrations.0002\\_auto\\_20201111\\_1337](#)

## 7.32 D:/Study\_only/IITB/NVJF/NVJF/asgi.py File Reference

### Namespaces

- [NVJF.asgi](#)

### Variables

- [NVJF.asgi.application](#) = `get_asgi_application()`

## 7.33 D:/Study\_only/IITB/NVJF/NVJF/settings.py File Reference

### Namespaces

- [NVJF.settings](#)

### Variables

- [NVJF.settings.BASE\\_DIR](#) = `Path(__file__).resolve().parent.parent`
- string [NVJF.settings.SECRET\\_KEY](#) = `'r3i%b!(n16h4lI00!c1w*!6ba&@g@ct$v(tta$(5!=h=ly4b_i'`
- bool [NVJF.settings.DEBUG](#) = `True`
- list [NVJF.settings.ALLOWED\\_HOSTS](#) = `[]`
- list [NVJF.settings.INSTALLED\\_APPS](#)
- list [NVJF.settings.MIDDLEWARE](#)
- string [NVJF.settings.ROOT\\_URLCONF](#) = `'NVJF.urls'`
- list [NVJF.settings.TEMPLATES](#)
- string [NVJF.settings.WSGI\\_APPLICATION](#) = `'NVJF.wsgi.application'`
- dictionary [NVJF.settings.DATABASES](#)
- list [NVJF.settings.AUTH\\_PASSWORD\\_VALIDATORS](#)
- string [NVJF.settings.LANGUAGE\\_CODE](#) = `'en-us'`
- string [NVJF.settings.TIME\\_ZONE](#) = `'UTC'`
- bool [NVJF.settings.USE\\_I18N](#) = `True`
- bool [NVJF.settings.USE\\_L10N](#) = `True`
- bool [NVJF.settings.USE\\_TZ](#) = `True`



# Index

- aadhar\_no
  - myprofile.models.Profile\_details, [42](#)
- ALLOWED\_HOSTS
  - NVJF.settings, [19](#)
- application
  - NVJF.asgi, [18](#)
  - NVJF.wsgi, [24](#)
- applied\_job
  - feed.views, [11](#)
- applied\_job\_update
  - feed.views, [12](#)
- AUTH\_PASSWORD\_VALIDATORS
  - NVJF.settings, [19](#)
- AUTHENTICATION\_BACKENDS
  - NVJF.settings, [19](#)
- BASE\_DIR
  - NVJF.settings, [19](#)
- choices
  - myprofile.models.Profile\_details, [42](#)
- contest
  - sign\_in.models.Post, [40](#)
- current\_location
  - feed.views, [12](#)
- D:/Study\_only/IITB/NVJF/feed/\_\_init\_\_.py, [45](#)
- D:/Study\_only/IITB/NVJF/feed/admin.py, [46](#)
- D:/Study\_only/IITB/NVJF/feed/apps.py, [46](#)
- D:/Study\_only/IITB/NVJF/feed/migrations/0001\_initial.py, [47](#)
- D:/Study\_only/IITB/NVJF/feed/migrations/0002\_job\_details\_image.py, [48](#)
- D:/Study\_only/IITB/NVJF/feed/migrations/0003\_auto\_20201112\_1230.py, [48](#)
- D:/Study\_only/IITB/NVJF/feed/migrations/0004\_auto\_20201112\_1433.py, [48](#)
- D:/Study\_only/IITB/NVJF/feed/migrations/0005\_auto\_20201112\_1436.py, [49](#)
- D:/Study\_only/IITB/NVJF/feed/migrations/\_\_init\_\_.py, [45](#)
- D:/Study\_only/IITB/NVJF/feed/models.py, [49](#)
- D:/Study\_only/IITB/NVJF/feed/tests.py, [50](#)
- D:/Study\_only/IITB/NVJF/feed/views.py, [50](#)
- D:/Study\_only/IITB/NVJF/manage.py, [52](#)
- D:/Study\_only/IITB/NVJF/myprofile/\_\_init\_\_.py, [45](#)
- D:/Study\_only/IITB/NVJF/myprofile/admin.py, [46](#)
- D:/Study\_only/IITB/NVJF/myprofile/apps.py, [47](#)
- D:/Study\_only/IITB/NVJF/myprofile/migrations/0001\_initial.py, [47](#)
- D:/Study\_only/IITB/NVJF/myprofile/migrations/0002\_auto\_20201111\_1337.py, [53](#)
- D:/Study\_only/IITB/NVJF/myprofile/migrations/\_\_init\_\_.py, [45](#)
- D:/Study\_only/IITB/NVJF/myprofile/models.py, [49](#)
- D:/Study\_only/IITB/NVJF/myprofile/tests.py, [50](#)
- D:/Study\_only/IITB/NVJF/myprofile/views.py, [51](#)
- D:/Study\_only/IITB/NVJF/NVJF/\_\_init\_\_.py, [45](#)
- D:/Study\_only/IITB/NVJF/NVJF/asgi.py, [53](#)
- D:/Study\_only/IITB/NVJF/NVJF/settings.py, [53](#)
- D:/Study\_only/IITB/NVJF/NVJF/urls.py, [54](#)
- D:/Study\_only/IITB/NVJF/NVJF/wsgi.py, [54](#)
- D:/Study\_only/IITB/NVJF/sign\_in/\_\_init\_\_.py, [46](#)
- D:/Study\_only/IITB/NVJF/sign\_in/admin.py, [46](#)
- D:/Study\_only/IITB/NVJF/sign\_in/apps.py, [47](#)
- D:/Study\_only/IITB/NVJF/sign\_in/migrations/0001\_initial.py, [48](#)
- D:/Study\_only/IITB/NVJF/sign\_in/migrations/\_\_init\_\_.py, [46](#)
- D:/Study\_only/IITB/NVJF/sign\_in/models.py, [50](#)
- D:/Study\_only/IITB/NVJF/sign\_in/tests.py, [50](#)
- D:/Study\_only/IITB/NVJF/sign\_in/views.py, [52](#)
- data
  - sign\_in.models.Post, [41](#)
- DATABASES
  - NVJF.settings, [19](#)
- DEBUG
  - NVJF.settings, [20](#)
- delete\_applied\_job
  - feed.views, [12](#)
- dependencies
  - feed.migrations.0001\_initial.Migration, [33](#)
  - feed.migrations.0002\_job\_details\_image.Migration, [39](#)
  - feed.migrations.0003\_auto\_20201112\_1230.Migration, [34](#)
  - feed.migrations.0004\_auto\_20201112\_1433.Migration, [36](#)
  - feed.migrations.0005\_auto\_20201112\_1436.Migration, [38](#)
  - myprofile.migrations.0001\_initial.Migration, [37](#)
  - myprofile.migrations.0002\_auto\_20201111\_1337.Migration, [35](#)
  - sign\_in.migrations.0001\_initial.Migration, [31](#)
- distance
  - feed.views, [12](#)
- email
  - myprofile.models.Profile\_details, [42](#)

- feed, 9
  - feed.views, 13
- feed.admin, 9
- feed.apps, 9
- feed.apps.FeedConfig, 28
  - name, 28
- feed.migrations, 9
- feed.migrations.0001\_initial, 10
- feed.migrations.0001\_initial.Migration, 32
  - dependencies, 33
  - initial, 33
  - operations, 33
- feed.migrations.0002\_job\_details\_image, 10
- feed.migrations.0002\_job\_details\_image.Migration, 39
  - dependencies, 39
  - operations, 39
- feed.migrations.0003\_auto\_20201112\_1230, 10
- feed.migrations.0003\_auto\_20201112\_1230.Migration, 34
  - dependencies, 34
  - operations, 34
- feed.migrations.0004\_auto\_20201112\_1433, 10
- feed.migrations.0004\_auto\_20201112\_1433.Migration, 36
  - dependencies, 36
  - operations, 36
- feed.migrations.0005\_auto\_20201112\_1436, 10
- feed.migrations.0005\_auto\_20201112\_1436.Migration, 38
  - dependencies, 38
  - operations, 38
- feed.models, 10
- feed.models.applied\_jobs, 27
  - is\_job\_approved, 27
  - job\_id, 27
  - user\_id, 28
- feed.models.Job\_details, 29
  - image, 29
  - is\_job\_completed, 29
  - job\_address, 29
  - job\_date, 30
  - job\_desc, 30
  - job\_distance, 30
  - job\_email, 30
  - job\_id, 30
  - job\_latitude, 30
  - job\_longitude, 30
  - job\_price, 30
  - job\_skill, 31
  - job\_time, 31
  - phone\_no, 31
- feed.tests, 11
- feed.views, 11
  - applied\_job, 11
  - applied\_job\_update, 12
  - current\_location, 12
  - delete\_applied\_job, 12
  - distance, 12
  - feed, 13
  - feed\_update, 13
  - get\_sorted\_job\_details, 13
  - job\_info, 13
  - mark\_complete, 14
  - post\_job, 14
  - posted\_job\_response, 14
  - posted\_job\_response\_update, 14
  - save\_applied, 14
  - save\_job\_response, 15
  - show\_job\_responses, 15
  - submit\_job, 15
- feed\_update
  - feed.views, 13
- fetch\_profile
  - myprofile.views, 17
- get\_sorted\_job\_details
  - feed.views, 13
- image
  - feed.models.Job\_details, 29
  - myprofile.models.Profile\_details, 42
- index
  - sign\_in.views, 25
- initial
  - feed.migrations.0001\_initial.Migration, 33
  - myprofile.migrations.0001\_initial.Migration, 37
  - sign\_in.migrations.0001\_initial.Migration, 32
- INSTALLED\_APPS
  - NVJF.settings, 20
- is\_job\_approved
  - feed.models.applied\_jobs, 27
- is\_job\_completed
  - feed.models.Job\_details, 29
- job\_address
  - feed.models.Job\_details, 29
- job\_date
  - feed.models.Job\_details, 30
- job\_desc
  - feed.models.Job\_details, 30
- job\_distance
  - feed.models.Job\_details, 30
- job\_email
  - feed.models.Job\_details, 30
- job\_id
  - feed.models.applied\_jobs, 27
  - feed.models.Job\_details, 30
- job\_info
  - feed.views, 13
- job\_latitude
  - feed.models.Job\_details, 30
- job\_longitude
  - feed.models.Job\_details, 30
- job\_price
  - feed.models.Job\_details, 30
- job\_skill
  - feed.models.Job\_details, 31



- job\_time
  - feed.models.Job\_details, 31
- LANGUAGE\_CODE
  - NVJF.settings, 20
- LOGIN\_REDIRECT\_URL
  - NVJF.settings, 20
- LOGIN\_URL
  - NVJF.settings, 20
- LOGOUT\_REDIRECT\_URL
  - NVJF.settings, 21
- main
  - manage, 15
- manage, 15
  - main, 15
- mark\_complete
  - feed.views, 14
- MEDIA\_ROOT
  - NVJF.settings, 21
- MEDIA\_URL
  - NVJF.settings, 21
- MIDDLEWARE
  - NVJF.settings, 21
- myprofile, 16
  - myprofile.admin, 16
  - myprofile.apps, 16
  - myprofile.apps.MyprofileConfig, 40
    - name, 40
  - myprofile.migrations, 16
  - myprofile.migrations.0001\_initial, 16
  - myprofile.migrations.0001\_initial.Migration, 37
    - dependencies, 37
    - initial, 37
    - operations, 37
  - myprofile.migrations.0002\_auto\_20201111\_1337, 16
  - myprofile.migrations.0002\_auto\_20201111\_1337.Migration, 35
    - dependencies, 35
    - operations, 35
  - myprofile.models, 17
  - myprofile.models.Profile\_details, 41
    - aadhar\_no, 42
    - choices, 42
    - email, 42
    - image, 42
    - name, 42
    - phone\_no, 42
    - profile\_type, 42
    - skills, 43
    - user\_id, 43
  - myprofile.tests, 17
  - myprofile.views, 17
    - fetch\_profile, 17
    - profile, 17
    - save\_profile, 17
- myprofile.apps.MyprofileConfig, 40
  - myprofile.models.Profile\_details, 42
  - sign\_in.apps.SignInConfig, 43
- new\_view
  - sign\_in.views, 25
- NVJF, 18
  - NVJF.asgi, 18
    - application, 18
  - NVJF.settings, 18
    - ALLOWED\_HOSTS, 19
    - AUTH\_PASSWORD\_VALIDATORS, 19
    - AUTHENTICATION\_BACKENDS, 19
    - BASE\_DIR, 19
    - DATABASES, 19
    - DEBUG, 20
    - INSTALLED\_APPS, 20
    - LANGUAGE\_CODE, 20
    - LOGIN\_REDIRECT\_URL, 20
    - LOGIN\_URL, 20
    - LOGOUT\_REDIRECT\_URL, 21
    - MEDIA\_ROOT, 21
    - MEDIA\_URL, 21
    - MIDDLEWARE, 21
    - ROOT\_URLCONF, 21
    - SECRET\_KEY, 21
    - SOCIAL\_AUTH\_GOOGLE\_OAUTH2\_KEY, 21
    - SOCIAL\_AUTH\_GOOGLE\_OAUTH2\_SECRET, 22
    - SOCIAL\_AUTH\_URL\_NAMESPACE, 22
    - STATIC\_URL, 22
    - STATICFILES\_DIRS, 22
    - TEMPLATES, 22
    - TIME\_ZONE, 22
    - USE\_I18N, 23
    - USE\_L10N, 23
    - USE\_TZ, 23
    - WSGI\_APPLICATION, 23
  - NVJF.urls, 23
    - urlpatterns, 23
  - NVJF.wsgi, 24
    - application, 24
- operations
  - feed.migrations.0001\_initial.Migration, 33
  - feed.migrations.0002\_job\_details\_image.Migration, 39
  - feed.migrations.0003\_auto\_20201112\_1230.Migration, 34
  - feed.migrations.0004\_auto\_20201112\_1433.Migration, 36
  - feed.migrations.0005\_auto\_20201112\_1436.Migration, 38
  - myprofile.migrations.0001\_initial.Migration, 37
  - myprofile.migrations.0002\_auto\_20201111\_1337.Migration, 35
  - sign\_in.migrations.0001\_initial.Migration, 32
- phone\_no
  - feed.models.Job\_details, 31

- myprofile.models.Profile\_details, 42
- post\_job
  - feed.views, 14
- posted\_job\_response
  - feed.views, 14
- posted\_job\_response\_update
  - feed.views, 14
- profile
  - myprofile.views, 17
- profile\_type
  - myprofile.models.Profile\_details, 42
- ROOT\_URLCONF
  - NVJF.settings, 21
- save\_applied
  - feed.views, 14
- save\_job\_response
  - feed.views, 15
- save\_profile
  - myprofile.views, 17
- SECRET\_KEY
  - NVJF.settings, 21
- show\_job\_responses
  - feed.views, 15
- sign\_in, 24
- sign\_in.admin, 24
- sign\_in.apps, 24
- sign\_in.apps.SignInConfig, 43
  - name, 43
- sign\_in.migrations, 24
- sign\_in.migrations.0001\_initial, 25
- sign\_in.migrations.0001\_initial.Migration, 31
  - dependencies, 31
  - initial, 32
  - operations, 32
- sign\_in.models, 25
- sign\_in.models.Post, 40
  - contest, 40
  - data, 41
  - title, 41
- sign\_in.tests, 25
- sign\_in.views, 25
  - index, 25
  - new\_view, 25
- skills
  - myprofile.models.Profile\_details, 43
- SOCIAL\_AUTH\_GOOGLE\_OAUTH2\_KEY
  - NVJF.settings, 21
- SOCIAL\_AUTH\_GOOGLE\_OAUTH2\_SECRET
  - NVJF.settings, 22
- SOCIAL\_AUTH\_URL\_NAMESPACE
  - NVJF.settings, 22
- STATIC\_URL
  - NVJF.settings, 22
- STATICFILES\_DIRS
  - NVJF.settings, 22
- submit\_job
  - feed.views, 15
- TEMPLATES
  - NVJF.settings, 22
- TIME\_ZONE
  - NVJF.settings, 22
- title
  - sign\_in.models.Post, 41
- urlpatterns
  - NVJF.urls, 23
- USE\_I18N
  - NVJF.settings, 23
- USE\_L10N
  - NVJF.settings, 23
- USE\_TZ
  - NVJF.settings, 23
- user\_id
  - feed.models.applied\_jobs, 28
  - myprofile.models.Profile\_details, 43
- WSGI\_APPLICATION
  - NVJF.settings, 23