

Tag	Description
<!--...-->	Defines a comment
<!DOCTYPE>	Defines the document type
<a>	Defines a hyperlink
<abbr>	Defines an abbreviation or an acronym
<address>	Defines contact information for the author/owner of a document
<applet>	Defines an embedded applet
<area>	Defines an area inside an image map
<article>	Defines an article
<aside>	Defines content aside from the page content
<audio>	Defines embedded sound content
	Defines bold text
<base>	Specifies the base URL/target for all relative URLs in a document
<bdi>	Isolates a part of text that might be formatted in a different direction from other text outside it
<bdo>	Overrides the current text direction
<blockquote>	Defines a section that is quoted from another source
<body>	Defines the document's body
 	Defines a single line break
<button>	Defines a clickable button
<canvas>	Used to draw graphics, on the fly, via scripting (usually JavaScript)
<caption>	Defines a table caption
<cite>	Defines the title of a work
<code>	Defines a piece of computer code
<col>	Specifies column properties for each column within a <colgroup> element
<colgroup>	Specifies a group of one or more columns in a table for formatting
<data>	Adds a machine-readable translation of a given content
<datalist>	Specifies a list of pre-defined options for input controls
<dd>	Defines a description/value of a term in a description list
	Defines text that has been deleted from a document

<code><details></code>	Defines additional details that the user can view or hide
<code><dfn></code>	Specifies a term that is going to be defined within the content
<code><dialog></code>	Defines a dialog box or window
<code><div></code>	Defines a section in a document
<code><dl></code>	Defines a description list
<code><dt></code>	Defines a term/name in a description list
<code></code>	Defines emphasized text
<code><embed></code>	Defines a container for an external application
<code><fieldset></code>	Groups related elements in a form
<code><figcaption></code>	Defines a caption for a <code><figure></code> element
<code><figure></code>	Specifies self-contained content
<code><footer></code>	Defines a footer for a document or section
<code><form></code>	Defines an HTML form for user input
<code><h1> to <h6></code>	Defines HTML headings
<code><head></code>	Contains metadata/information for the document
<code><header></code>	Defines a header for a document or section
<code><hr></code>	Defines a thematic change in the content
<code><html></code>	Defines the root of an HTML document
<code><i></code>	Defines a part of text in an alternate voice or mood
<code><iframe></code>	Defines an inline frame
<code></code>	Defines an image
<code><input></code>	Defines an input control
<code><ins></code>	Defines a text that has been inserted into a document
<code><kbd></code>	Defines keyboard input
<code><label></code>	Defines a label for an <code><input></code> element
<code><legend></code>	Defines a caption for a <code><fieldset></code> element
<code></code>	Defines a list item
<code><link></code>	Defines the relationship between a document and an external resource
<code><main></code>	Specifies the main content of a document
<code><map></code>	Defines an image map

<mark>	Defines marked/highlighted text
<meta>	Defines metadata about an HTML document
<meter>	Defines a scalar measurement within a known range (a gauge)
<nav>	Defines navigation links
<noscript>	Defines an alternate content for users that do not support client-side scripts
<object>	Defines a container for an external application
	Defines an ordered list
<optgroup>	Defines a group of related options in a drop-down list
<option>	Defines an option in a drop-down list
<output>	Defines the result of a calculation
<p>	Defines a paragraph
<param>	Defines a parameter for an object
<picture>	Defines a container for multiple image resources
<pre>	Defines preformatted text
<progress>	Represents the progress of a task
<q>	Defines a short quotation
<rp>	Defines what to show in browsers that do not support ruby annotations
<rt>	Defines an explanation/pronunciation of characters (for East Asian typography)
<ruby>	Defines a ruby annotation (for East Asian typography)
<s>	Defines text that is no longer correct
<samp>	Defines sample output from a computer program
<script>	Defines a client-side script
<section>	Defines a section in a document
<select>	Defines a drop-down list
<small>	Defines smaller text
<source>	Defines multiple media resources for media elements (<video> and <audio>)
	Defines a section in a document
	Defines important text
<style>	Defines style information for a document
<sub>	Defines subscripted text

<code><summary></code>	Defines a visible heading for a <code><details></code> element
<code><sup></code>	Defines superscripted text
<code><svg></code>	Defines a container for SVG graphics
<code><table></code>	Defines a table
<code><tbody></code>	Groups the body content in a table
<code><td></code>	Defines a cell in a table
<code><template></code>	Defines a container for content that should be hidden when the page loads
<code><textarea></code>	Defines a multiline input control (text area)
<code><tfoot></code>	Groups the footer content in a table
<code><th></code>	Defines a header cell in a table
<code><thead></code>	Groups the header content in a table
<code><time></code>	Defines a specific time (or datetime)
<code><title></code>	Defines a title for the document
<code><tr></code>	Defines a row in a table
<code><track></code>	Defines text tracks for media elements (<code><video></code> and <code><audio></code>)
<code><u></code>	Defines some text that is unarticulated and styled differently from normal text
<code></code>	Defines an unordered list
<code><var></code>	Defines a variable
<code><video></code>	Defines embedded video content
<code><wbr></code>	Defines a possible line-break