



AJAY PRASATH P 2024-CSE ▾

A2**Started on** Wednesday, 17 September 2025, 10:45 AM**State** Finished**Completed on** Wednesday, 17 September 2025, 11:06 AM**Time taken** 21 mins 29 secs**Marks** 1.00/1.00**Grade** 10.00 out of 10.00 (100%)

Question 1 | Correct | Mark 1.00 out of 1.00

Given an array `nums` of size `n`, return *the majority element*.

The majority element is the element that appears more than $\lfloor n / 2 \rfloor$ times. You may assume that the majority element always exists in the array.

Example 1:

Input: `nums = [3,2,3]`

Output: 3

Example 2:

Input: `nums = [2,2,1,1,1,2,2]`

Output: 2

Constraints:

- `n == nums.length`
- `1 <= n <= 5 * 104`
- `-231 <= nums[i] <= 231 - 1`

For example:

Input	Result
3 3 2 3	3
7 2 2 1 1 1 2 2	2

Answer: (penalty regime: 0 %)

```
1 #include <stdio.h>
2 int main() {
3     int n;
4     scanf("%d", &n);
5     int nums[n];
6     for (int i = 0; i < n; i++) {
7         scanf("%d", &nums[i]);
8     }
9     int count = 0, candidate = 0;
10    for (int i = 0; i < n; i++) {
11        if (count == 0) {
12            candidate = nums[i];
13            count = 1;
14        } else if (nums[i] == candidate) {
15            count++;
16        } else {
17            count--;
18        }
19    }
20    printf("%d\n", candidate);
21    return 0;
22 }
23
```

	Input	Expected	Got	
✓	3 3 2 3	3	3	✓



Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

[Back to Course](#)