

# VibSec CyberLab STRIDE/OCTAVE-Aligned Report Representation

---

Project: VibSec  
Stage: Stage 3 - Step 3.5  
Report status: STRIDE/OCTAVE-aligned representation for human review  
Source XML: [samples/Vibe.xml](#)  
Date: 2026-05-09

## Executive Summary

This document is an alternative representation of the existing VibSec CyberLab security assessment report. It reuses the parsed scan data, Stage 2.2 threat context, and Stage 2.3 AI-assisted interpretations already included in the refined report draft.

The purpose is to show how the existing report content can be mapped to recognised threat modelling lenses, mainly STRIDE and OCTAVE-style asset exposure language. This is a representation and mapping exercise only. It does not add new scan results, new findings, CVEs, scoring, exploitation detail, recommendations, or stronger conclusions.

## Scope

This representation is limited to the existing CyberLab report content based on [samples/Vibe.xml](#).

Included:

- factual parsed scan data from Stage 1
- high-level threat context from Stage 2.2
- AI-assisted advisory interpretations from Stage 2.3
- descriptive STRIDE/OCTAVE-aligned mapping labels

Excluded:

- new analysis or threat modelling
- vulnerability confirmation
- vulnerability scoring
- CVE or vulnerability database references
- exploitation detail
- recommendations or mitigation steps

## Methodology

The mapping keeps three layers separate:

| Layer            | Source              | How it is used                 |
|------------------|---------------------|--------------------------------|
| Parsed scan data | Stage 1 XML parsing | Used as factual evidence only. |

| Layer                      | Source                   | How it is used                                         |
|----------------------------|--------------------------|--------------------------------------------------------|
| Threat context             | Stage 2.2 mapping        | Used as high-level descriptive context.                |
| AI-assisted interpretation | Stage 2.3 advisory text  | Used as labelled, human-reviewable advisory wording.   |
| STRIDE/OCTAVE labels       | Stage 3.5 representation | Used only as descriptive lenses over existing content. |

STRIDE categories are used as broad representation labels: Spoofing, Tampering, Repudiation, Information Disclosure, Denial of Service, and Elevation of Privilege. OCTAVE-style labels are used to describe asset exposure, access paths, data interaction, and review dependencies. These labels do not create new findings.

## Parsed Scan Results

The parsed scan data remains unchanged from the refined CyberLab report draft.

| Host IP       | Hostname  | Open TCP ports                                                                                                         |
|---------------|-----------|------------------------------------------------------------------------------------------------------------------------|
| 192.168.56.20 | filesrv01 | 21, 22, 23, 25, 53, 80, 111, 139, 445, 512, 513, 514, 1099, 1524, 2049, 2121, 3306, 5432, 5900, 6000, 6667, 8009, 8180 |
| 192.168.56.30 | web-prod  | 22, 80                                                                                                                 |
| 192.168.56.40 | unknown   | 21, 22, 23, 25, 53, 80, 111, 139, 445, 512, 513, 514, 1099, 1524, 2049, 2121, 3306, 5432, 5900, 6000, 6667, 8009, 8180 |

Summary:

| Summary item                          | Value               |
|---------------------------------------|---------------------|
| Total hosts with open ports           | 3                   |
| Total parsed open TCP service records | 48                  |
| Named hosts                           | filesrv01, web-prod |
| Host without parsed hostname          | 192.168.56.40       |

This section is factual parsed data only. It does not confirm vulnerabilities, exploitability, or impact.

## STRIDE/OCTAVE-Aligned Threat Context Mapping

The following table maps existing Stage 2.2 threat contexts to STRIDE and OCTAVE-style descriptive labels. The mapping is cautious and does not introduce new conclusions.

| Existing threat context | Related parsed data          | STRIDE descriptive lens | OCTAVE-style perspective | Explanation                           |
|-------------------------|------------------------------|-------------------------|--------------------------|---------------------------------------|
| Network exposure        | Hosts with open TCP services | Denial of Service,      | Asset exposure           | Reachable services may be relevant to |

| Existing threat context              | Related parsed data                               | STRIDE descriptive lens             | OCTAVE-style perspective           | Explanation                                                                              |
|--------------------------------------|---------------------------------------------------|-------------------------------------|------------------------------------|------------------------------------------------------------------------------------------|
|                                      |                                                   | Information Disclosure              |                                    | later review of visible network-facing assets.                                           |
| Remote access surface                | SSH, Telnet, VNC, X11, remote login services      | Spoofing, Elevation of Privilege    | Access path exposure               | Remote access services may relate to identity, access, and administration pathways.      |
| File transfer surface                | FTP services on ports 21 and 2121                 | Information Disclosure, Tampering   | Data movement exposure             | File transfer services may relate to later review of data movement or file access paths. |
| Web surface                          | HTTP services on ports 80 and 8180                | Tampering, Information Disclosure   | Application exposure               | Web services may represent browser-accessible or application-facing surfaces.            |
| Network file-sharing surface         | NetBIOS/SMB-related services on ports 139 and 445 | Information Disclosure, Tampering   | Shared resource exposure           | File-sharing services may relate to shared data, resource access, or identity context.   |
| Data service surface                 | MySQL and PostgreSQL services                     | Information Disclosure, Tampering   | Data asset exposure                | Database services may relate to later review of data storage and access paths.           |
| Remote service communication surface | RPC-related services on ports 111 and 1099        | Tampering, Denial of Service        | Service dependency exposure        | RPC-style services may relate to service-to-service communication paths.                 |
| Messaging surface                    | SMTP service on port 25                           | Repudiation, Information Disclosure | Communication exposure             | Messaging services may relate to communication records or message flow.                  |
| Naming service surface               | DNS service on port 53                            | Spoofing, Denial of Service         | Infrastructure dependency exposure | Naming services may relate to how systems resolve or locate resources.                   |

| Existing threat context | Related parsed data                        | STRIDE descriptive lens      | OCTAVE-style perspective | Explanation                                                             |
|-------------------------|--------------------------------------------|------------------------------|--------------------------|-------------------------------------------------------------------------|
| Unclear exposure        | Unknown hostname or unknown version fields | Not assigned as a conclusion | Review dependency        | Missing details require human review before later wording is finalised. |

The STRIDE and OCTAVE labels are descriptive lenses only. They do not mean that a threat has been confirmed.

## AI-Assisted Interpretation

The following content reuses the existing Stage 2.3 advisory interpretations and aligns them with the representation labels above. Each AI-generated statement remains clearly labelled.

| Existing context                                                            | STRIDE/OCTAVE representation                                                                   | AI-generated advisory interpretation                                                                                                                            | Boundary note                          |
|-----------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| Multiple open TCP services on <b>192.168.56.20</b> and <b>192.168.56.40</b> | STRIDE: Denial of Service / Information Disclosure; OCTAVE: Asset exposure                     | Warning: AI-generated. These hosts may present a broad visible service surface because several network services are shown as reachable in the parsed scan data. | No severity or risk level is assigned. |
| <b>web-prod</b> with SSH and HTTP services                                  | STRIDE: Spoofing / Tampering / Information Disclosure; OCTAVE: Access and application exposure | Warning: AI-generated. This host may represent a more focused web-oriented service surface because the parsed data shows remote access and web service ports.   | No vulnerability conclusion is made.   |
| FTP services on <b>192.168.56.20</b> and <b>192.168.56.40</b>               | STRIDE: Information Disclosure / Tampering; OCTAVE: Data movement exposure                     | Warning: AI-generated. File transfer services could be relevant to later review of how files or credentials might be handled in the CyberLab environment.       | No recommendation is made.             |
| SSH services across all three hosts                                         | STRIDE: Spoofing / Elevation of Privilege; OCTAVE: Access path exposure                        | Warning: AI-generated. SSH services may indicate administrative access paths that could be considered during later human review.                                | No exploitability is implied.          |
| Telnet services on <b>192.168.56.20</b> and <b>192.168.56.40</b>            | STRIDE: Spoofing / Information Disclosure;                                                     | Warning: AI-generated. Telnet services might represent                                                                                                          | No scoring is applied.                 |

| Existing context                                                   | STRIDE/OCTAVE representation                                                    | AI-generated advisory interpretation                                                                                                       | Boundary note                                  |
|--------------------------------------------------------------------|---------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------|
| 192.168.56.40                                                      | OCTAVE: Access path exposure                                                    | remote login surfaces that should be understood in the context of the lab design.                                                          |                                                |
| HTTP services on all three hosts                                   | STRIDE: Tampering / Information Disclosure;<br>OCTAVE: Application exposure     | Warning: AI-generated. Web services may provide browser-accessible interfaces or web application surfaces for later assessment discussion. | No web weakness is claimed.                    |
| NetBIOS or SMB-related services on 192.168.56.20 and 192.168.56.40 | STRIDE: Information Disclosure / Tampering;<br>OCTAVE: Shared resource exposure | Warning: AI-generated. These services may relate to file sharing, Windows-style networking, or shared resource access patterns.            | No vulnerability is declared.                  |
| Database services on 192.168.56.20 and 192.168.56.40               | STRIDE: Information Disclosure / Tampering;<br>OCTAVE: Data asset exposure      | Warning: AI-generated. Database services may be relevant to later discussion of data service exposure and access paths.                    | No data exposure conclusion is made.           |
| Unknown hostname for 192.168.56.40                                 | STRIDE: not assigned as a conclusion; OCTAVE: Review dependency                 | Warning: AI-generated. The missing hostname may require manual review so later reporting can describe the asset consistently.              | Human review is required before final wording. |

AI-assisted content remains advisory only. The STRIDE/OCTAVE labels are representation labels and do not make the advisory text more conclusive.

## Human Review Status

| Item                         | Current status     | Review note                                               |
|------------------------------|--------------------|-----------------------------------------------------------|
| Parsed CyberLab scan data    | Factual input      | Reused from the existing report draft.                    |
| Stage 2.2 threat context     | Needs human review | Reused as the basis for category mapping.                 |
| STRIDE/OCTAVE representation | Needs human review | Added as a descriptive report lens, not as new analysis.  |
| AI-assisted interpretation   | Needs human review | Reused advisory content with existing warnings preserved. |

| Item            | Current status | Review note                                             |
|-----------------|----------------|---------------------------------------------------------|
| Final judgement | Not completed  | Requires human review before use as a final assessment. |

## Limitations

This representation has the same limitations as the existing VibeSec CyberLab report draft:

- It is based only on `samples/Vibe.xml`.
- It does not add new scan results or findings.
- It does not confirm that any host, service, or system is vulnerable.
- It does not include vulnerability scoring, severity ratings, likelihood ratings, or impact ratings.
- It does not reference CVEs or vulnerability databases.
- It does not include exploitation detail.
- It does not provide recommendations, remediation steps, or fixes.
- AI-assisted content is advisory only and requires human review.

## Appendix

### Source References

| Evidence item                         | Reference                                                                            |
|---------------------------------------|--------------------------------------------------------------------------------------|
| Parsed XML source                     | <code>samples/Vibe.xml</code>                                                        |
| Existing refined report               | <code>reporting/vibesec-cyberlab-security-assessment-report-draft.md</code>          |
| Total parsed open TCP service records | 48                                                                                   |
| Hosts represented in parsed data      | <code>192.168.56.20</code> , <code>192.168.56.30</code> , <code>192.168.56.40</code> |

### Boundary Statement

This STRIDE/OCTAVE-aligned document is a representation of existing VibeSec report content. It does not introduce new analysis, new findings, scoring, CVEs, recommendations, exploitation detail, or final conclusions.