4th
TOP RANKING
UNIVERSITY

SANDIP
UNIVERSITY
UGC Recognised
Under Section 2(f) & 12(B) of UGC



Maintenance Policy

General Administration
Maintenance Policy

CAMPUS
Mahiravani, Trimbak Road,
Nashik, Maharashtra,422213

www.sandipuniversity.edu.in | 1800-212-2714

1. **Classrooms:**
    - All the classrooms have good dimensions and ventilation facilities.
    - Maximum classrooms are equipped with LCD projectors.
    - Each school has a minimum number of digital classrooms.
    - The University has a building committee for the maintenance and upkeep of infrastructure.
    - Sandip University development fund is utilized to maintain and repair furniture and other electrical equipment.
    - With the help of the full-time sweepers, the cleanliness of classrooms is maintained. They are well-equipped with modern cleaning tools such as mops, gloves, and vacuum cleaners.
    - Students are sensitized regarding cleanliness and motivated to energy conservation by carefully using electricity in classrooms.
    - Sandip University has a workshop where furniture repair is done.
2. **IT Support:** The system department at Sandip University provides all required technical support to manage the university's IT infrastructure. It provides the services mentioned below:
    - Internet
    - Hardware Checks: Regular inspection and cleaning of physical components.
    - Software Updates: Routine updates for operating systems, applications, and security patches.
    - Backup Management: Regularly scheduled backups and testing of data restoration procedures.
    - Performance Monitoring: Regular performance assessments to identify and address potential issues.
    - Troubleshooting: Identifying and resolving hardware or software problems.



- Repairs: Fixing or replacing faulty components.
- Virus/Malware Removal: Identifying and removing malicious software.
- Access Control: Restricting access to IT systems to authorized personnel only.
- Data Protection: Ensure all sensitive data is backed up and protected during maintenance.

3. **Wi-Fi:**

- Sandip University campus has 19 devices to provide wireless connectivity across all the buildings
- The wireless services are monitored for smooth operations and maintenance.

- **University Website:**

  The website developers have monitored the website. The concerned made the new updates, design, developments, and required changes.

4. **Auditorium and seminar halls:**
   - The seminar halls have projectors, a sound system, a wireless access point, and AC.
   - Ensure all cleaning staff is trained in properly using equipment and chemicals.
   - Regularly update and maintain AV equipment, including projectors, microphones, speakers, and control systems.
   - Ensure all equipment is properly stored and secured when not in use.
   - Keep a log of equipment checks and any issues identified.
5. **Nursery, trees, and lawns:** Sandip University has a lush green campus, including lawns, bushes, trees, a medicinal garden, a cactus garden, a rose garden, and many more. The green campus contributes to a large extent towards reducing the carbon footprint and creating an excellent ambiance for students. The maintenance, including as mentioned below



- Ensure all maintenance activities comply with safety regulations to protect workers and the public.
- Staff must be trained in horticultural practices, equipment handling, and safety procedures.
- Detailed records of all maintenance activities, including dates, procedures, and treatments, are maintained.
- Nursery Maintenance-Proper watering, fertilization, Pest control
- Tree maintenance: Proper watering, fertilization, Pest control
- Lawn maintenance: Mowing, Properwatering, fertilization, Pest control, weed control, Reseeding

The table shows the vertical plant summary on the premises of Sandip University.

SoET Building

Sr.No.	Location	Plant Name	Qty	Unit
1	SOET Parking	Calotropis procera	1	Nos.
		Prunus avium	22	Nos.
		Grevillea robusta	7	Nos.
		Delonix Regia	1	Nos.
		Anacardium occidentale	48	Nos.
2	SOET Front	Bambusa vulgaris	165	Nos.
		Azadirachta indica	1	Nos.
		Mangifera Indica	1	Nos.
		Plumeria	2	Nos.
		Areca Palm	10	Nos.
		Corchorus	2	Nos.
		Ficus elastica	10	Nos.



3	SOET Paver Plant & Parking Road	Prunus dulcis	15	Nos.
		Dalbergia sissoo	19	Nos.
		Cassia fistula	5	Nos.
		Bottle Brush Palm	4	Nos.
4	SOET Backside	Dendrocalamus Strictus	186	Nos.
		Conocarpus	5	Nos.
		Erythro Plum	25	Nos.
		Musa Acuminata	1	Nos.
		Prunus avium	1	Nos.
		Areca Palm	20	Nos.
		Mimusops elengi	5	Nos.
		Ficus Benjamina	5	Nos.
		Mangifera Indica	78	Nos.
		Sapota	24	Nos.
5	SOET Fountain Road	Dalbergia sissoo	25	Nos.
		Morgan	38	Nos.
Total			**726**	**Nos.**

O Building

Sr.No.	Location	Plant Name	Qty	Unit
1	Olive Canteen to O' Building	Spathodea campanulata	13	Nos.
		Ficus religiosa	23	Nos.
2	O' Building Parking	Prunus (Cherry)	15	Nos.
		Areca catechu	9	Nos.
		Cassia fistula	13	Nos.

SANDIP UNIVERSITY MAHIRAVANI NASHIK

		Ficus religiosa	1	Nos.
		Mangifera Indica	2	Nos.
		Alstonia scholaris	34	Nos.
		Tabebuia rosea	16	Nos.
		Morus alba	102	Nos.
		Terminalia arjuna	10	Nos.
3	Sandip University Maingate Parking to O' Building	Samanea Saman	58	Nos.
		Delonix Regia	1	Nos.
		Cocos nucifera	30	Nos.
		Lagenaria siceraria	5	Nos.
		Azadirachta indica	1	Nos.
		Cassia fistula	10	Nos.
		Pterocarpus santalinus	38	Nos.
		Santalum album	102	Nos.
		Dalbergia sissoo	1	Nos.
		Ficus Benjamina	3	Nos.
		Brachychiton	30	Nos.
4	O' Building Front Side	Plumeria	3	Nos.
		Mimusops elengi	22	Nos.
		Ficus Benjamina	6	Nos.
		Ficus Racemosa	1	Nos.
		Azadirachta indica	1	Nos.
		Mangifera Indica	1	Nos.
		Couroupita Guianensis (Cannon Ball Tree)	4	Nos.
5	S' Building	Date Palm	3	Nos.

SANDIP UNIVERSITY NASHIK MAHARAVANI

		Eucalyptus	6	Nos.
		Ficus benghalensis	1	Nos.
		Mangifera Indica	2	Nos.
		Grevillea robusta	7	Nos.
		Plumeria	25	Nos.
		Bird Nest Palm	5	Nos.
Total			**604**	**Nos.**

Playground

Sr.No.	Location	Plant Name	Qty	Unit
1	Playground	Samanea Saman	49	Nos.
		Swietenia	51	Nos.
		Delonix Regia (Nilmohar)	38	Nos.
		Aegle marmelos	90	Nos.
		Azadirachta indica	1	Nos.
		Butea monosperma	1	Nos.
		Syzygium cumini	174	Nos.
		Tectona grandis	1	Nos.
Total			**405**	**Nos.**

Girls Hostel

Sr.No.	Location	Plant Name	Qty	Unit
1	G1 & G2 Hostel	Cassia fistula	23	Nos.
		Terminalia arjuna	6	Nos.
		Tabebuia rosea	18	Nos.

SANDIP UNIVERSITY MAHIRAVANI NASHIK

		Cestrum nocturnum	14	Nos.
		Lagerstroemia speciosa	9	Nos.
		Phyllanthus emblica	50	Nos.
		Neolamarckia Cadamba	4	Nos.
		Raphis Palm	20	Nos.
		Areca Palm	20	Nos.
		Livistona Rotundifolia	30	Nos.
		Orchidaceae	1	Nos.
		Nyctanthes arbor-tristis	3	Nos.
		Sisolum	18	Nos.
		Plumeria	2	Nos.

Boys Hostel

Sr.No.	Location	Plant Name	Qty	Unit
1	B1 & B2 Hostel	Cassia fistula	30	Nos.
		Alstonia scholaris	1	Nos.
		Sisolum	8	Nos.
		Prunus avium	4	Nos.
		Mangifera Indica	81	Nos.
		Psidium guajava	1	Nos.
		Neolamarckia Cadamba	2	Nos.
		Cestrum nocturnum	1	Nos.
		Areca Palm	15	Nos.
		Livistona Rotundifolia	43	Nos.
		Mimusops elengi	2	Nos.

SANDIP UNIVERSITY NASHIK MAHARAVANI

		Cestrum nocturnum	1	Nos.
		Raphis Palm	40	Nos.
2	B3 & B4 Hostel	Cestrum nocturnum	1	Nos.
		Sisolum	6	Nos.
		Orchidaceae	24	Nos.
		Ficus Benjamina	1	Nos.
		Raphis Palm	30	Nos.
		Livistona Rotundifolia	27	Nos.
		Plumeria	6	Nos.
		Areca Palm	14	Nos.
		Platycladus orientalis	4	Nos.
		Coconut	9	Nos.
		Mangifera Indica	2	Nos.
		Psidium guajava	2	Nos.
Total			**355**	**Nos.**

6. Waste Management

a. Sewage treatment plant:

Sandip University has a sewage treatment plant with a capacity of 3 M Lit / Day and an area of 800 Sq M. The wastewater generated from the sources of the Sandip University campus is treated in this STP plant and reused for gardening. The total cost of the plant is 55 lakhs, and it was constructed in 2017-18.

SANDIP UNIVERSITY NASHIK MAHARAVANI

b. Solid Waste Management

The Sandip University has a world-class infrastructure with a vast 250+ acres of area. On-campus facilities include transport, hygienic canteens, travel, a saloon, a gymnasium, ambulance facilities, etc. The solid waste generated from the sources is categorized as degradable & non-degradable waste and collected in dustbins. Green dustbins are used for degradable waste, and blue dustbins are used for non-degradable waste. These color dustbins have been provided to each floor of Sandip University for the smooth collection and proper disposal of wet & dry waste. Approximately 400 kg of wet waste is generated from Sandip University's canteens; further, it is sent to the Municipal Corporation through the party appointed to handle it. Per MSW rules 2016 of government guidelines, dry & wet waste should be collected separately.

c. E-waste management

Sandip University was started in 2016 as a new and promising university that has not produced E-waste. All the electronic equipment and related facilities are working efficiently & properly. In the future, if such waste is produced, then the methodology & policy will be formed.

d) Hazardous chemicals and radioactive waste management

Hazardous chemicals were used during the School of Pharmacy, school of Science, & environmental engineering laboratory practicals. These chemicals were properly labeled and kept in a safe place in the laboratory. Proper safety instructions are displayed in the laboratory for handling of it. Aprons, hand gloves, and fire extinguishers are provided in specific labs to avoid any mishappenings in the laboratory. Pharmaceutical Chemistry laboratory of the school of pharmacy, where hazardous chemicals are used for practical purposes, their provisions are made with the facility of the fuming hood for the process of hazardous waste.

SANDIP UNIVERSITY MAHIRAVANI NASHIK

7. **Rainwater harvesting:** Water Conservation Facilities available in the institution:

a) Rainwater Harvesting

Rainwater harvesting collects and stores rain rather than allowing it to run off. Rainwater is collected from a roof-like surface and redirected to a tank, deep pit (well, shaft, or borehole), aquifer, or reservoir with percolation so that it seeps down and restores the groundwater. There are two dams constructed to harvest surface water in Sandip University Nashik

b) Bore Well/ Open Well Recharge

Two bore wells and eleven open wells are spread across the university campus to harvest the subsurface water in the university campus.

8. **RO Plant:** The sustainable solution for the University campus, RO plant is provided to remove the impurities and contaminants from water. The following procedure is adopted for the maintenance of the RO Plant.

Regular Maintenance Tasks

1. **Pre-treatment System Check**
   - **Sediment Filters**: Replace sediment filters regularly (every 3-6 months) to prevent clogging and fouling of the RO membranes.
   - **Carbon Filters**: Replace carbon filters (every 6-12 months) to ensure the removal of chlorine and other chemicals that can damage the membranes.
2. **RO Membrane Cleaning**
   - **Chemical Cleaning**: Perform chemical cleaning of the RO membranes when there is a noticeable drop in water quality or flow rate. This typically involves using specialized cleaning solutions to remove scale, fouling, and biological growth.



- **Physical Cleaning**: Backwashing and flushing can help to dislodge and remove accumulated debris.

3. **Monitoring and Testing**
   - **TDS Levels**: Regularly monitor the Total Dissolved Solids (TDS) levels of the feed water and the permeate (filtered water) to ensure the system functions properly.
   - **Pressure Gauges**: Check the pressure gauges to monitor for abnormal pressure drops that could indicate clogging or membrane fouling.
   - **Flow Meters**: Ensure that the feed water, permeate, and reject stream flow rates are within the designed parameters.
4. **Pump and Motor Maintenance**
   - Regularly inspect and service the high-pressure pump and motor to ensure they are operating efficiently. Check for unusual noises, vibrations, and overheating.
5. **Valve and Piping Inspection**
   - Inspect all valves, pipes, and fittings for leaks, corrosion, and blockages. Repair or replace any damaged components.
6. **Sanitization and Disinfection**
   - Periodically sanitize the RO system, including the storage tanks and distribution system, to prevent bacterial growth. Use appropriate disinfectants and follow recommended procedures.
7. **Filter Housing and O-ring Checks**
   - Inspect and replace filter housings and O-rings as needed to ensure no leaks and the system maintains proper pressure.

Preventive Maintenance Schedule

- **Daily**: Check system pressure flow rates and inspect for leaks.



- **Weekly**: Test water quality (TDS levels) and inspect the pre-treatment system.
- **Monthly**: Inspect and clean filters and check pump and motor conditions.
- **Quarterly**: Perform a detailed system inspection, including membrane condition assessment and cleaning if necessary.
- **Annually**: Conduct a comprehensive system audit, including a full membrane performance evaluation, deep cleaning, and replacement of worn-out parts.

Documentation and Record-Keeping

- Detailed records of all maintenance activities are maintained, including filter changes, membrane cleanings, and system performance metrics. This helps track the system's health and plan future maintenance activities.

9. Street lights: Here is a comprehensive overview of the college campus street lights and display boards:

Street Lights:

1. Type of Lighting: The college campus street lights should be designed to provide adequate lighting for safety and security. The type of lighting used can include:
    - High-pressure sodium (HPS) lamps
    - Metal halide (MH) lamps
    - LED lamps
    - Solar-powered lights

2. Lighting Levels: The lighting levels should be designed to provide a minimum of 10-20 foot-candles of light at the center of the street or walkway.

3. Lighting Distribution: The lighting should be distributed evenly throughout the campus to ensure no dark areas or hot spots.

4. Security Features: The street lights should be designed with security features such as:

SANDIP UNIVERSITY MAHARAVALI NASHIK

REGISTRAR
SANDIP UNIVERSITY
NASHIK



SANDIP UNIVERSITY
UGC Recognised
Under Section 2(f) & 12(B) of UGC
www.sandipuniversity.edu.in

CAMPUS
Mahiravani, Trimbak Road,
Nashik, Maharashtra, 422213
1800-212-2714 info@sandipuniversity.edu.in