1 BMRB report

Total bmrb entries: 72
Number with assignments: 25
Number of fields in dataset:

Fields	Count
1	36
2	26
3	10

Fields used:

Field	Count
400	1
500	29
600	56
700	3
750	3
800	18
850	4
900	3
950	1

Histogram of values, R1, R2, HetNOE





τ_c estimated from $\tau_c = \frac{\eta V}{k_b T}$. We can substitute for molecular weight and obtain $\tau_c = \frac{\eta}{\rho} \frac{M_w}{k_b T}$ where M_w is in Da and ρ is the density. The line takes the density to be water, and the viscosity to be 0.1 cP. The estimated value is compared to the fitted values from the three measurements.

BMRB	Name	Fields	T	Residues	M_w (kDa)	PDB
bmr26710-bn		(2) 600,750				
bmr26710-top		(1) 600				
bmr26710-b2m		(1) 600				
bmr5991	Murine Ets-1 deltaN301	(1) 500	301			
bmr26507	emagglutinin fusion peptide	(1) 600	305	30	3.15	
bmr50001	ci-di-GMP in complex with ARR_CleD	(1) 600	298	36	4.16	
bmr18971	WW3*-aENaC PY peptide complex	(3) 600,799,899	298	43	4.96	
bmr4390	CC-chemokine eotaxin	(1) 500	303	74	8.36	
bmr4245	ubiquitin	(2) 500,600	298	76	8.56	
bmr27011	sigma1.1 monomer	(3) 600,850,950	298.2	79	9.38	5MWW
bmr17069	E73 Homodimer	(1) 600	312	80	9.58	
bmr15451	OST domain in GABP alpha	(1) 500	298.0	89	9.97	
bmr11080	CsPin	(1) 500	289	97	10.50	
bmr5079	cytochrome c552	(2) 500,600	298	100	10.54	1I6E
bmr5080	cytochrome c552	(2) 500,600	298	100	10.54	1I6D
bmr15437	S836 monomer	(2) 500,600	298	102	11.93	
bmr5687	protein S-824	(2) 500,600	298	102	11.93	
bmr18758	First Catalytic Cysteine Half-domain	(1) 400	298	112	12.19	
bmr17010	Tryptophan apo-repressor	(1) 600	318	108	12.36	1WRT
bmr17013	Tryptophan apo-repressor	(1) 600	318	108	12.38	1WRT
bmr17012	Tryptophan apo-repressor	(1) 600	318	108	12.39	1WRT
bmr17041	holoTrpR dimer	(1) 600	318	113	13.05	1WRP
bmr17047	holoTrpR dimer A77V variant	(1) 600	318	113	13.07	
bmr17046	holoTrpR dimer L75F variant	(1) 600	318	113	13.08	2XDI
bmr26506	Rho-GTPase Binding Domain	(1) 600	298	122	13.44	2JPH
bmr15562	Ymr074cp (1-116) monomer	(2) 600,500	295	127	13.77	
bmr51417	apo BD2 of BRD4	(2) 600,800	303	120	13.92	
bmr51414	H4Kac bound BD2 of BRD4	(2) 600,800	303	120, 16	13.92	
bmr6243	azurin	(3) 500,600,800	289	128	13.95	4AZU
bmr5154	NTD MP1	(1) 500	293	126	14.25	1D2B
bmr6577	Bacillus stearothermophilus IF2-C1	(1) 600	307.4	135	14.80	
bmr51416	apo BD1 of BRD4	(2) 600,800	303	125	14.86	
bmr51415	H4Kac-bound BD1 of BRD4	(2) 600,800	303	125, 16	14.86	
bmr5841	KAPP, kinase interaction domain	(2) 500,600	298	139	14.87	1MZK
bmr6474	KI-FHA domain of KAPP	(2) 500,600	295	139	14.87	1MZK
bmr50284	P-galectin3-C	(3) 499,599,800	301	138	15.68	6RZH
bmr27722	Gal3C R	(3) 499,599,899	301	138	15.68	
bmr27721	Gal3C S	(3) 499,599,899	301	138	15.68	
bmr50283	M-galectin3-C	(3) 499,599,800	301	138	15.68	6RZG
bmr50285	O-galectin3-C	(3) 499,599,800	301	138	15.68	6RZF
bmr5330	cellular retinol-binding protein type I	(2) 500,600	298	135	15.83	1KGL
bmr5331	cellular retinol-binding protein type I	(2) 500,600	298	135	15.83	1KGL
bmr15445	15.5K	(2) 500,600	293	144	16.00	
bmr4970	Calmodulin	(1) 500	340	148, 21	16.71	
bmr19388	MptpA	(1) 600	298	164	17.99	
bmr26513	ligand-free MptpA	(1) 600	298	167	18.25	
bmr50212	Mt-PPase	(1) 700	318	162	18.33	4Z71
bmr4365	stromelysin-ligand complexes	(1) 600	300	166	18.57	
bmr4364	stromelysin-ligand complexes	(1) 600	300	166	18.57	
bmr4366	stromelysin-ligand complexes	(1) 600	300	166	18.57	
bmr18389	CtCBM11	(1) 600	323	172	18.94	
bmr18388	CtCBM11	(1) 600	298	172	18.94	
bmr5153	NTD MP1/MMP3(E202Q)(deltaC) complex	(1) 600	307	126, 173	19.39	1UEA
bmr27646	KRas-G12C(1-169)-GDP	(1) 700	298	171	19.49	
bmr4267	apo-HNGAL	(3) 750,600,500	298	179	20.68	1NGL
bmr15230	RalB-GMPPNP	(1) 500	298	186	21.11	
bmr18477	A.fAglB_S2	(2) 600,700	308	180	21.17	
bmr4689	Human Growth Hormone	(1) 499	305	191	22.13	
bmr25025	NOX	(2) 500,800	323	205	22.75	1NOX
bmr15097	D6-HP	(1) 750	298	208	23.50	
bmr5746	Adenylate Kinase from Escherichia coli	(2) 600,800	303	214	23.59	1AKE
bmr26779	Cdc25B monomer	(1) 800	298	201	23.72	1QB0
bmr15066	apo PGG/GGG	(2) 600,800	293	248	26.32	
bmr15065	2-PGA bound WT cTIM homodimer	(2) 600,800	293	248	26.62	
bmr15064	WT cTIM homodimer	(2) 600,800	293	248	26.62	1TIM
bmr27888	BlaC	(2) 850,600	298	266	28.30	5NJ2
bmr27890	BlaC in bound to clavulanic acid	(1) 850	298	266	28.30	5NJ2
bmr27929	BlaC bound to avibactam	(1) 850	298	266	28.30	6H2H
bmr6838	PSE-4	(3) 500,600,800	304.65	271	29.53	
bmr16392	TEM-1	(2) 500,600	303.15	286	31.44	1ERQ
bmr51413	H4Kac bound BD1 , linker, BD2 of BRD4	(2) 600,800	303	417, 16	47.02	
bmr51418	apo BD1 , linker, BD2 of BRD4	(2) 600,800	303	417	47.02	

2 Individual fits

2.1 bmr26710-bn:

Fields: 600.2,750.5 MHz
DataPts: 438

	600.18 MHz				750.46 MHz			
	rate		τ_c (ns)		rate		τ_c (ns)	
R_2 (s^{-1})	25.888	$\pm$ 2.380	18.45	$\pm$ 1.79	28.482	$\pm$ 1.997	18.03	$\pm$ 1.75
NOE	0.784	$\pm$ 0.076	3.85	$\pm$ 1.24	0.763	$\pm$ 0.071	2.26	$\pm$ 0.38
R_1 (s^{-1})	0.609	$\pm$ 0.061	23.45	$\pm$ 2.21	0.471	$\pm$ 0.049	22.41	$\pm$ 2.64
σ_{zz} (s^{-1})	0.014	$\pm$ 0.006			-0.000	$\pm$ 0.009		
$\frac{R_1}{R_2}$	0.024	$\pm$ 0.009			-0.003	$\pm$ 0.011		





2.2 bmr26710-top:

Fields: 600.2 MHz
DataPts: 321

	600.18 MHz			
	rate		τ_c (ns)	
R_2 (s^{-1})	25.750	$\pm$ 2.585	18.37	$\pm$ 1.89
NOE	0.838	$\pm$ 0.069	3.99	$\pm$ 0.74
R_1 (s^{-1})	0.644	$\pm$ 0.043	22.40	$\pm$ 1.92
σ_{zz} (s^{-1})	0.010	$\pm$ 0.008		
$\frac{R_1}{R_2}$	0.014	$\pm$ 0.008		



2.3 bmr26710-b2m:

Fields: 600.2 MHz
DataPts: 165

	600.18 MHz			
	rate		τ_c (ns)	
R_2 (s^{-1})	24.442	± 1.501	17.62	± 1.42
NOE	0.800	± 0.046	4.73	± 1.58
R_1 (s^{-1})	0.652	± 0.027	22.00	± 1.60
σ_{zz} (s^{-1})	0.014	± 0.002		
$\frac{R_1}{R_2}$	0.030	± 0.002		



2.4 bmr5991: Murine Ets-1 deltaN301

Fields: 500.0 MHz
DataPts: 375
T: 301 K

	500.0 MHz			
	rate		τ_c (ns)	
R_2 (s^{-1})	12.099	± 1.219	8.73	± 0.89
NOE	0.738	± 0.105	3.70	± 1.05
R_1 (s^{-1})	1.687	± 0.077	10.59	± 0.72
σ_{zz} (s^{-1})	0.052	± 0.014		
$\frac{R_1}{R_2}$	0.238	± 0.046		



2.5 bmr26507: emagglutinin fusion peptide

Fields: 600.0 MHz
DataPts: 63
T: 305 K
Mw: 3.15 kDa
Residues: 30

	600.0 MHz			
	rate		τ_c (ns)	
R_2 (s^{-1})	39.521	± 0.965	28.67	± 2.96
NOE	0.810	± 0.043	15.08	± 0.40
R_1 (s^{-1})	0.768	± 0.044	17.88	± 1.23
σ_{zz} (s^{-1})	0.016	± 0.003		
$\frac{R_1}{R_2}$	0.018	± 0.002		



2.6 bmr50001: ci-di-GMP in complex with ARR$_{C}leD$

Fields: 600.1 MHz
DataPts: 90
T: 298 K
Mw: 4.16 kDa
Residues: 36

	600.12282197 MHz			
	rate		τ_c (ns)	
R_2 (s^{-1})	5.045	± 0.952	2.65	± 0.71
NOE	1.388	± 0.372	1.66	± 0.09
R_1 (s^{-1})	2.143	± 0.279	5.78	± 0.89
σ_{zz} (s^{-1})	0.093	± 0.023		
$\frac{R_1}{R_2}$	0.109	± 0.055		



2.7 bmr18971: WW3*-aENaC PY peptide complex

Fields: 600.2,799.9,899.9 MHz
DataPts: 306
T: 298 K
Mw: 4.96 kDa
Residues: 43

	600.17 MHz				799.857 MHz				899.864 MHz			
	rate		τ_c (ns)		rate		τ_c (ns)		rate		τ_c (ns)	
R_2 (s^{-1})	6.176	± 0.439	3.48	± 0.41	6.944	± 0.354	3.74	± 0.35	7.532	± 0.666	3.71	± 0.28
NOE	0.813	± 0.072	3.02	± 0.25	1.734	± 0.220	2.67	± 0.37	0.824	± 0.029	2.27	± 0.30
R_1 (s^{-1})	2.194	± 0.131	5.74	± 0.36	1.719	± 0.075	4.79	± 0.31	1.603	± 0.046	4.51	± 0.15
σ_{zz} (s^{-1})	0.062	± 0.004			0.037	± 0.001			0.033	± 0.003		
$\frac{R_1}{R_2}$	0.230	± 0.022			0.123	± 0.005			0.131	± 0.018		





2.8 bmr4390: CC-chemokine eotaxin

Fields: 500.0 MHz
DataPts: 171
T: 303 K
Mw: 8.36 kDa
Residues: 74

	500.0 MHz			
	rate		τ_c (ns)	
R_2 (s^{-1})	6.330	± 0.353	3.77	± 0.29
NOE	0.683	± 0.100	3.11	± 0.42
R_1 (s^{-1})	2.161	± 0.158	7.79	± 0.78
σ_{zz} (s^{-1})	0.080	± 0.009		
$\frac{R_1}{R_2}$	0.236	± 0.028		



2.9 bmr4245: ubiquitin

Fields: 500.0,600.0 MHz
DataPts: 372
T: 298 K
Mw: 8.56 kDa
Residues: 76

	500.0 MHz				600.0 MHz			
	rate		τ_c (ns)		rate		τ_c (ns)	
R_2 (s^{-1})	6.198	± 0.269	3.61	± 0.30	6.404	± 0.291	3.64	± 0.26
NOE	1.391	± 0.178	4.03	± 0.61	1.348	± 0.179	4.12	± 0.82
R_1 (s^{-1})	2.434	± 0.104	6.65	± 0.46	2.070	± 0.069	5.95	± 0.25
σ_{zz} (s^{-1})	0.071	± 0.009			0.049	± 0.005		
$\frac{R_1}{R_2}$	0.347	± 0.033			0.261	± 0.019		



2.10 bmr27011: sigma1.1 monomer

Fields: 600.0,850.0,950.0 MHz
DataPts: 576
T: 298.2 K
Mw: 9.38 kDa
Residues: 79

	600.0 MHz				850.0 MHz				950.0 MHz			
	rate		τ_c (ns)		rate		τ_c (ns)		rate		τ_c (ns)	
R_2 (s^{-1})	9.650	± 1.642	6.32	± 1.12	9.650	± 1.642	6.32	± 1.12	13.871	± 3.147	7.32	± 2.00
NOE	0.724	± 0.049	3.00	± 0.40	0.724	± 0.049	3.00	± 0.40	3.767	± 0.555	2.26	± 0.78
R_1 (s^{-1})	1.617	± 0.085	8.39	± 0.72	1.617	± 0.085	8.39	± 0.72	1.077	± 0.061	6.88	± 0.63
σ_{zz} (s^{-1})	0.047	± 0.006			0.047	± 0.006			0.021	± 0.004		
$\frac{R_1}{R_2}$	0.172	± 0.018			0.172	± 0.018			0.084	± 0.020		





2.11 bmr17069: E73 Homodimer

Fields:	600.0 MHz
DataPts:	174
T:	312 K
Mw:	9.58 kDa
Residues:	80

	600.0 MHz			
	rate		τ_c (ns)	
R_2 (s^{-1})	14.554	$\pm$ 1.271	10.06	$\pm$ 0.79
NOE	0.776	$\pm$ 0.076	3.62	$\pm$ 0.90
R_1 (s^{-1})	1.364	$\pm$ 0.074	9.97	$\pm$ 0.71
σ_{zz} (s^{-1})	0.035	$\pm$ 0.008		
$\frac{R_1}{R_2}$	0.099	$\pm$ 0.021		



2.12 bmr15451: OST domain in GABP alpha

Fields:	500.0 MHz
DataPts:	231
T:	298.0 K
Mw:	9.97 kDa
Residues:	89

	500.0 MHz			
	rate		τ_c (ns)	
R_2 (s^{-1})	7.776	$\pm$ 0.452	4.99	$\pm$ 0.45
NOE	0.770	$\pm$ 0.087	4.66	$\pm$ 1.22
R_1 (s^{-1})	2.287	$\pm$ 0.144	7.23	$\pm$ 0.79
σ_{zz} (s^{-1})	0.061	$\pm$ 0.008		
$\frac{R_1}{R_2}$	0.216	$\pm$ 0.011		



2.13 bmr11080: CsPin

Fields: 500.0 MHz
DataPts: 222
T: 289 K
Mw: 10.50 kDa
Residues: 97

	500.0 MHz			
	rate		τ_c (ns)	
R_2 (s^{-1})	9.367	± 0.413	6.40	± 0.47
NOE	0.762	± 0.071	4.53	± 1.27
R_1 (s^{-1})	2.052	± 0.073	8.38	± 0.62
σ_{zz} (s^{-1})	0.055	± 0.014		
$\frac{R_1}{R_2}$	0.240	± 0.010		



2.14 bmr5079: cytochrome c552

Fields: 500.0,600.0 MHz
DataPts: 522
T: 298 K
Mw: 10.54 kDa
Residues: 100

	500.0 MHz				600.0 MHz			
	rate		τ_c (ns)		rate		τ_c (ns)	
R_2 (s^{-1})	8.481	± 0.554	5.50	± 0.43	8.575	± 0.584	5.46	± 0.51
NOE	0.871	± 0.064	5.22	± 0.72	0.972	± 0.080	5.60	± 0.85
R_1 (s^{-1})	2.124	± 0.128	7.95	± 0.50	1.767	± 0.090	7.46	± 0.56
σ_{zz} (s^{-1})	0.051	± 0.005			0.036	± 0.003		
$\frac{R_1}{R_2}$	0.245	± 0.007			0.182	± 0.007		



2.15 bmr5080: cytochrome c552

Fields:	500.0,600.0 MHz
DataPts:	528
T:	298 K
Mw:	10.54 kDa
Residues:	100

	500.0 MHz				600.0 MHz			
	rate		τ_c (ns)		rate		τ_c (ns)	
R_2 (s^{-1})	10.163	± 0.702	7.04	± 0.59	10.033	± 0.552	6.49	± 0.56
NOE	1.010	± 0.101	4.71	± 0.52	0.973	± 0.087	5.13	± 1.13
R_1 (s^{-1})	1.950	± 0.086	9.10	± 0.32	1.649	± 0.069	7.93	± 0.45
σ_{zz} (s^{-1})	0.050	± 0.004			0.035	± 0.003		
$\frac{R_1}{R_2}$	0.196	± 0.006			0.164	± 0.004		





2.16 bmr15437: S836 monomer

Fields:	500.0,600.0 MHz
DataPts:	594
T:	298 K
Mw:	11.93 kDa
Residues:	102

	500.0 MHz				600.0 MHz			
	rate		τ_c (ns)		rate		τ_c (ns)	
R_2 (s^{-1})	10.104	± 0.657	7.23	± 0.79	11.950	± 1.260	8.26	± 1.04
NOE	0.826	± 0.097	4.58	± 1.84	0.772	± 0.089	3.22	± 1.00
R_1 (s^{-1})	2.092	± 0.051	8.15	± 0.66	1.659	± 0.030	7.80	± 0.51
σ_{zz} (s^{-1})	0.058	± 0.028			0.045	± 0.018		
$\frac{R_1}{R_2}$	0.220	± 0.067			0.109	± 0.035		





2.17 bmr5687: protein S-824

Fields:	500.0,600.0 MHz
DataPts:	606
T:	298 K
Mw:	11.93 kDa
Residues:	102

	500.0 MHz				600.0 MHz			
	rate		τ_c (ns)		rate		τ_c (ns)	
R_2 (s^{-1})	9.376	± 0.461	6.44	± 0.51	11.127	± 0.579	7.51	± 0.62
NOE	0.803	± 0.091	4.90	± 1.83	0.784	± 0.096	3.24	± 0.85
R_1 (s^{-1})	2.096	± 0.035	8.16	± 0.64	1.649	± 0.042	7.83	± 0.52
σ_{zz} (s^{-1})	0.053	± 0.019			0.043	± 0.015		
$\frac{R_1}{R_2}$	0.280	± 0.055			0.123	± 0.028		





2.18 bmr18758: First Catalytic Cysteine Half-domain

Fields:	400.0 MHz
DataPts:	291
T:	298 K
Mw:	12.19 kDa
Residues:	112

	400.0 MHz			
	rate		τ_c (ns)	
R_2 (s^{-1})	11.356	± 0.929	8.38	± 0.99
NOE	0.695	± 0.075	4.85	± 1.08
R_1 (s^{-1})	2.209	± 0.139	11.62	± 0.94
σ_{zz} (s^{-1})	0.072	± 0.012		
$\frac{R_1}{R_2}$	0.130	± 0.016		



2.19 bmr17010: Tryptophan apo-repressor

Fields: 600.0 MHz
DataPts: 216
T: 318 K
Mw: 12.36 kDa
Residues: 108

	600.0 MHz			
	rate		τ_c (ns)	
R_2 (s^{-1})	13.106	± 0.776	8.95	± 0.69
NOE	2.824	± 0.467	4.63	± 1.76
R_1 (s^{-1})	1.217	± 0.070	11.41	± 0.89
σ_{zz} (s^{-1})	0.026	± 0.004		
$\frac{R_1}{R_2}$	0.076	± 0.010		



2.20 bmr17013: Tryptophan apo-repressor

Fields: 600.0 MHz
DataPts: 240
T: 318 K
Mw: 12.38 kDa
Residues: 108

	600.0 MHz			
	rate		τ_c (ns)	
R_2 (s^{-1})	13.063	± 1.003	8.99	± 0.75
NOE	0.855	± 0.104	4.50	± 1.60
R_1 (s^{-1})	1.198	± 0.081	11.66	± 1.01
σ_{zz} (s^{-1})	0.028	± 0.007		
$\frac{R_1}{R_2}$	0.106	± 0.023		



2.21 bmr17012: Tryptophan apo-repressor

Fields: 600.0 MHz
DataPts: 276
T: 318 K
Mw: 12.39 kDa
Residues: 108

	600.0 MHz			
	rate		τ_c (ns)	
R_2 (s^{-1})	13.454	± 1.064	9.28	± 1.01
NOE	1.736	± 0.396	4.03	± 1.58
R_1 (s^{-1})	1.223	± 0.079	11.27	± 0.91
σ_{zz} (s^{-1})	0.026	± 0.004		
$\frac{R_1}{R_2}$	0.102	± 0.012		



2.22 bmr17041: holoTrpR dimer

Fields: 600.0 MHz
DataPts: 228
T: 318 K
Mw: 13.05 kDa
Residues: 113

	600.0 MHz			
	rate		τ_c (ns)	
R_2 (s^{-1})	13.383	± 0.900	9.14	± 0.78
NOE	2.290	± 0.366	4.60	± 1.52
R_1 (s^{-1})	1.231	± 0.075	11.11	± 0.88
σ_{zz} (s^{-1})	0.027	± 0.005		
$\frac{R_1}{R_2}$	0.112	± 0.019		



2.23 bmr17047: holoTrpR dimer A77V variant

Fields: 600.0 MHz
DataPts: 246
T: 318 K
Mw: 13.07 kDa
Residues: 113

	600.0 MHz			
	rate		τ_c (ns)	
R_2 (s^{-1})	13.683	± 0.862	9.48	± 0.75
NOE	0.799	± 0.093	4.12	± 1.56
R_1 (s^{-1})	1.131	± 0.063	12.24	± 1.04
σ_{zz} (s^{-1})	0.027	± 0.007		
$\frac{R_1}{R_2}$	0.160	± 0.035		



2.24 bmr17046: holoTrpR dimer L75F variant

Fields: 600.0 MHz
DataPts: 246
T: 318 K
Mw: 13.08 kDa
Residues: 113

	600.0 MHz			
	rate		τ_c (ns)	
R_2 (s^{-1})	12.956	± 0.956	8.85	± 0.81
NOE	3.002	± 0.482	4.15	± 0.37
R_1 (s^{-1})	1.262	± 0.099	11.02	± 1.09
σ_{zz} (s^{-1})	0.027	± 0.005		
$\frac{R_1}{R_2}$	0.123	± 0.018		



2.25 bmr26506: Rho-GTPase Binding Domain

Fields: 600.0 MHz
DataPts: 291
T: 298 K
Mw: 13.44 kDa
Residues: 122

	600.0 MHz			
	rate		τ_c (ns)	
R_2 (s^{-1})	22.097	± 2.042	15.79	± 1.71
NOE	4.045	± 0.602	2.34	± 1.04
R_1 (s^{-1})	1.589	± 0.085	8.59	± 0.75
σ_{zz} (s^{-1})	0.023	± 0.007		
$\frac{R_1}{R_2}$	0.111	± 0.023		



2.26 bmr15562: Ymr074cp (1-116) monomer

Fields: 600.1,500.1 MHz
DataPts: 468
T: 295 K
Mw: 13.77 kDa
Residues: 127

	600.13 MHz				500.13 MHz			
	rate		τ_c (ns)		rate		τ_c (ns)	
R_2 (s^{-1})	13.112	± 0.761	9.07	± 1.00	13.044	± 4.457	9.72	± 1.41
NOE	2.526	± 0.381	3.06	± 1.31	0.691	± 0.077	3.38	± 1.42
R_1 (s^{-1})	1.418	± 0.067	9.39	± 0.87	1.658	± 0.083	10.72	± 0.87
σ_{zz} (s^{-1})	0.033	± 0.014			0.055	± 0.013		
$\frac{R_1}{R_2}$	0.086	± 0.023			0.115	± 0.017		





2.27 bmr51417: apo Bromodomain 2 (BD2) of BRD4

Fields: 600.0,800.0 MHz
DataPts: 540
T: 303 K
Mw: 13.92 kDa
Residues: 120

	600.0 MHz				800.0 MHz			
	rate		τ_c (ns)		rate		τ_c (ns)	
R_2 (s^{-1})	14.394	± 1.224	10.02	± 1.02	17.847	± 1.358	10.81	± 1.16
NOE	1.002	± 0.151	7.08	± 3.12	1.112	± 0.165	5.41	± 3.08
R_1 (s^{-1})	1.081	± 0.047	12.69	± 0.77	0.784	± 0.037	11.97	± 0.88
σ_{zz} (s^{-1})	0.019	± 0.003			0.011	± 0.002		
$\frac{R_1}{R_2}$	0.101	± 0.010			0.080	± 0.010		



2.28 bmr51414: H4Kac bound Bromodomain 2 (BD2) of BRD4

Fields: 600.0,800.0 MHz
DataPts: 582
T: 303 K
Mw: 13.92 kDa
Residues: 120, 16

	600.0 MHz				800.0 MHz			
	rate		τ_c (ns)		rate		τ_c (ns)	
R_2 (s^{-1})	17.664	± 1.881	12.53	± 1.68	22.191	± 1.704	13.41	± 1.28
NOE	0.829	± 0.073	5.98	± 2.41	0.860	± 0.065	3.95	± 1.55
R_1 (s^{-1})	0.934	± 0.069	14.77	± 1.25	0.661	± 0.051	14.30	± 1.22
σ_{zz} (s^{-1})	0.019	± 0.004			-0.064	± 0.019		
$\frac{R_1}{R_2}$	0.065	± 0.013			-0.209	± 0.050		



2.29 bmr6243: azurin

Fields: 500.0,600.0,800.0 MHz
DataPts: 972
T: 289 K
Mw: 13.95 kDa
Residues: 128

	500.0 MHz				600.0 MHz				800.0 MHz			
	rate		τ_c (ns)		rate		τ_c (ns)		rate		τ_c (ns)	
R_2 (s^{-1})	6.523	± 0.379	3.96	± 0.45	6.786	± 0.465	4.06	± 0.48	8.014	± 0.560	4.35	± 0.41
NOE	0.721	± 0.027	4.04	± 0.43	0.754	± 0.026	3.77	± 0.52	0.858	± 0.034	4.59	± 1.60
R_1 (s^{-1})	2.437	± 0.099	6.58	± 0.47	2.071	± 0.089	5.96	± 0.24	1.598	± 0.080	5.35	± 0.38
σ_{zz} (s^{-1})	0.071	± 0.003			0.052	± 0.004			0.025	± 0.005		
$\frac{R_1}{R_2}$	0.294	± 0.012			0.227	± 0.014			0.151	± 0.015		



2.30 bmr5154: N-terminal domain of Tissue Inhibitor of Metalloproteinases-1

Fields: 500.0 MHz
DataPts: 306
T: 293 K
Mw: 14.25 kDa
Residues: 126

	500.0 MHz			
	rate		τ_c (ns)	
R_2 (s^{-1})	15.205	± 1.028	11.22	± 0.93
NOE	0.912	± 0.152	5.07	± 1.75
R_1 (s^{-1})	1.855	± 0.216	9.60	± 1.42
σ_{zz} (s^{-1})	0.049	± 0.014		
$\frac{R_1}{R_2}$	0.129	± 0.032		



2.31 bmr6577: Bacillus stearothermophilus IF2-C1

Fields:	600.1 MHz
DataPts:	210
T:	307.4 K
Mw:	14.80 kDa
Residues:	135

	600.13 MHz			
	rate		τ_c (ns)	
R_2 (s^{-1})	12.269	± 1.232	8.34	± 1.10
NOE	0.760	± 0.104	3.20	± 1.01
R_1 (s^{-1})	1.284	± 0.077	10.69	± 0.73
σ_{zz} (s^{-1})	0.037	± 0.011		
$\frac{R_1}{R_2}$	0.200	± 0.043		



2.32 bmr51416: apo Bromodomain 1 (BD1) of BRD4

Fields:	600.0,800.0 MHz
DataPts:	624
T:	303 K
Mw:	14.86 kDa
Residues:	125

	600.0 MHz				800.0 MHz			
	rate		τ_c (ns)		rate		τ_c (ns)	
R_2 (s^{-1})	13.645	± 1.104	9.43	± 0.89	15.895	± 1.157	9.53	± 0.79
NOE	0.791	± 0.061	6.23	± 2.73	0.855	± 0.102	3.74	± 1.51
R_1 (s^{-1})	1.336	± 0.076	10.12	± 0.84	0.946	± 0.036	9.51	± 0.63
σ_{zz} (s^{-1})	0.027	± 0.005			0.017	± 0.004		
$\frac{R_1}{R_2}$	0.156	± 0.030			0.125	± 0.019		





2.33 bmr51415: H4Kac-bound Bromodomain 1 (BD1) of BRD4

Fields: 600.0,800.0 MHz
DataPts: 462
T: 303 K
Mw: 14.86 kDa
Residues: 125, 16

	600.0 MHz				800.0 MHz			
	rate		τ_c (ns)		rate		τ_c (ns)	
R_2 (s^{-1})	16.247	± 1.774	11.44	± 1.35	16.247	± 1.774	11.44	± 1.35
NOE	0.833	± 0.134	2.39	± 0.22	0.833	± 0.134	2.39	± 0.22
R_1 (s^{-1})	1.140	± 0.083	12.22	± 1.13	1.140	± 0.083	12.22	± 1.13
σ_{zz} (s^{-1})	0.030	± 0.011			0.030	± 0.011		
$\frac{R_1}{R_2}$	0.085	± 0.022			0.085	± 0.022		





2.34 bmr5841: kinase associated protein phosphatase, kinase interaction domain

Fields: 500.0,600.0 MHz
DataPts: 582
T: 298 K
Mw: 14.87 kDa
Residues: 139

	500.0 MHz				600.0 MHz			
	rate		τ_c (ns)		rate		τ_c (ns)	
R_2 (s^{-1})	11.701	± 1.147	8.48	± 1.04	12.515	± 0.692	8.76	± 0.65
NOE	0.769	± 0.046	5.03	± 1.42	0.787	± 0.041	4.74	± 1.46
R_1 (s^{-1})	2.009	± 0.152	8.42	± 0.85	1.881	± 0.306	7.03	± 1.10
σ_{zz} (s^{-1})	0.052	± 0.010			0.043	± 0.011		
$\frac{R_1}{R_2}$	0.138	± 0.027			0.120	± 0.024		





2.35 bmr6474: KI-FHA domain of KAPP

Fields: 500.0,600.0 MHz
DataPts: 528
T: 295 K
Mw: 14.87 kDa
Residues: 139

	500.0 MHz				600.0 MHz			
	rate		τ_c (ns)		rate		τ_c (ns)	
R_2 (s^{-1})	14.619	$\pm$ 1.142	10.95	$\pm$ 1.09	14.619	$\pm$ 1.142	10.95	$\pm$ 1.09
NOE	0.745	$\pm$ 0.097	4.11	$\pm$ 1.41	0.745	$\pm$ 0.097	4.11	$\pm$ 1.41
R_1 (s^{-1})	1.889	$\pm$ 0.186	9.40	$\pm$ 1.19	1.889	$\pm$ 0.186	9.40	$\pm$ 1.19
σ_{zz} (s^{-1})	0.055	$\pm$ 0.019			0.055	$\pm$ 0.019		
$\frac{R_1}{R_2}$	0.127	$\pm$ 0.033			0.127	$\pm$ 0.033		





2.36 bmr50284: P-galectin3-C

Fields: 499.9,599.9,800.1 MHz
DataPts: 1098
T: 301 K
Mw: 15.68 kDa
Residues: 138

	499.8598763 MHz				599.8821277 MHz				800.066 MHz			
	rate		τ_c (ns)		rate		τ_c (ns)		rate		τ_c (ns)	
R_2 (s^{-1})	9.085	$\pm$ 0.334	6.29	$\pm$ 0.54	9.410	$\pm$ 0.382	6.27	$\pm$ 0.53	10.364	$\pm$ 0.366	5.93	$\pm$ 0.50
NOE	0.840	$\pm$ 0.052	7.83	$\pm$ 2.47	0.793	$\pm$ 0.023	5.17	$\pm$ 1.17	0.844	$\pm$ 0.015	5.64	$\pm$ 1.87
R_1 (s^{-1})	1.975	$\pm$ 0.062	8.88	$\pm$ 0.48	1.654	$\pm$ 0.050	7.91	$\pm$ 0.50	1.142	$\pm$ 0.045	7.98	$\pm$ 0.50
σ_{zz} (s^{-1})	0.036	$\pm$ 0.010			0.035	$\pm$ 0.004			0.018	$\pm$ 0.001		
$\frac{R_1}{R_2}$	0.212	$\pm$ 0.006			0.147	$\pm$ 0.004			0.068	$\pm$ 0.003		



2.37 bmr27722: Gal3C R

Fields: 499.3,599.9,899.9 MHz
DataPts: 900
T: 301 K
Mw: 15.68 kDa
Residues: 138

	499.26 MHz rate		499.26 MHz τ_c (ns)		599.882 MHz rate		599.882 MHz τ_c (ns)		899.894 MHz rate		899.894 MHz τ_c (ns)	
R_2 (s^{-1})	9.373	± 0.432	6.50	± 0.47	9.871	± 0.456	6.57	± 0.46	11.189	± 0.477	5.82	± 0.52
NOE	0.717	± 0.077	4.00	± 1.10	0.795	± 0.048	4.14	± 0.85	0.847	± 0.022	3.58	± 1.03
R_1 (s^{-1})	2.014	± 0.056	8.65	± 0.51	1.582	± 0.058	8.46	± 0.61	0.957	± 0.050	8.54	± 0.69
σ_{zz} (s^{-1})	0.062	± 0.014			0.035	± 0.008			0.015	± 0.002		
$\frac{R_1}{R_2}$	0.195	± 0.015			0.139	± 0.016			0.062	± 0.006		





2.38 bmr27721: Gal3C S

Fields: 499.3,599.9,899.9 MHz
DataPts: 900
T: 301 K
Mw: 15.68 kDa
Residues: 138

	499.26 MHz				599.882 MHz				899.894 MHz			
	rate		τ_c (ns)		rate		τ_c (ns)		rate		τ_c (ns)	
R_2 (s^{-1})	9.987	± 0.586	6.99	± 0.69	10.510	± 0.562	7.11	± 0.65	12.023	± 0.954	6.52	± 0.60
NOE	nan	± nan	3.73	± 0.82	0.622	± 0.051	2.22	± 0.29	0.843	± 0.026	3.47	± 1.07
R_1 (s^{-1})	1.913	± 0.069	9.06	± 0.57	1.501	± 0.079	9.09	± 0.32	0.889	± 0.050	9.09	± 0.62
σ_{zz} (s^{-1})	0.058	± 0.012			0.060	± 0.008			0.015	± 0.002		
$\frac{R_1}{R_2}$	0.148	± 0.009			0.129	± 0.015			0.055	± 0.006		





2.39 bmr50283: M-galectin3-C

Fields: 499.9,599.9,800.1 MHz
DataPts: 1089
T: 301 K
Mw: 15.68 kDa
Residues: 138

	499.8598763 MHz				599.8821277 MHz				800.066 MHz			
	rate		τ_c (ns)		rate		τ_c (ns)		rate		τ_c (ns)	
R_2 (s^{-1})	9.387	± 0.388	6.45	± 0.46	9.601	± 0.455	6.37	± 0.47	10.579	± 0.386	6.31	± 0.61
NOE	0.765	± 0.021	5.49	± 0.87	0.795	± 0.020	5.43	± 1.23	0.842	± 0.015	4.97	± 1.19
R_1 (s^{-1})	1.925	± 0.061	9.09	± 0.37	1.619	± 0.054	8.21	± 0.60	1.125	± 0.039	8.24	± 0.59
σ_{zz} (s^{-1})	0.046	± 0.004			0.034	± 0.003			0.018	± 0.002		
$\frac{R_1}{R_2}$	0.129	± 0.007			0.129	± 0.007			0.056	± 0.003		



2.40 bmr50285: O-galectin3-C

Fields: 499.9,599.9,800.1 MHz
DataPts: 1098
T: 301 K
Mw: 15.68 kDa
Residues: 138

	499.8598763 MHz				599.8821277 MHz				800.066 MHz			
	rate		τ_c (ns)		rate		τ_c (ns)		rate		τ_c (ns)	
R_2 (s^{-1})	9.104	± 0.317	6.35	± 0.47	9.387	± 0.390	6.24	± 0.52	10.397	± 0.367	5.92	± 0.47
NOE	0.825	± 0.060	4.87	± 0.52	0.795	± 0.024	5.18	± 1.13	0.841	± 0.012	5.46	± 1.59
R_1 (s^{-1})	1.984	± 0.064	8.78	± 0.52	1.658	± 0.049	7.88	± 0.53	1.147	± 0.044	7.93	± 0.40
σ_{zz} (s^{-1})	0.039	± 0.011			0.035	± 0.004			0.018	± 0.001		
$\frac{R_1}{R_2}$	0.193	± 0.014			0.166	± 0.005			0.052	± 0.003		



2.41 bmr5330: cellular retinol-binding protein type I

Fields: 500.0,600.0 MHz
DataPts: 330
T: 298 K
Mw: 15.83 kDa
Residues: 135

	500.0 MHz				600.0 MHz			
	rate		τ_c (ns)		rate		τ_c (ns)	
R_2 (s^{-1})	9.944	± 0.736	6.95	± 0.79	11.123	± 1.005	7.38	± 0.81
NOE	0.785	± 0.127	4.60	± 1.36	0.831	± 0.066	3.24	± 0.26
R_1 (s^{-1})	1.752	± 0.122	10.30	± 0.65	1.453	± 0.084	9.31	± 0.95
σ_{zz} (s^{-1})	0.051	± 0.021			0.029	± 0.009		
$\frac{R_1}{R_2}$	0.205	± 0.040			0.128	± 0.013		





2.42 bmr5331: cellular retinol-binding protein type I

Fields: 500.0,600.0 MHz
DataPts: 690
T: 298 K
Mw: 15.83 kDa
Residues: 135

	500.0 MHz				600.0 MHz			
	rate		τ_c (ns)		rate		τ_c (ns)	
R_2 (s^{-1})	10.795	± 0.507	7.64	± 0.58	11.159	± 0.532	7.55	± 0.53
NOE	0.785	± 0.043	6.31	± 2.05	0.819	± 0.023	7.00	± 1.97
R_1 (s^{-1})	1.712	± 0.048	10.47	± 0.34	1.372	± 0.036	9.91	± 0.59
σ_{zz} (s^{-1})	0.039	± 0.007			0.025	± 0.003		
$\frac{R_1}{R_2}$	0.158	± 0.010			0.111	± 0.005		





2.43 bmr15445: 15.5K

Fields: 500.0,600.0 MHz
DataPts: 516
T: 293 K
Mw: 16.00 kDa
Residues: 144

	500.0 MHz				600.0 MHz			
	rate		τ_c (ns)		rate		τ_c (ns)	
R_2 (s^{-1})	19.070	± 1.371	14.37	± 1.22	15.279	± 1.249	10.70	± 0.96
NOE	0.749	± 0.071	4.47	± 1.38	0.790	± 0.036	4.72	± 1.46
R_1 (s^{-1})	1.263	± 0.064	14.78	± 0.92	1.144	± 0.029	12.09	± 0.95
σ_{zz} (s^{-1})	0.034	± 0.008			0.026	± 0.004		
$\frac{R_1}{R_2}$	0.097	± 0.018			0.110	± 0.011		



2.44 bmr4970: Calmodulin

Fields: 500.0 MHz
DataPts: 165
T: 340 K
Mw: 16.71 kDa
Residues: 148, 21

	500.0 MHz			
	rate		τ_c (ns)	
R_2 (s^{-1})	6.289	± 0.484	3.64	± 0.34
NOE	0.754	± 0.034	5.20	± 1.39
R_1 (s^{-1})	2.234	± 0.063	7.55	± 0.45
σ_{zz} (s^{-1})	0.055	± 0.009		
$\frac{R_1}{R_2}$	0.386	± 0.018		



2.45 bmr19388: MptpA

Fields: 600.0 MHz
DataPts: 375
T: 298 K
Mw: 17.99 kDa
Residues: 164

	600.0 MHz			
	rate		τ_c (ns)	
R_2 (s^{-1})	13.588	± 1.261	9.37	± 1.01
NOE	0.915	± 0.113	5.32	± 1.45
R_1 (s^{-1})	1.216	± 0.064	11.39	± 0.74
σ_{zz} (s^{-1})	0.026	± 0.004		
$\frac{R_1}{R_2}$	0.123	± 0.013		



2.46 bmr26513: ligand-free MptpA

Fields: 600.0 MHz
DataPts: 372
T: 298 K
Mw: 18.25 kDa
Residues: 167

	600.0 MHz			
	rate		τ_c (ns)	
R_2 (s^{-1})	13.571	$\pm$ 1.244	9.36	$\pm$ 0.99
NOE	1.245	$\pm$ 0.138	5.29	$\pm$ 1.43
R_1 (s^{-1})	1.217	$\pm$ 0.065	11.35	$\pm$ 0.74
σ_{zz} (s^{-1})	0.025	$\pm$ 0.004		
$\frac{R_1}{R_2}$	0.098	$\pm$ 0.012		



2.47 bmr50212: Mt-PPase

Fields: 700.0 MHz
DataPts: 408
T: 318 K
Mw: 18.33 kDa
Residues: 162

	700.0 MHz			
	rate		τ_c (ns)	
R_2 (s^{-1})	56.307	$\pm$ 5.864	37.39	$\pm$ 4.11
NOE	0.906	$\pm$ 0.091	3.30	$\pm$ 1.41
R_1 (s^{-1})	0.299	$\pm$ 0.021	38.75	$\pm$ 3.98
σ_{zz} (s^{-1})	0.009	$\pm$ 0.007		
$\frac{R_1}{R_2}$	0.010	$\pm$ 0.000		



2.48 bmr4365: stromelysin-ligand complexes

Fields: 600.0 MHz
DataPts: 423
T: 300 K
Mw: 18.57 kDa
Residues: 166

	600.0 MHz			
	rate		τ_c (ns)	
R_2 (s^{-1})	14.060	± 1.142	9.73	± 0.91
NOE	0.836	± 0.082	6.25	± 0.45
R_1 (s^{-1})	1.154	± 0.054	12.05	± 0.45
σ_{zz} (s^{-1})	0.020	± 0.005		
$\frac{R_1}{R_2}$	0.161	± 0.015		



2.49 bmr4364: stromelysin-ligand complexes

Fields: 600.0 MHz
DataPts: 414
T: 300 K
Mw: 18.57 kDa
Residues: 166

	600.0 MHz			
	rate		τ_c (ns)	
R_2 (s^{-1})	15.963	± 1.330	11.42	± 1.26
NOE	0.883	± 0.113	5.84	± 2.43
R_1 (s^{-1})	1.042	± 0.073	13.62	± 0.88
σ_{zz} (s^{-1})	0.020	± 0.005		
$\frac{R_1}{R_2}$	0.082	± 0.017		



2.50 bmr4366: stromelysin-ligand complexes

Fields: 600.0 MHz
DataPts: 435
T: 300 K
Mw: 18.57 kDa
Residues: 166

	600.0 MHz			
	rate		τ_c (ns)	
R_2 (s^{-1})	14.562	± 1.284	10.16	± 0.94
NOE	0.839	± 0.076	4.99	± 1.74
R_1 (s^{-1})	1.125	± 0.054	12.30	± 0.76
σ_{zz} (s^{-1})	0.022	± 0.007		
$\frac{R_1}{R_2}$	0.106	± 0.024		



2.51 bmr18389: CtCBM11

Fields: 600.0 MHz
DataPts: 447
T: 323 K
Mw: 18.94 kDa
Residues: 172

	600.0 MHz			
	rate		τ_c (ns)	
R_2 (s^{-1})	8.029	± 0.675	5.05	± 0.55
NOE	0.814	± 0.031	5.78	± 1.92
R_1 (s^{-1})	1.882	± 0.108	6.80	± 0.44
σ_{zz} (s^{-1})	0.036	± 0.005		
$\frac{R_1}{R_2}$	0.513	± 0.070		



2.52 bmr18388: CtCBM11

Fields: 600.0 MHz
DataPts: 468
T: 298 K
Mw: 18.94 kDa
Residues: 172

	600.0 MHz			
	rate		τ_c (ns)	
R_2 (s^{-1})	11.992	± 1.242	8.25	± 0.93
NOE	0.836	± 0.040	6.45	± 0.61
R_1 (s^{-1})	1.334	± 0.076	10.29	± 0.82
σ_{zz} (s^{-1})	0.023	± 0.005		
$\frac{R_1}{R_2}$	0.080	± 0.011		



2.53 bmr5153: N-terminal domain of Tissue Inhibitor of Metalloproteinases-1/MatrixMetal 3(E202Q)(deltaC) complex

Fields: 600.0 MHz
DataPts: 249
T: 307 K
Mw: 19.39 kDa
Residues: 126, 173

	600.0 MHz			
	rate		τ_c (ns)	
R_2 (s^{-1})	21.436	$\pm$ 1.155	15.48	$\pm$ 1.14
NOE	0.861	$\pm$ 0.148	3.26	$\pm$ 0.95
R_1 (s^{-1})	1.241	$\pm$ 0.123	11.30	$\pm$ 1.37
σ_{zz} (s^{-1})	0.036	$\pm$ 0.012		
$\frac{R_1}{R_2}$	0.068	$\pm$ 0.014		



2.54 bmr27646: KRas-G12C(1-169)-GDP

Fields: 700.0 MHz
DataPts: 414
T: 298 K
Mw: 19.49 kDa
Residues: 171

	700.0 MHz			
	rate		τ_c (ns)	
R_2 (s^{-1})	14.166	$\pm$ 1.094	9.20	$\pm$ 1.00
NOE	0.814	$\pm$ 0.055	3.72	$\pm$ 1.19
R_1 (s^{-1})	0.984	$\pm$ 0.055	11.28	$\pm$ 0.86
σ_{zz} (s^{-1})	0.020	$\pm$ 0.005		
$\frac{R_1}{R_2}$	0.091	$\pm$ 0.014		



2.55 bmr4267: apo-HNGAL Human Neutrophil Gelatinase-Associated Lipocalin

Fields: 750.0,600.0,500.0 MHz
DataPts: 1224
T: 298 K
Mw: 20.68 kDa
Residues: 179

	750.0 MHz				600.0 MHz				500.0 MHz			
	rate		τ_c (ns)		rate		τ_c (ns)		rate		τ_c (ns)	
R_2 (s^{-1})	15.732	± 0.846	11.88	± 1.06	17.045	± 0.910	12.07	± 1.07	15.732	± 0.846	11.88	± 1.06
NOE	0.800	± 0.072	5.61	± 1.79	0.809	± 0.080	3.98	± 1.13	0.800	± 0.072	5.61	± 1.79
R_1 (s^{-1})	1.218	± 0.062	15.46	± 1.02	0.963	± 0.036	14.75	± 1.00	1.218	± 0.062	15.46	± 1.02
σ_{zz} (s^{-1})	0.028	± 0.007			0.022	± 0.007			0.028	± 0.007		
$\frac{R_1}{R_2}$	0.087	± 0.016			0.140	± 0.021			0.087	± 0.016		



2.56 bmr15230: RalB-GMPPNP

Fields: 500.0 MHz
DataPts: 381
T: 298 K
Mw: 21.11 kDa
Residues: 186

	500.0 MHz			
	rate		τ_c (ns)	
R_2 (s^{-1})	14.258	± 0.814	10.62	± 0.95
NOE	0.802	± 0.054	5.92	± 2.07
R_1 (s^{-1})	1.362	± 0.078	13.48	± 0.99
σ_{zz} (s^{-1})	0.029	± 0.007		
$\frac{R_1}{R_2}$	0.117	± 0.009		



2.57 bmr18477: A.fAglB$_S$2

Fields: 600.0,700.0 MHz
DataPts: 792
T: 308 K
Mw: 21.17 kDa
Residues: 180

	600.0 MHz				700.0 MHz			
	rate		τ_c (ns)		rate		τ_c (ns)	
R_2 (s^{-1})	16.974	± 1.170	11.91	± 1.06	21.740	± 1.641	14.52	± 1.48
NOE	0.791	± 0.032	4.87	± 1.64	21.740	± 1.641	93.43	± 9.34
R_1 (s^{-1})	1.196	± 0.050	11.34	± 0.82	0.960	± 0.047	11.49	± 0.89
σ_{zz} (s^{-1})	0.026	± 0.004			nan	± nan		
$\frac{R_1}{R_2}$	0.067	± 0.007			0.106	± 0.011		





2.58 bmr4689: Human Growth Hormone

Fields: 500.0 MHz
DataPts: 261
T: 305 K
Mw: 22.13 kDa
Residues: 191

	499.98 MHz			
	rate		τ_c (ns)	
R_2 (s^{-1})	19.450	± 1.131	14.93	± 1.23
NOE	0.732	± 0.101	3.88	± 1.38
R_1 (s^{-1})	1.322	± 0.113	14.01	± 1.60
σ_{zz} (s^{-1})	0.040	± 0.013		
$\frac{R_1}{R_2}$	0.076	± 0.013		



2.59 bmr25025: NOX

Fields: 500.0,800.0 MHz
DataPts: 588
T: 323 K
Mw: 22.75 kDa
Residues: 205

	500.0 MHz				800.0 MHz			
	rate		τ_c (ns)		rate		τ_c (ns)	
R_2 (s^{-1})	25.231	± 0.891	19.58	± 1.26	23.826	± 1.850	14.43	± 1.24
NOE	0.777	± 0.070	4.43	± 1.04	0.858	± 0.123	2.02	± 0.36
R_1 (s^{-1})	1.283	± 0.109	14.56	± 1.54	0.671	± 0.048	14.16	± 1.24
σ_{zz} (s^{-1})	0.032	± 0.009			0.013	± 0.009		
$\frac{R_1}{R_2}$	0.036	± 0.009			0.027	± 0.009		



2.60 bmr15097: D6-HP

Fields: 750.0 MHz
DataPts: 432
T: 298 K
Mw: 23.50 kDa
Residues: 208

	750.0 MHz			
	rate		τ_c (ns)	
R_2 (s^{-1})	16.782	± 3.967	10.34	± 2.44
NOE	0.866	± 0.095	3.12	± 1.47
R_1 (s^{-1})	0.952	± 0.071	9.52	± 2.65
σ_{zz} (s^{-1})	0.019	± 0.006		
$\frac{R_1}{R_2}$	-0.657	± 0.326		



2.61 bmr5746: Adenylate Kinase from Escherichia coli

Fields: 600.0,800.0 MHz
DataPts: 1182
T: 303 K
Mw: 23.59 kDa
Residues: 214

	600.0 MHz				800.0 MHz			
	rate		τ_c (ns)		rate		τ_c (ns)	
R_2 (s^{-1})	15.372	± 0.855	10.82	± 0.87	15.372	± 0.855	10.82	± 0.87
NOE	0.803	± 0.026	5.49	± 1.53	0.803	± 0.026	5.49	± 1.53
R_1 (s^{-1})	1.120	± 0.040	12.25	± 0.49	1.120	± 0.040	12.25	± 0.49
σ_{zz} (s^{-1})	0.023	± 0.003			0.023	± 0.003		
$\frac{R_1}{R_2}$	0.051	± 0.005			0.051	± 0.005		





2.62 bmr26779: Cdc25B monomer

Fields: 800.0 MHz
DataPts: 249
T: 298 K
Mw: 23.72 kDa
Residues: 201

	800.0 MHz			
	rate		τ_c (ns)	
R_2 (s^{-1})	20.939	± 2.063	12.67	± 1.25
NOE	0.808	± 0.077	2.79	± 0.98
R_1 (s^{-1})	0.727	± 0.050	12.89	± 1.08
σ_{zz} (s^{-1})	0.016	± 0.005		
$\frac{R_1}{R_2}$	0.109	± 0.018		



2.63 bmr15066: apo PGG/GGG

Fields: 600.0,800.0 MHz
DataPts: 1140
T: 293 K
Mw: 26.32 kDa
Residues: 248

	600.0 MHz				800.0 MHz			
	rate		τ_c (ns)		rate		τ_c (ns)	
R_2 (s^{-1})	40.765	± 4.719	29.94	± 4.11	47.622	± 5.560	29.34	± 3.75
NOE	0.805	± 0.112	3.63	± 1.29	0.810	± 0.136	2.23	± 0.78
R_1 (s^{-1})	0.429	± 0.066	34.48	± 5.45	0.329	± 0.057	30.91	± 5.69
σ_{zz} (s^{-1})	0.012	± 0.004			0.011	± 0.004		
$\frac{R_1}{R_2}$	0.006	± 0.003			0.003	± 0.002		



2.64 bmr15065: 2-PGA bound WT cTIM homodimer

Fields: 600.0,800.0 MHz
DataPts: 1290
T: 293 K
Mw: 26.62 kDa
Residues: 248

	600.0 MHz				800.0 MHz			
	rate		τ_c (ns)		rate		τ_c (ns)	
R_2 (s^{-1})	40.416	± 3.219	30.06	± 3.01	51.647	± 4.822	31.57	± 2.88
NOE	0.834	± 0.095	3.93	± 1.26	0.888	± 0.084	3.78	± 1.57
R_1 (s^{-1})	0.415	± 0.030	35.55	± 3.01	0.348	± 0.035	27.76	± 3.02
σ_{zz} (s^{-1})	0.011	± 0.000			0.012	± 0.002		
$\frac{R_1}{R_2}$	0.005	± 0.001			0.002	± 0.001		



2.65 bmr15064: WT cTIM homodimer

Fields: 600.0,800.0 MHz
DataPts: 1086
T: 293 K
Mw: 26.62 kDa
Residues: 248

	600.0 MHz				800.0 MHz			
	rate		τ_c (ns)		rate		τ_c (ns)	
R_2 (s^{-1})	41.642	± 4.043	30.28	± 3.14	52.260	± 5.368	31.83	± 3.01
NOE	0.825	± 0.097	3.96	± 1.35	0.818	± 0.086	2.32	± 0.67
R_1 (s^{-1})	0.400	± 0.036	36.34	± 3.33	0.278	± 0.026	34.86	± 3.69
σ_{zz} (s^{-1})	-0.135	± 0.026			0.014	± 0.005		
$\frac{R_1}{R_2}$	-0.050	± 0.010			0.003	± 0.001		



2.66 bmr27888: BlaC

Fields: 850.0,600.0 MHz
DataPts: 1284
T: 298 K
Mw: 28.30 kDa
Residues: 266

	850.0 MHz				600.0 MHz			
	rate		τ_c (ns)		rate		τ_c (ns)	
R_2 (s^{-1})	22.269	$\pm$ 1.924	13.01	$\pm$ 1.25	18.027	$\pm$ 1.179	12.85	$\pm$ 1.14
NOE	0.885	$\pm$ 0.044	3.92	$\pm$ 1.30	0.841	$\pm$ 0.042	7.60	$\pm$ 3.23
R_1 (s^{-1})	0.592	$\pm$ 0.035	15.01	$\pm$ 1.20	0.936	$\pm$ 0.052	15.27	$\pm$ 1.12
σ_{zz} (s^{-1})	0.008	$\pm$ 0.003			0.016	$\pm$ 0.004		
$\frac{R_1}{R_2}$	0.029	$\pm$ 0.004			0.065	$\pm$ 0.003		





2.67 bmr27890: BlaC in bound to clavulanic acid

Fields: 850.0 MHz
DataPts: 666
T: 298 K
Mw: 28.30 kDa
Residues: 266

	850.0 MHz			
	rate		τ_c (ns)	
R_2 (s^{-1})	26.390	$\pm$ 2.506	15.37	$\pm$ 1.59
NOE	0.873	$\pm$ 0.064	3.08	$\pm$ 1.10
R_1 (s^{-1})	0.551	$\pm$ 0.042	16.13	$\pm$ 1.43
σ_{zz} (s^{-1})	0.008	$\pm$ 0.006		
$\frac{R_1}{R_2}$	-0.002	$\pm$ 0.011		



2.68 bmr27929: BlaC bound to avibactam

Fields: 850.0 MHz
DataPts: 678
T: 298 K
Mw: 28.30 kDa
Residues: 266

	850.0 MHz			
	rate		τ_c (ns)	
R_2 (s^{-1})	23.323	± 1.862	13.52	± 1.17
NOE	0.864	± 0.046	3.99	± 1.50
R_1 (s^{-1})	0.596	± 0.041	14.92	± 1.33
σ_{zz} (s^{-1})	0.009	± 0.003		
$\frac{R_1}{R_2}$	0.050	± 0.006		



2.69 bmr6838: PSE-4

Fields: 500.0,600.0,800.0 MHz
DataPts: 2070
T: 304.65 K
Mw: 29.53 kDa
Residues: 271

	500.0 MHz				600.0 MHz				800.0 MHz			
	rate		τ_c (ns)		rate		τ_c (ns)		rate		τ_c (ns)	
R_2 (s^{-1})	15.731	± 1.208	11.69	± 1.03	16.767	± 1.317	11.71	± 1.04	20.756	± 1.925	12.57	± 1.25
NOE	1.282	± 0.174	7.80	± 2.82	0.952	± 0.112	5.78	± 2.14	0.887	± 0.088	3.63	± 1.32
R_1 (s^{-1})	1.337	± 0.072	13.78	± 1.01	0.990	± 0.060	14.11	± 1.11	0.671	± 0.044	14.16	± 1.13
σ_{zz} (s^{-1})	0.028	± 0.004			0.019	± 0.003			0.010	± 0.003		
$\frac{R_1}{R_2}$	0.094	± 0.013			0.069	± 0.011			0.073	± 0.013		







2.70 bmr16392: TEM-1

Fields: 500.0,600.0 MHz
DataPts: 1062
T: 303.15 K
Mw: 31.44 kDa
Residues: 286

	500.0 MHz				600.0 MHz			
	rate		τ_c (ns)		rate		τ_c (ns)	
R_2 (s^{-1})	15.839	± 1.094	11.93	± 1.08	16.895	± 0.968	11.94	± 1.04
NOE	0.753	± 0.054	4.60	± 1.21	0.801	± 0.039	4.95	± 1.23
R_1 (s^{-1})	1.341	± 0.066	13.77	± 0.84	1.051	± 0.045	13.58	± 0.77
σ_{zz} (s^{-1})	0.036	± 0.008			0.022	± 0.004		
$\frac{R_1}{R_2}$	0.080	± 0.006			0.062	± 0.003		





2.71 bmr51413: H4Kac bound Bromodomain 1 (BD1), linker, Bromodomain 2 (BD2) of BRD4

Fields: 600.0,800.0 MHz
DataPts: 1062
T: 303 K
Mw: 47.02 kDa
Residues: 417, 16

	600.0 MHz				800.0 MHz			
	rate		τ_c (ns)		rate		τ_c (ns)	
R_2 (s^{-1})	27.828	± 4.579	20.41	± 3.27	32.635	± 4.799	19.81	± 2.82
NOE	0.824	± 0.072	0.82	± 0.10	0.878	± 0.075	0.75	± 0.09
R_1 (s^{-1})	0.770	± 0.061	18.57	± 1.79	0.527	± 0.072	18.01	± 2.01
σ_{zz} (s^{-1})	0.165	± 0.017			0.114	± 0.015		
$\frac{R_1}{R_2}$	0.399	± 0.048			0.333	± 0.062		





2.72 bmr51418: apo Bromodomain 1 (BD1), linker, Bromodomain 2 (BD2) of BRD4

Fields: 600.0,800.0 MHz
DataPts: 1104
T: 303 K
Mw: 47.02 kDa
Residues: 417

	600.0 MHz				800.0 MHz			
	rate		τ_c (ns)		rate		τ_c (ns)	
R_2 (s^{-1})	23.794	± 3.440	17.38	± 2.83	23.794	± 3.440	17.38	± 2.83
NOE	0.818	± 0.090	0.81	± 0.09	0.818	± 0.090	0.81	± 0.09
R_1 (s^{-1})	0.954	± 0.076	14.66	± 1.21	0.954	± 0.076	14.66	± 1.21
σ_{zz} (s^{-1})	0.020	± 0.006			0.020	± 0.006		
$\frac{R_1}{R_2}$	0.121	± 0.030			0.121	± 0.030