




iWUE | 1000 | Pouteria
Residuals vs Fitted




iWUE | 1000 | Pouteria
Normal Q-Q




iWUE | 1000 | Clarisia
Residuals vs Fitted




iWUE | 1000 | Clarisia
Normal Q-Q




iWUE | 2000 | Alchornea
Residuals vs Fitted




iWUE | 2000 | Alchornea
Normal Q-Q




iWUE | 2000 | Myrcia
Residuals vs Fitted




iWUE | 2000 | Myrcia
Normal Q-Q




iWUE | 3000 | Hedyosmum
Residuals vs Fitted




iWUE | 3000 | Hedyosmum
Normal Q-Q




iWUE | 3000 | Weinmannia
Residuals vs Fitted




iWUE | 3000 | Weinmannia
Normal Q-Q




d13C | 1000 | Pouteria
Residuals vs Fitted




d13C | 1000 | Pouteria
Normal Q-Q




d13C | 1000 | Clarisia
Residuals vs Fitted




d13C | 1000 | Clarisia
Normal Q-Q




d13C | 2000 | Alchornea
Residuals vs Fitted




d13C | 2000 | Alchornea
Normal Q-Q




d13C | 2000 | Myrcia
Residuals vs Fitted




d13C | 2000 | Myrcia
Normal Q-Q




d13C | 3000 | Hedyosmum
Residuals vs Fitted




d13C | 3000 | Hedyosmum
Normal Q-Q




d13C | 3000 | Weinmannia
Residuals vs Fitted




d13C | 3000 | Weinmannia
Normal Q-Q




Ci | 1000 | Pouteria
Residuals vs Fitted




Ci | 1000 | Pouteria
Normal Q-Q




Ci | 1000 | Clarisia
Residuals vs Fitted




Ci | 1000 | Clarisia
Normal Q-Q




Ci | 2000 | Alchornea
Residuals vs Fitted




Ci | 2000 | Alchornea
Normal Q-Q




Ci | 2000 | Myrcia
Residuals vs Fitted




Ci | 2000 | Myrcia
Normal Q-Q




Ci | 3000 | Hedyosmum
Residuals vs Fitted




Ci | 3000 | Hedyosmum
Normal Q-Q




Ci | 3000 | Weinmannia
Residuals vs Fitted




Ci | 3000 | Weinmannia
Normal Q-Q




Nmass | 1000 | Pouteria
Residuals vs Fitted




Nmass | 1000 | Pouteria
Normal Q-Q




Nmass | 1000 | Clarisia
Residuals vs Fitted




Nmass | 1000 | Clarisia
Normal Q-Q




Nmass | 2000 | Alchornea
Residuals vs Fitted




Nmass | 2000 | Alchornea
Normal Q-Q




Nmass | 2000 | Myrcia
Residuals vs Fitted




Nmass | 2000 | Myrcia
Normal Q-Q




Nmass | 3000 | Hedyosmum
Residuals vs Fitted




Nmass | 3000 | Hedyosmum
Normal Q-Q




Nmass | 3000 | Weinmannia
Residuals vs Fitted




Nmass | 3000 | Weinmannia
Normal Q-Q




logNmass | 1000 | Pouteria
Residuals vs Fitted




logNmass | 1000 | Pouteria
Normal Q-Q




logNmass | 1000 | Clarisia
Residuals vs Fitted




logNmass | 1000 | Clarisia
Normal Q-Q




logNmass | 2000 | Alchornea
Residuals vs Fitted




logNmass | 2000 | Alchornea
Normal Q-Q




logNmass | 2000 | Myrcia
Residuals vs Fitted




logNmass | 2000 | Myrcia
Normal Q-Q




logNmass | 3000 | Hedyosmum
Residuals vs Fitted




logNmass | 3000 | Hedyosmum
Normal Q-Q




logNmass | 3000 | Weinmannia
Residuals vs Fitted




logNmass | 3000 | Weinmannia
Normal Q-Q




Narea | 1000 | Pouteria
Residuals vs Fitted




Narea | 1000 | Pouteria
Normal Q-Q




Narea | 1000 | Clarisia
Residuals vs Fitted




Narea | 1000 | Clarisia
Normal Q-Q




Narea | 2000 | Alchornea
Residuals vs Fitted




Narea | 2000 | Alchornea
Normal Q-Q




Narea | 2000 | Myrcia
Residuals vs Fitted




Narea | 2000 | Myrcia
Normal Q-Q




Narea | 3000 | Hedyosmum
Residuals vs Fitted




Narea | 3000 | Hedyosmum
Normal Q-Q




Narea | 3000 | Weinmannia
Residuals vs Fitted




Narea | 3000 | Weinmannia
Normal Q-Q




Cmass | 1000 | Pouteria
Residuals vs Fitted




Cmass | 1000 | Pouteria
Normal Q-Q




Cmass | 1000 | Clarisia
Residuals vs Fitted




Cmass | 1000 | Clarisia
Normal Q-Q




Cmass | 2000 | Alchornea
Residuals vs Fitted




Cmass | 2000 | Alchornea
Normal Q-Q




Cmass | 2000 | Myrcia
Residuals vs Fitted




Cmass | 2000 | Myrcia
Normal Q-Q




Cmass | 3000 | Hedyosmum
Residuals vs Fitted




Cmass | 3000 | Hedyosmum
Normal Q-Q




Cmass | 3000 | Weinmannia
Residuals vs Fitted




Cmass | 3000 | Weinmannia
Normal Q-Q




Carea | 1000 | Pouteria
Residuals vs Fitted




Carea | 1000 | Pouteria
Normal Q-Q




Carea | 1000 | Clarisia
Residuals vs Fitted




Carea | 1000 | Clarisia
Normal Q-Q




Carea | 2000 | Alchornea
Residuals vs Fitted




Carea | 2000 | Alchornea
Normal Q-Q




Carea | 2000 | Myrcia
Residuals vs Fitted




Carea | 2000 | Myrcia
Normal Q-Q




Carea | 3000 | Hedyosmum
Residuals vs Fitted




Carea | 3000 | Hedyosmum
Normal Q-Q




Carea | 3000 | Weinmannia
Residuals vs Fitted




Carea | 3000 | Weinmannia
Normal Q-Q




SLA | 1000 | Pouteria
Residuals vs Fitted




SLA | 1000 | Pouteria
Normal Q-Q




SLA | 1000 | Clarisia
Residuals vs Fitted




SLA | 1000 | Clarisia
Normal Q-Q




SLA | 2000 | Alchornea
Residuals vs Fitted




SLA | 2000 | Alchornea
Normal Q-Q




SLA | 2000 | Myrcia
Residuals vs Fitted




SLA | 2000 | Myrcia
Normal Q-Q




SLA | 3000 | Hedyosmum
Residuals vs Fitted




SLA | 3000 | Hedyosmum
Normal Q-Q




SLA | 3000 | Weinmannia
Residuals vs Fitted




SLA | 3000 | Weinmannia
Normal Q-Q




Thickness | 1000 | Pouteria
Residuals vs Fitted




Thickness | 1000 | Pouteria
Normal Q-Q




Thickness | 1000 | Clarisia
Residuals vs Fitted




Thickness | 1000 | Clarisia
Normal Q-Q




Thickness | 2000 | Alchornea
Residuals vs Fitted




Thickness | 2000 | Alchornea
Normal Q-Q




Thickness | 2000 | Myrcia
Residuals vs Fitted




Thickness | 2000 | Myrcia
Normal Q-Q




Thickness | 3000 | Hedyosmum
Residuals vs Fitted




Thickness | 3000 | Hedyosmum
Normal Q-Q




Thickness | 3000 | Weinmannia
Residuals vs Fitted




Thickness | 3000 | Weinmannia
Normal Q-Q




Toughness | 1000 | Pouteria
Residuals vs Fitted




Toughness | 1000 | Pouteria
Normal Q-Q




Toughness | 1000 | Clarisia
Residuals vs Fitted




Toughness | 1000 | Clarisia
Normal Q-Q




Toughness | 2000 | Alchornea
Residuals vs Fitted




Toughness | 2000 | Alchornea
Normal Q-Q




Toughness | 2000 | Myrcia
Residuals vs Fitted




Toughness | 2000 | Myrcia
Normal Q-Q




Toughness | 3000 | Hedyosmum
Residuals vs Fitted



Toughness | 3000 | Hedyosmum
Normal Q-Q



Toughness | 3000 | Weinmannia
Residuals vs Fitted



Toughness | 3000 | Weinmannia
Normal Q-Q

