

## PACKING LIST

 <p><b>NARANG MEDICAL LTD.</b> GSTN - 07AABCN8921H2ZD, PAN - AABCN8921H Narang Tower, 46, Community Center, Naraina Phase I, New Delhi 110028, India. Ph.: +91-11-4555 4000, Fax: 4555 4001. Email: NET@narang.com D.L. No.: 103168 (20B), 103169 (21B)</p>					Invoice No. & Date 7786 dtd. 3 Jan. 2022	
					Order No. & date AA.169.2309.18M	
					Country of Origin INDIA	
					Country of Destination ECUADOR	
<b>CONSIGNEE</b> JAIRO PINEDA CORAL URBANIZACIÓN METRÓPOLIS 2B MZ. 1011 VILLA 18, GUAYAQUIL, ECUADOR-090154 RUC. 0957116478001 Tel : +593 98 159 4907					BUYER (IF OTHER THAN CONSIGNEE)  PINEDA CORAL JAIRO DARIO ECUADOR	
<b>PRE-CARRIAGE BY</b>  BY ROAD / RAIL		<b>PLACE OF RECEIPT BY PRE-CARRIER</b>  NEW DELHI			<b>MODE OF DISPATCH &amp; TERMS</b>  BY DHL (FREIGHT TO-COLLECT) Buyer DHL A/C # 967710156	
<b>VESSEL / FLIGHT NO.</b>		<b>PORT OF LOADING</b>  IGI AIRPORT - NEW DELHI			<b>TERMS OF PAYMENT</b>  IN ADVANCE BY T/T	
<b>PORT OF DISCHARGE</b>  GUAYAQUIL		<b>FINAL DESTINATION</b>  ECUADOR			<b>FILE NO.</b>  2309/N/AA	
Marks & No.	No. & kind of packing	CODE	DESCRIPTION	Quantity	Per	Remarks
7786 1-9	1 BOX	041-32	Locking Bolt Ø3.9mm, Self Tapping, Length: 32mm, SS 316L	50	Pcs	Sz. 54 x 46 x 31 cm Wt. 27.00 Kg.
		041-34	Locking Bolt Ø3.9mm, Self Tapping, Length: 34mm, SS 316L	50	Pcs	
		041-36	Locking Bolt Ø3.9mm, Self Tapping, Length: 36mm, SS 316L	50	Pcs	
		041-38	Locking Bolt Ø3.9mm, Self Tapping, Length: 38mm, SS 316L	50	Pcs	
		041-40	Locking Bolt Ø3.9mm, Self Tapping, Length: 40mm, SS 316L	50	Pcs	
		041-42	Locking Bolt Ø3.9mm, Self Tapping, Length: 42mm, SS 316L	40	Pcs	
		041-44	Locking Bolt Ø3.9mm, Self Tapping, Length: 44mm, SS 316L	30	Pcs	
		041-50	Locking Bolt Ø3.9mm, Self Tapping, Length: 50mm, SS 316L	30	Pcs	
		041-54	Locking Bolt Ø3.9mm, Self Tapping, Length: 54mm, SS 316L	30	Pcs	
		041-60	Locking Bolt Ø3.9mm, Self Tapping, Length: 60mm, SS 316L	30	Pcs	
		041-65	Locking Bolt Ø3.9mm, Self Tapping, Length: 65mm, SS 316L	30	Pcs	
		041-70	Locking Bolt Ø3.9mm, Self Tapping, Length: 70mm, SS 316L	30	Pcs	
		041-75	Locking Bolt Ø3.9mm, Self Tapping, Length: 75mm, SS 316L	30	Pcs	
		041-80	Locking Bolt Ø3.9mm, Self Tapping, Length: 80mm, SS 316L	30	Pcs	
		184.311	Suture Wire in Coil, Ø0.8mm, Length: 10 Meter, SS 316L	10	Pcs	
		184.313	Suture Wire in Coil, Ø1.0mm, Length: 10 Meter, SS 316L	10	Pcs	
		184.301	Suture Wire in Coil, Ø1.2mm, Length: 10 Meter, SS 316L	10	Pcs	
		184.303	Suture Wire in Coil, Ø1.5mm, Length: 10 Meter, SS 316L	30	Pcs	
		184.305	Suture Wire in Coil, Ø1.8mm, Length: 10 Meter, SS 316L	10	Pcs	
		184.307	Suture Wire in Coil, Ø2.0mm, Length: 10 Meter, SS 316L	10	Pcs	
		188.050	Centrally Threaded Steinmann Pin (Denham Pin) Ø5.0mm, Length: 225mm, SS 316L	60	Pcs	
		188.045	Centrally Threaded Steinmann Pin (Denham Pin) Ø4.5mm, Length: 225mm, SS 316L	50	Pcs	
		185.742	Kirschner Wire - Smooth Ø0.8mm, Length: 200mm with Trocar Tip Both End, SS 316L	60	Pcs	

## PACKING LIST

 <p><b>NARANG MEDICAL LTD.</b> GSTN - 07AABCN8921H2ZD, PAN - AABCN8921H Narang Tower, 46, Community Center, Naraina Phase I, New Delhi 110028, India. Ph.: +91-11-4555 4000, Fax: 4555 4001. Email: NET@narang.com D.L. No.: 103168 (20B), 103169 (21B)</p>				Invoice No. & Date	7786 dtd. 3 Jan. 2022		
				Order No. & date	AA.169.2309.18M		
		Country of Origin		Country of Destination			
		INDIA		ECUADOR			
CONSIGNEE				BUYER (IF OTHER THAN CONSIGNEE)			
<p>JAIRO PINEDA CORAL URBANIZACIÓN METRÓPOLIS 2B MZ. 1011 VILLA 18, GUAYAQUIL, ECUADOR-090154 RUC. 0957116478001 Tel : +593 98 159 4907</p>				PINEDA CORAL JAIRO DARIO ECUADOR			
PRE-CARRIAGE BY		PLACE OF RECEIPT BY PRE-CARRIER		MODE OF DISPATCH & TERMS			
BY ROAD / RAIL		NEW DELHI		BY DHL (FREIGHT TO-COLLECT) Buyer DHL A/C # 967710156			
VESSEL / FLIGHT NO.		PORT OF LOADING		TERMS OF PAYMENT			
		IGI AIRPORT - NEW DELHI		IN ADVANCE BY T/T			
PORT OF DISCHARGE		FINAL DESTINATION		FILE NO.			
GUAYAQUIL		ECUADOR		2309/N/AA			
Marks & No.	No. & kind of packing	CODE	DESCRIPTION	Quantity	Per	Remarks	
		185.117	Kirschner Wire - Smooth Ø1.0mm, Length: 225mm with Trocar Tip Both End, SS 316L	100	Pcs		
		331.105	Rod Cutter (Upto 6.0mm)	2	Pcs		
		323.010	Wire Passer - Small	4	Pcs		
		321.031	Wire Tightner Cum Twister Cum Cutter	4	Pcs		
		SF-142.105L	Safety Lock T-Plate 3.5mm, Oblique Angled, Left, 5 Holes, SS 316L	10	Pcs		
		SF-142.103L	Safety Lock T-Plate 3.5mm, Oblique Angled, Left, 3 Holes, SS 316L	15	Pcs		
		SF-142.103R	Safety Lock T-Plate 3.5mm, Oblique Angled, Right, 3 Holes, SS 316L	15	Pcs		
		SF-142.105R	Safety Lock T-Plate 3.5mm, Oblique Angled, Right, 5 Holes, SS 316L	10	Pcs		
		SF-142.106R	Safety Lock T-Plate 3.5mm, Oblique Angled, Right, 6 Holes, SS 316L	5	Pcs		
		SF-609.03R	Clavicle Hook Safety Lock Plate 3.5mm, 4 Holes, Right, Hook Depth: 15mm, SS 316L	10	Pcs		
7786 2-9	1 BOX	SF-620.06L	Clavicle Safety Lock Plate 3.5mm Anterior, Left, 6 Holes, SS 316L	20	Pcs	Sz. 54 x 46 x 31 cm Wt. 26.20 Kg.	
		SF-620.07L	Clavicle Safety Lock Plate 3.5mm Anterior, Left, 7 Holes, SS 316L	20	Pcs		
		SF-620.08L	Clavicle Safety Lock Plate 3.5mm Anterior, Left, 8 Holes, SS 316L	20	Pcs		
		SF-620.06R	Clavicle Safety Lock Plate 3.5mm Anterior, Right, 6 Holes, SS 316L	20	Pcs		
		SF-620.07R	Clavicle Safety Lock Plate 3.5mm Anterior, Right, 7 Holes, SS 316L	20	Pcs		
		SF-620.08R	Clavicle Safety Lock Plate 3.5mm Anterior, Right, 8 Holes, SS 316L	20	Pcs		
		SF-144.120	Reconstruction Safety Lock Plate 3.5mm, Straight, 20 Holes, SS 316L	10	Pcs		
		SF-125.105	Dorsal Distal Radius Safety Lock Plate 2.4mm, Straight, 5 Holes, SS 316L	10	Pcs		
		SF-125.106	Dorsal Distal Radius Safety Lock Plate 2.4mm, Straight, 6 Holes, SS 316L	10	Pcs		
		SF-102.250	Safety Lock Screw Ø3.5mm, Self Tapping, Length: 50mm, SS 316L	100	Pcs		
		SF-102.252	Safety Lock Screw Ø3.5mm, Self Tapping, Length: 52mm, SS 316L	100	Pcs		
		SF-102.254	Safety Lock Screw Ø3.5mm, Self Tapping, Length: 54mm, SS 316L	80	Pcs		
		SF-102.256	Safety Lock Screw Ø3.5mm, Self Tapping, Length: 56mm, SS 316L	80	Pcs		
		SF-102.258	Safety Lock Screw Ø3.5mm, Self Tapping, Length: 58mm, SS 316L	100	Pcs		

## PACKING LIST

 <p><b>NARANG MEDICAL LTD.</b> GSTN - 07AABCN8921H2ZD, PAN - AABCN8921H Narang Tower, 46, Community Center, Naraina Phase I, New Delhi 110028, India. Ph.: +91-11-4555 4000, Fax: 4555 4001. Email: NET@narang.com D.L. No.: 103168 (20B), 103169 (21B)</p>				Invoice No. & Date	7786 dtd. 3 Jan. 2022		
				Order No. & date	AA.169.2309.18M		
		Country of Origin		Country of Destination			
		INDIA		ECUADOR			
CONSIGNEE				BUYER (IF OTHER THAN CONSIGNEE)			
JAIRO PINEDA CORAL URBANIZACIÓN METRÓPOLIS 2B MZ. 1011 VILLA 18, GUAYAQUIL, ECUADOR-090154 RUC. 0957116478001 Tel : +593 98 159 4907				PINEDA CORAL JAIRO DARIO ECUADOR			
PRE-CARRIAGE BY		PLACE OF RECEIPT BY PRE-CARRIER		MODE OF DISPATCH & TERMS			
BY ROAD / RAIL		NEW DELHI		BY DHL (FREIGHT TO-COLLECT) Buyer DHL A/C # 967710156			
VESSEL / FLIGHT NO.		PORT OF LOADING		TERMS OF PAYMENT			
		IGI AIRPORT - NEW DELHI		IN ADVANCE BY T/T			
PORT OF DISCHARGE		FINAL DESTINATION		FILE NO.			
GUAYAQUIL		ECUADOR		2309/N/AA			
Marks & No.	No. & kind of packing	CODE	DESCRIPTION	Quantity	Per	Remarks	
		SF-102.260	Safety Lock Screw Ø3.5mm, Self Tapping, Length: 60mm, SS 316L	100	Pcs		
		SF-101.428	Safety Lock Screw Ø2.7mm, Self Tapping, Length: 28mm, SS 316L	50	Pcs		
		SF-101.430	Safety Lock Screw Ø2.7mm, Self Tapping, Length: 30mm, SS 316L	50	Pcs		
		SF-101.432	Safety Lock Screw Ø2.7mm, Self Tapping, Length: 32mm, SS 316L	50	Pcs		
		SF-101.434	Safety Lock Screw Ø2.7mm, Self Tapping, Length: 34mm, SS 316L	50	Pcs		
		SF-101.440	Safety Lock Screw Ø2.7mm, Self Tapping, Length: 40mm, SS 316L	50	Pcs		
		SF-101.422	Safety Lock Screw Ø2.7mm, Self Tapping, Length: 22mm, SS 316L	50	Pcs		
		SF-101.424	Safety Lock Screw Ø2.7mm, Self Tapping, Length: 24mm, SS 316L	50	Pcs		
		SF-101.426	Safety Lock Screw Ø2.7mm, Self Tapping, Length: 26mm, SS 316L	50	Pcs		
		138.105	One Third (1/3) Tubular Plate 3.5mm, 5 Holes, SS 316L	30	Pcs		
		138.106	One Third (1/3) Tubular Plate 3.5mm, 6 Holes, SS 316L	30	Pcs		
		138.107	One Third (1/3) Tubular Plate 3.5mm, 7 Holes, SS 316L	30	Pcs		
		138.108	One Third (1/3) Tubular Plate 3.5mm, 8 Holes, SS 316L	30	Pcs		
		138.111	One Third (1/3) Tubular Plate 3.5mm, 10 Holes, SS 316L	10	Pcs		
		138.111	One Third (1/3) Tubular Plate 3.5mm, 11 Holes, SS 316L	10	Pcs		
		138.112	One Third (1/3) Tubular Plate 3.5mm, 12 Holes, SS 316L	5	Pcs		
		102.212	Cortex Screw Ø3.5mm, Self Tapping, Length: 12mm, SS 316L	20	Pcs		
		102.214	Cortex Screw Ø3.5mm, Self Tapping, Length: 14mm, SS 316L	200	Pcs		
		102.216	Cortex Screw Ø3.5mm, Self Tapping, Length: 16mm, SS 316L	400	Pcs		
		102.218	Cortex Screw Ø3.5mm, Self Tapping, Length: 18mm, SS 316L	200	Pcs		
		102.240	Cortex Screw Ø3.5mm, Self Tapping, Length: 40mm, SS 316L	100	Pcs		
		102.242	Cortex Screw Ø3.5mm, Self Tapping, Length: 42mm, SS 316L	100	Pcs		
		102.244	Cortex Screw Ø3.5mm, Self Tapping, Length: 44mm, SS 316L	100	Pcs		

## PACKING LIST

 <p><b>NARANG MEDICAL LTD.</b> GSTN - 07AABCN8921H2ZD, PAN - AABCN8921H Narang Tower, 46, Community Center, Naraina Phase I, New Delhi 110028, India. Ph.: +91-11-4555 4000, Fax: 4555 4001. Email: NET@narang.com D.L. No.: 103168 (20B), 103169 (21B)</p>				Invoice No. & Date	7786 dtd. 3 Jan. 2022	
				Order No. & date	AA.169.2309.18M	
		Country of Origin		Country of Destination		
		INDIA		ECUADOR		
CONSIGNEE  JAIRO PINEDA CORAL URBANIZACIÓN METRÓPOLIS 2B MZ. 1011 VILLA 18, GUAYAQUIL, ECUADOR-090154 RUC. 0957116478001 Tel : +593 98 159 4907				BUYER (IF OTHER THAN CONSIGNEE)		
PRE-CARRIAGE BY  BY ROAD / RAIL		PLACE OF RECEIPT BY PRE-CARRIER  NEW DELHI		MODE OF DISPATCH & TERMS  BY DHL (FREIGHT TO-COLLECT) Buyer DHL A/C # 967710156		
VESSEL / FLIGHT NO.		PORT OF LOADING  IGI AIRPORT - NEW DELHI		TERMS OF PAYMENT  IN ADVANCE BY T/T		
PORT OF DISCHARGE  GUAYAQUIL		FINAL DESTINATION  ECUADOR		FILE NO.		
				2309/N/AA		
Marks & No.	No. & kind of packing	CODE	DESCRIPTION	Quantity	Per	Remarks
		102.246	Cortex Screw Ø3.5mm, Self Tapping, Length: 46mm, SS 316L	100	Pcs	
		102.248	Cortex Screw Ø3.5mm, Self Tapping, Length: 48mm, SS 316L	100	Pcs	
		102.250	Cortex Screw Ø3.5mm, Self Tapping, Length: 50mm, SS 316L	100	Pcs	
		102.252	Cortex Screw Ø3.5mm, Self Tapping, Length: 52mm, SS 316L	50	Pcs	
		102.254	Cortex Screw Ø3.5mm, Self Tapping, Length: 54mm, SS 316L	50	Pcs	
		102.256	Cortex Screw Ø3.5mm, Self Tapping, Length: 56mm, SS 316L	50	Pcs	
		102.260	Cortex Screw Ø3.5mm, Self Tapping, Length: 60mm, SS 316L	100	Pcs	
		102.264	Cortex Screw Ø3.5mm, Self Tapping, Length: 64mm, SS 316L	100	Pcs	
		102.270	Cortex Screw Ø3.5mm, Self Tapping, Length: 70mm, SS 316L	100	Pcs	
		102.274	Cortex Screw Ø3.5mm, Self Tapping, Length: 74mm, SS 316L	100	Pcs	
		103.050	Cancellous Bone Screw Ø3.5mm, Full Thread, Length: 50mm, SS 316L	50	Pcs	
		103.055	Cancellous Bone Screw Ø3.5mm, Full Thread, Length: 55mm, SS 316L	50	Pcs	
		103.060	Cancellous Bone Screw Ø3.5mm, Full Thread, Length: 60mm, SS 316L	50	Pcs	
		Ti-103.050	Cancellous Bone Screw Ø3.5mm, Full Thread, Length: 50mm, Titanium	50	Pcs	
		Ti-103.055	Cancellous Bone Screw Ø3.5mm, Full Thread, Length: 55mm, Titanium	50	Pcs	
		Ti-103.060	Cancellous Bone Screw Ø3.5mm, Full Thread, Length: 60mm, Titanium	50	Pcs	
		407.121	Plier for Screw Removals	2	Pcs	
		SF-151.108	Broad Dynamic Compression Safety Lock Plate with LC Under Cuts 4.5/5.0mm, 8 Holes, SS 316L	5	Pcs	
		SF-151.109	Broad Dynamic Compression Safety Lock Plate with LC Under Cuts 4.5/5.0mm, 9 Holes, SS 316L	5	Pcs	
		SF-151.110	Broad Dynamic Compression Safety Lock Plate with LC Under Cuts 4.5/5.0mm, 10 Holes, SS 316L	5	Pcs	
		SF-151.112	Broad Dynamic Compression Safety Lock Plate with LC Under Cuts 4.5/5.0mm, 12 Holes, SS 316L	5	Pcs	

## PACKING LIST

 <p><b>NARANG MEDICAL LTD.</b>  <b>GSTN - 07AABCN8921H2ZD, PAN - AABCN8921H</b>          Narang Tower, 46, Community Center,          Naraina Phase I, New Delhi 110028, India.          Ph.: +91-11-4555 4000, Fax: 4555 4001. Email: NET@narang.com          D.L. No.: 103168 (20B), 103169 (21B)</p>				Invoice No. & Date	7786 dtd. 3 Jan. 2022	
				Order No. & date	AA.169.2309.18M	
				Country of Origin	Country of Destination	
				INDIA	ECUADOR	
CONSIGNEE				BUYER (IF OTHER THAN CONSIGNEE)		
<p>JAIRO PINEDA CORAL          URBANIZACIÓN METRÓPOLIS          2B MZ. 1011 VILLA 18,          GUAYAQUIL, ECUADOR-090154          RUC. 0957116478001          Tel : +593 98 159 4907</p>				<p>PINEDA CORAL JAIRO DARIO          ECUADOR</p>		
PRE-CARRIAGE BY		PLACE OF RECEIPT BY PRE-CARRIER		MODE OF DISPATCH & TERMS		
BY ROAD / RAIL		NEW DELHI		BY DHL (FREIGHT TO-COLLECT) Buyer DHL A/C # 967710156		
VESSEL / FLIGHT NO.		PORT OF LOADING		TERMS OF PAYMENT		
		IGI AIRPORT - NEW DELHI		IN ADVANCE BY T/T		
PORT OF DISCHARGE		FINAL DESTINATION		FILE NO.		
GUAYAQUIL		ECUADOR		2309/N/AA		
Marks & No.	No. & kind of packing	CODE	DESCRIPTION	Quantity	Per	Remarks
		SF-151.114	Broad Dynamic Compression Safety Lock Plate with LC Under Cuts 4.5/5.0mm, 14 Holes, SS 316L	5	Pcs	
		SF-151.116	Broad Dynamic Compression Safety Lock Plate with LC Under Cuts 4.5/5.0mm, 16 Holes, SS 316L	4	Pcs	
		SF-150.108	Narrow Dynamic Compression Safety Lock Plate with LC Under Cuts 4.5/5.0mm, 8 Holes, SS 316L	5	Pcs	
		SF-150.109	Narrow Dynamic Compression Safety Lock Plate with LC Under Cuts 4.5/5.0mm, 9 Holes, SS 316L	5	Pcs	
		SF-150.110	Narrow Dynamic Compression Safety Lock Plate with LC Under Cuts 4.5/5.0mm, 10 Holes, SS 316L	5	Pcs	
		SF-150.112	Narrow Dynamic Compression Safety Lock Plate with LC Under Cuts 4.5/5.0mm, 12 Holes, SS 316L	5	Pcs	
		SF-150.114	Narrow Dynamic Compression Safety Lock Plate with LC Under Cuts 4.5/5.0mm, 14 Holes, SS 316L	5	Pcs	
		SF-150.115	Narrow Dynamic Compression Safety Lock Plate with LC Under Cuts 4.5/5.0mm, 15 Holes, SS 316L	5	Pcs	
<u>7786</u> 3-9	1 BOX	115.020	Washers for 4.5 to 7.0mm Screws, SS 316L	200	Pcs	Sz. 54 x 46 x 31 cm Wt. 23.50 Kg.
		Ti-115.020	Washer for 4.5 To 7.0mm Screws, Titanium	200	Pcs	
		115.010	Washers for Small Screws, SS 316L	200	Pcs	
		Ti-115.010	Washers for Small Screws, Titanium	200	Pcs	
		311.013	Mini Plate Holding forceps	4	Pcs	
		311.014	Mini Plate & Bone Holding forceps	4	Pcs	
		311.006	Mini Self Retaining Retractor for Fingers	4	Pcs	
		Ti-SF-150.106	Narrow Dynamic Compression Safety Lock Plate with LC Under Cuts 4.5/5.0mm, 6 Holes, Titanium	5	Pcs	
		Ti-SF-150.107	Narrow Dynamic Compression Safety Lock Plate with LC Under Cuts 4.5/5.0mm, 7 Holes, Titanium	5	Pcs	
		Ti-SF-150.108	Narrow Dynamic Compression Safety Lock Plate with LC Under Cuts 4.5/5.0mm, 8 Holes, Titanium	5	Pcs	
		Ti-SF-150.110	Narrow Dynamic Compression Safety Lock Plate with LC Under Cuts 4.5/5.0mm, 10 Holes, Titanium	5	Pcs	

## PACKING LIST

 <p><b>NARANG MEDICAL LTD.</b> GSTN - 07AABCN8921H2ZD, PAN - AABCN8921H Narang Tower, 46, Community Center, Naraina Phase I, New Delhi 110028, India. Ph.: +91-11-4555 4000, Fax: 4555 4001. Email: NET@narang.com D.L. No.: 103168 (20B), 103169 (21B)</p>				Invoice No. & Date      7786 dtd. 3 Jan. 2022
				Order No. & date AA.169.2309.18M
				Country of Origin      INDIA
				Country of Destination      ECUADOR
CONSIGNEE  JAIRO PINEDA CORAL URBANIZACIÓN METRÓPOLIS 2B MZ. 1011 VILLA 18, GUAYAQUIL, ECUADOR-090154 RUC. 0957116478001 Tel : +593 98 159 4907				BUYER (IF OTHER THAN CONSIGNEE)  PINEDA CORAL JAIRO DARIO ECUADOR
PRE-CARRIAGE BY  BY ROAD / RAIL		PLACE OF RECEIPT BY PRE-CARRIER  NEW DELHI		MODE OF DISPATCH & TERMS  BY DHL (FREIGHT TO-COLLECT) Buyer DHL A/C # 967710156
VESSEL / FLIGHT NO.		PORT OF LOADING  IGI AIRPORT - NEW DELHI		TERMS OF PAYMENT  IN ADVANCE BY T/T
PORT OF DISCHARGE  GUAYAQUIL		FINAL DESTINATION  ECUADOR		FILE NO. 2309/N/AA
Marks & No.	No. & kind of packing	CODE	DESCRIPTION	Quantity Per Remarks
		Ti-SF-150.112	Narrow Dynamic Compression Safety Lock Plate with LC Under Cuts 4.5/5.0mm, 12 Holes, Titanium	5 Pcs
		Ti-SF-150.114	Narrow Dynamic Compression Safety Lock Plate with LC Under Cuts 4.5/5.0mm, 14 Holes, Titanium	5 Pcs
		Ti-SF-150.116	Narrow Dynamic Compression Safety Lock Plate with LC Under Cuts 4.5/5.0mm, 16 Holes, Titanium	5 Pcs
		SF-500.055	Safety Lock Screw Ø5.0mm, Self Tapping, Length: 55mm, SS 316L	50 Pcs
		SF-500.060	Safety Lock Screw Ø5.0mm, Self Tapping, Length: 60mm, SS 316L	50 Pcs
		368.020	Bone Hammer, Weight 350Gms	3 Pcs
		369.030	Bone Hook, Size: Large	3 Pcs
		376.000	Right Angle Retractor - 150mm	5 Pcs
		Ti-SF-166.022	DHS Safety Lock Plate 135°, 38mm Barrel, 2 Holes, Titanium	3 Pcs
		SF-166.022	DHS Safety Lock Plate 135°, 38mm Barrel, 2 Holes, SS 316L	5 Pcs
		SF-166.024	DHS Safety Lock Plate 135°, 38mm Barrel, 4 Holes, SS 316L	3 Pcs
		SF-166.025	DHS Safety Lock Plate 135°, 38mm Barrel, 5 Holes, SS 316L	3 Pcs
		SF-166.026	DHS Safety Lock Plate 135°, 38mm Barrel, 6 Holes, SS 316L	3 Pcs
		SF-166.028	DHS Safety Lock Plate 135°, 38mm Barrel, 8 Holes, SS 316L	3 Pcs
		SF-166.023	DHS Safety Lock Plate 135°, 38mm Barrel, 3 Holes, SS 316L	15 Pcs
		701.025	DHS Triple Reamer - DHS/DCS Plate Instrument	2 Pcs
		701.035	Guide Wire with Threaded Tip Ø2.5mm Dia. & Length: 230mm (for DHS/DCS & Jewett Nail Plate)	60 Pcs
		168.090	Standard Lag Screw Ø12.5mm, Length: 90mm with Compression Screw, SS 316L	15 Pcs
		168.095	Standard Lag Screw Ø12.5mm, Length: 95mm with Compression Screw, SS 316L	15 Pcs
		TN-260.252	Drill Bit Quick Coupling End, Ø2.5mm, Length: 150mm, Titanium Nitrate	15 Pcs
		TN-260.270	Drill Bit Quick Coupling End, Ø2.7mm, Length: 150mm, Titanium Nitrate	15 Pcs
		TN-260.273	Drill Bit Quick Coupling End, Ø2.7mm, Length: 200mm, Titanium Nitrate	15 Pcs
		TN-260.321	Drill Bit Quick Coupling End, Ø3.2mm, Length: 150mm, Titanium Nitrate	20 Pcs

## PACKING LIST

 <p><b>NARANG MEDICAL LTD.</b>  <b>GSTN - 07AABCN8921H2ZD, PAN - AABCN8921H</b>          Narang Tower, 46, Community Center,          Naraina Phase I, New Delhi 110028, India.          Ph.: +91-11-4555 4000, Fax: 4555 4001. Email: NET@narang.com          D.L. No.: 103168 (20B), 103169 (21B)</p>				Invoice No. & Date      7786 dtd. 3 Jan. 2022
				Order No. & date AA.169.2309.18M
				Country of Origin      INDIA
				Country of Destination      ECUADOR
<b>CONSIGNEE</b> JAIRO PINEDA CORAL URBANIZACIÓN METRÓPOLIS 2B MZ. 1011 VILLA 18, GUAYAQUIL, ECUADOR-090154 RUC. 0957116478001 Tel : +593 98 159 4907				BUYER (IF OTHER THAN CONSIGNEE)  PINEDA CORAL JAIRO DARIO ECUADOR
<b>PRE-CARRIAGE BY</b>  BY ROAD / RAIL		<b>PLACE OF RECEIPT BY PRE-CARRIER</b>  NEW DELHI		MODE OF DISPATCH & TERMS  BY DHL (FREIGHT TO-COLLECT) Buyer DHL A/C # 967710156
<b>VESSEL / FLIGHT NO.</b>		<b>PORT OF LOADING</b>  IGI AIRPORT - NEW DELHI		TERMS OF PAYMENT  IN ADVANCE BY T/T
<b>PORT OF DISCHARGE</b>  GUAYAQUIL		<b>FINAL DESTINATION</b>  ECUADOR		FILE NO. 2309/N/AA
Marks & No.	No. & kind of packing	CODE	DESCRIPTION	Quantity Per Remarks
		TN-260.327	Drill Bit Quick Coupling End, Ø3.2mm, Length: 250mm, Titanium Nitrate	10 Pcs
		TN-260.330	Drill Bit Quick Coupling End, Ø3.2mm, Length: 300mm, Titanium Nitrate	10 Pcs
		261.642	Drill Bit Plain Shank/Jacob Chuck End, Ø3.5mm, Length: 300mm, SS	5 Pcs
		TN-260.375	Drill Bit Quick Coupling End, Ø3.5mm, Length: 200mm, Titanium Nitrate	10 Pcs
		106.232	Cortex Screw Ø4.5mm, Self Tapping, Length: 32mm, SS 316L	50 Pcs
		PFNA.130.11.200	PFNA-II Proximal Femoral Antirotation Nail - Short 130°, Ø11mm, Length: 200mm, SS 316L	10 Pcs
		109.070	Cancellous Bone Screw Ø6.5mm, 32mm Thread, Length: 70mm, SS 316L	30 Pcs
		SF-147.106	Safety Lock Compression Plate 3.5mm, 6 Holes, SS 316L	20 Pcs
		SF-147.107	Safety Lock Compression Plate 3.5mm, 7 Holes, SS 316L	20 Pcs
		SF-147.108	Safety Lock Compression Plate 3.5mm, 8 Holes, SS 316L	20 Pcs
		SF-147.109	Safety Lock Compression Plate 3.5mm, 9 Holes, SS 316L	10 Pcs
		SF-147.110	Safety Lock Compression Plate 3.5mm, 10 Holes, SS 316L	5 Pcs
		SF-147.112	Safety Lock Compression Plate 3.5mm, 12 Holes, SS 316L	5 Pcs
		SF-622.04L	Clavicle Safety Lock Plate 3.5mm Anterior with Lateral Extension, Left, 4 Holes, SS 316L	10 Pcs
		SF-622.05L	Clavicle Safety Lock Plate 3.5mm Anterior with Lateral Extension, Left, 5 Holes, SS 316L	10 Pcs
		SF-622.06L	Clavicle Safety Lock Plate 3.5mm Anterior with Lateral Extension, Left, 6 Holes, SS 316L	10 Pcs
		SF-622.07L	Clavicle Safety Lock Plate 3.5mm Anterior with Lateral Extension, Left, 7 Holes, SS 316L	5 Pcs
		SF-622.08L	Clavicle Safety Lock Plate 3.5mm Anterior with Lateral Extension, Left, 8 Holes, SS 316L	5 Pcs
		SF-622.04R	Clavicle Safety Lock Plate 3.5mm Anterior with Lateral Extension, Right, 4 Holes, SS 316L	10 Pcs
		SF-622.05R	Clavicle Safety Lock Plate 3.5mm Anterior with Lateral Extension, Right, 5 Holes, SS 316L	10 Pcs
		SF-622.06R	Clavicle Safety Lock Plate 3.5mm Anterior with Lateral Extension, Right, 6 Holes, SS 316L	10 Pcs
		SF-622.07R	Clavicle Safety Lock Plate 3.5mm Anterior with Lateral Extension, Right, 7 Holes, SS 316L	5 Pcs
		SF-622.08R	Clavicle Safety Lock Plate 3.5mm Anterior with Lateral Extension, Right, 8 Holes, SS 316L	5 Pcs

## PACKING LIST

 <p><b>NARANG MEDICAL LTD.</b>  <b>GSTN - 07AABCN8921H2ZD, PAN - AABCN8921H</b>          Narang Tower, 46, Community Center,          Naraina Phase I, New Delhi 110028, India.          Ph.: +91-11-4555 4000, Fax: 4555 4001. Email: NET@narang.com          D.L. No.: 103168 (20B), 103169 (21B)</p>					Invoice No. & Date      7786 dtd. 3 Jan. 2022	
					Order No. & date AA.169.2309.18M	
					Country of Origin      INDIA	
					Country of Destination      ECUADOR	
CONSIGNEE  JAIRO PINEDA CORAL URBANIZACIÓN METRÓPOLIS 2B MZ. 1011 VILLA 18, GUAYAQUIL, ECUADOR-090154 RUC. 0957116478001 Tel : +593 98 159 4907					BUYER (IF OTHER THAN CONSIGNEE)  PINEDA CORAL JAIRO DARIO ECUADOR	
PRE-CARRIAGE BY  BY ROAD / RAIL		PLACE OF RECEIPT BY PRE-CARRIER  NEW DELHI		MODE OF DISPATCH & TERMS  BY DHL (FREIGHT TO-COLLECT) Buyer DHL A/C # 967710156		
VESSEL / FLIGHT NO.		PORT OF LOADING  IGI AIRPORT - NEW DELHI		TERMS OF PAYMENT  IN ADVANCE BY T/T		
PORT OF DISCHARGE  GUAYAQUIL		FINAL DESTINATION  ECUADOR		FILE NO. 2309/N/AA		
Marks & No.	No. & kind of packing	CODE	DESCRIPTION	Quantity	Per	Remarks
7786 4-9	1 BOX	AS143	Large Fragment Screws Set - Combo with Safety Lock Screws & Standard Screws  S.No. # 1143, #1144	2	Set	Sz. 55 x 38 x 34 cm Wt. 11.65 Kg.
7786 5-9	1 BOX	143.000	Empty Container for Large Fragment Screw Set - Combo  S.No. # 1137, #1138	2	Pcs	Sz. 55 x 39 x 34 cm Wt. 9.00 Kg.
7786 6-9	1 BOX	AS115M	DHS/DCS Plate Implants & Instruments Set - Combo  S.No. # 1139, #1140	2	Set	Sz. 55 x 39 x 34 cm Wt. 20.80 Kg.
7786 7-9	1 BOX	Q.010	Large Fragment Instruments Set - Q-Series  S.No. # 1155, #1156	2	Set	Sz. 55 x 39 x 34 cm Wt. 17.40 Kg.
		Q.431	Instruments Set for Variable Angle Radius Plates - Q-Series  S.No. # 1151, #1152	2	Set	
7786 8-9	1 BOX	AS026	Instruments Set for 6.5mm Cancellous Cannulated Screws  S.No. # 1135, #1136	2	Set	Sz. 55 x 39 x 29 cm Wt. 13.80 Kg.
		Q.080	Instruments Set for 4.0mm Cannulated Cancellous Screws - Q-Series  S.No. # 1157, #1158	2	Set	

## PACKING LIST

 <b>NARANG MEDICAL LTD.</b> <b>GSTN - 07AABCN8921H2ZD, PAN - AABCN8921H</b> Narang Tower, 46, Community Center, Naraina Phase I, New Delhi 110028, India. Ph.: +91-11-4555 4000, Fax: 4555 4001. Email: NET@narang.com D.L. No.: 103168 (20B), 103169 (21B)				Invoice No. & Date	7786 dtd. 3 Jan. 2022
				Order No. & date	AA.169.2309.18M
				Country of Origin	Country of Destination
				INDIA	ECUADOR
<b>CONSIGNEE</b> JAIRO PINEDA CORAL URBANIZACIÓN METRÓPOLIS 2B MZ. 1011 VILLA 18, GUAYAQUIL, ECUADOR-090154 RUC. 0957116478001 Tel : +593 98 159 4907				<b>BUYER (IF OTHER THAN CONSIGNEE)</b> PINEDA CORAL JAIRO DARIO ECUADOR	
<b>PRE-CARRIAGE BY</b> BY ROAD / RAIL		<b>PLACE OF RECEIPT BY PRE-CARRIER</b> NEW DELHI		<b>MODE OF DISPATCH &amp; TERMS</b> BY DHL (FREIGHT TO-COLLECT) Buyer DHL A/C # 967710156	
<b>VESSEL / FLIGHT NO.</b>		<b>PORT OF LOADING</b> IGI AIRPORT - NEW DELHI		<b>TERMS OF PAYMENT</b> IN ADVANCE BY T/T	
<b>PORT OF DISCHARGE</b> GUAYAQUIL		<b>FINAL DESTINATION</b> ECUADOR		FILE NO.	
Marks & No.	No. & kind of packing	CODE	DESCRIPTION	Quantity	Per
7786 9-9	1 BOX	Q.674	Damaged/Broken Screws Removal Instruments Set - Q-Series	4	Set
		S. No. 1154, 1154, 1164 & 1165			Sz. 54 x 33 x 46 cm Wt. 24.00 Kg.
		Q.149.13	Elastic Nail Inserter	2	Pcs
		Q.674.40	Drill Bit 4.0mm	4	Pcs
		Q.080	Instruments Set for 4.0mm Cannulated Cancellous Screws - Q-Series S.No. # 1159	1	Set
		90.54	Kilner Skin Hook - Instrument for Maxillofacial/CMF	4	Pcs
		96.50	Double Skin Hook (Mcindoe) - Instrument for Maxillofacial/CMF	4	Pcs
		90.09	Plate Holder & Pusher fork - Instrument for Maxillofacial/CMF	4	Pcs
		90.201	Cottle Elevator Graduated Double Ended - Instrument for Maxillofacial/CMF	4	Pcs
Gross Wt: 173.35 KG Net Wt.: 147.35 KG Gross Vol: 0.67 CBM Vol. Wt: 133.38 KG Chargeable Wt: 173.35 KG					
I.E.C.NO.: 0504001132 TIN No.: LC/104/07350275226/0604  Checked      Authorized Signatory					

SUBJECT TO NEW DELHI JURISDICTION