Activate the mobile KMP scaffold

A reproducible Android + iOS substrate for every mobile story that follows.

The goal


Make the shared mobile substrate trustworthy before feature agents arrive.



The story turns a blank repo into a shared substrate

One atomic merge creates the pinned surface that independent feature agents can safely extend.

The work is intentionally platform-first: Android and iOS thin hosts sit on the same sharedKit, with proof entrypoints that can be rerun without changing the repository.



Pinned toolchain


AD-16 tuple + version catalog

Independent module roots

SharedKit, hosts, and boundaries are explicit

The scaffold flow is deliberately boring — and that is the point

Every step reduces ambiguity before product code is allowed to move.



The merge is atomic: the tuple, plugins, inventory, and evidence path land together.

Acceptance gates prove the substrate before features arrive

Three checks turn “it builds” into a repeatable handoff.

✓ **Atomic inventory**

AD-16, version catalog, convention plugins, module boundaries, and a nonempty product inventory land together.

✓ **Same-SHA evidence**

Android + iOS thin hosts, sharedKit, bootstrap acceptance host, and read-only quality entrypoints report one commit state.

✓ **Clean boundary**

No production feature, store artifact, testing dependency, or web/backend source is introduced here.

PROOF TARGET

A feature agent can clone, verify, and build without guessing which substrate is authoritative.

Trust is an artifact, not a promise.

Scope is narrow by design: substrate now, product later

E1.1 makes the mobile roots safe to build on; it does not try to look like the finished app.

SHIP

mobile scaffold
Android + iOS thin hosts
sharedKit + bootstrap proof
quality entrypoints + inventory

WAIT

food capture
local / remote inference
production UX
web landing + backend source
store artifacts

Handoff: the next story can build the app shell against a pinned, inspectable substrate.

Definition of done: a merge that leaves no ambiguity

Any feature agent can start from the same mobile foundation.

The repository now has a clear substrate, clear proof, and clear boundaries — so the product stories can stay focused on user value.



Build the substrate once. Let the stories move faster.