

Atomic Design System Manual

Pangasinan Heritage Digital Showcase

Name: Rajeann Yezza Ann C. Ramos

Framework: Next.js 14

Methodology: Atomic Design

1. Component Architecture

Level	Component	Source Location	Role & Features
Atom	ButtonLink	components/atoms/Button.tsx	Main call-to-action button with 52px touch target.
Atom	Typography	app/theme.css	Fluid scaling text (Baloo 2, Quicksand, Georgia).
Atom	Color Tokens	app/theme.css	CSS design variables with WCAG 2.1 AA contrast.
Atom	Icons & SiteImage	components/atoms/*	Scalable SVG icons & CLS-free 3:2 responsive images.
Molecule	HeritageCard	components/molecules/HeritageCard.tsx	Destination card combining image, pin, title & map links.
Molecule	SearchForm	components/molecules/SearchForm.tsx	Interactive live search bar with instant clear option.
Molecule	NavigationItem	components/molecules/NavigationItem.tsx	Reusable anchor links with animated hover states.
Organism	HeaderNavigation	components/organisms/HeaderNavigation.tsx	Sticky top bar with mobile hamburger drawer transition.
Organism	HeritageGrid	components/organisms/HeritageGrid.tsx	Filterable showcase grid with live counter and empty states.

2. Design Tokens & Key Atoms

Color Palette

Accessible, warm theme inspired by Pangasinan's welcoming spirit:

- **--forest (#ed3766)**: Brand Pink / Main CTA
- **--ink (#5b2537)**: Deep Plum / High Contrast Text
- **--gold (#ff789d)**: Coral Accent / Hover Highlight
- **--sand (#ffe1ea)**: Warm Accent Surface
- **--cream (#fff8fa)**: Canvas Background

Typography Scale & Tokens

Uses CSS clamp() functions for fluid scaling across desktop and mobile displays without layout jumps.

```
/* app/theme.css */
h1 {
  font-family: 'Baloo 2', Arial, sans-serif;
  font-size: clamp(3.2rem, 8vw, 6.9rem);
  line-height: 1.05;
}
body {
  font-family: 'Quicksand', Arial, sans-serif;
  line-height: 1.6;
}
```

ButtonLink (Atom)

Primary Call-To-Action (CTA) element designed with a minimum 52px touch target adhering to WCAG 2.1 AA accessibility guidelines.

```
// components/atoms/Button.tsx
export function ButtonLink({ href, children }) {
  return (
    <a className="button" href={href}>
      {children}
    </a>
  );
}
```

SiteImage (Atom)

Optimized destination image component with zero layout shifts (CLS) and asynchronous loading.

```
// components/atoms/SiteImage.tsx
export function SiteImage({ src, alt, eager = false }) {
  return (
    <img className="site-image" src={src} alt={alt}
      width="720" height="480"
      loading={eager ? "eager" : "lazy"} decoding="async" />
  );
}
```

3. Structural Components (Molecules & Organisms)

HeritageCard (Molecule)

Combines image, location pin, title, and map links. Features a playful alternate tilt on desktop (+1.2°/-1°) that flattens cleanly on mobile displays.

```
// components/molecules/HeritageCard.tsx
export function HeritageCard({ site }) {
  return (
```

```

    <article className="heritage-card">
      <SiteImage src={site.image} alt={site.imageAlt} />
      <p><LocationIcon />{site.location}</p>
      <h3>{site.name}</h3>
    </article>
  );
}

```

SearchForm (Molecule)

Provides real-time interactive search and filtering across destination names, towns, and categories with a quick clear action.

HeaderNavigation (Organism)

Sticky top bar maintaining accessibility during scrolling. Displays a floating pill nav on desktop and switches to a smooth hamburger drawer on mobile.

HeritageGrid (Organism)

Central interactive showcase managing search query state, matching results count (announced via aria-live), and empty states.

```

// components/organisms/HeritageGrid.tsx
<div className="grid-tools">
  <SearchForm value={query} onChange={setQuery} />
  <p aria-live="polite">{filteredSites.length} places</p>
</div>

```

4. Developer Guide — Reusing & Extending

Adding a new site requires ZERO component code changes.

Simply add a new object to data/heritage-sites.ts with the required fields (name, location, category, description, image, mapUrl).