

CSV to Pandoc Markdown Tables

Wasif Baig

May 08, 2015

All tables in this document have been generated by post-processing through [pandoc-csv2table-filter](#).

Simple Table

You can include inline markdown in your csv file. It will be parsed by the pandoc markdown reader. You can also specify column alignments in the [configuration string](#).

Table 1: A **simple** *table*.

Numbers	<i>Words</i>
1	Yes
2 ²	<i>No</i>
<i>3</i>	Yes

Multiline Table

It allows cell contents to span multiple lines, unlike simple table.

Table 2: A **multiline** table.

<i>Centered Header</i>	Default Aligned	<i>Right Aligned</i>	Left Aligned
First ₁	row	12 _{units}	Example of a row that spans multiple lines.
<i>Second₂</i>	row	5 ¹⁰ _{units}	Here's another one. <i>Note the appropriately rendered inline markdown.</i>

Grid Table

It lets you include block markdown as well, unlike multiline tables. However, it does not support column alignments. Every column is default-aligned.

Table 3: A sample Grid Table.

<i>Fruit</i>	Price	<i>Number</i>	Advantages
<i>Bananas₁</i>	\$1.34	12 _{units}	Benefits of eating bananas (Note the appropriately rendered block markdown): <ul style="list-style-type: none">• <i>built-in wrapper</i>• bright color
<i>Oranges₂</i>	\$2.10	5 ¹⁰ _{units}	Benefits of eating oranges: <ul style="list-style-type: none">• cures scurvy• tasty

Pipe Table

It is like a simple table feature-wise.

Table 4: Demonstration of pipe table syntax.

Right	Left	Default	Center
12	12	12	12
123	123	123	123
1	1	1	1

Final Words

You only need either a *multiline* table or a *grid table*. **Multiline** tables allow control over column alignments. **Grid** tables allow inclusion of block level elements.

License

[pandoc-csv2table-filter](#)

The MIT License

Copyright © 2015 Wasif Hasan Baig pr.wasif@gmail.com

Acknowledgements

Thanks to [John MacFarlane](#) for creating [Pandoc](#).