

Bit2win-SFDC Managed Packages

2nd Generation Package

Introduction	4
Architecture	4
Author Portal	5
Runtime module	5
Salesforce Managed Package	6
Bit2win_DigitalCommerce (Core)	7
Package Overview	7
Purpose and Scope	7
What It Does	7
Use Cases	7
Package Setup	8
Installation	8
Get Bit2Win package URL	8
Install Core Package	9
Install for Admins Only	10
Install for All Users	10
Install for Specific Profiles	10
Configuration	12
Auth. Provider	12
Named Credentials and External Credentials	14
External Credentials	14
Named Credential	16
Principals	17
Cart configuration	18
Custom Metadata	18
Cart Mappings	18
Service Point Configuration in Cart Mapping	19
Bit2win Administration Console	20
Cart Administration	21
Edit Settings	22
General	22
Status Bar	22
Cart Configurator	22
Pricing	22
Messages pagination	23
Promotion	23
Service Point management (from 25r1):	23
Assign Profiles	24

Cart Mapping	24
Lightning Web Component	26
Account components	26
Service Point List	26
Service point Management (from 25r1)	27
Widget UI Overview	27
Asset Summary Widget	30
Asset details	30
Asset history	31
Post-sales processes	32
Single asset:	32
Multiple assets:	33
Cart components	33
LWC Configuration Engine	33
Listening to Cart Events from a Custom LWC Component	36
Catalog Navigator Widget	38
Cart Configurator Widget	39
Configure a Simple Product	40
Configure a Complex Product	41
Configuration Detail	45
Messages Widget	47
Service Point Widget	47
Business Scenarios	49
Retail Cart Experience	49
B2B2X Cart Experience	49
B2B Utility Scenario	49
Bit2win_Quote_Extension	55
Package Overview	55
Quote and Quote Line Item Extensions	55
Permission Set	56
Sample Cart Page	56
Custom Metadata Type: Cart Mappings	56

Introduction

bit2win is an independent software company providing innovative multichannel SaaS Configure, price and quote (CPQ), Promotions and BPM applications suite that enable sales organizations to digitize sales and marketing processes, automate and optimize quoting and the order capture process, successfully run promotion and loyalty initiatives and business process management.

bit2win CPQ (Configure, Price and Quote) Solution is a complete API solution based Allows companies to manage and evolve front office services, having a next generation catalog management with high performing rule engine, supporting eligibility, compatibility, product configuration and advanced pricing.

By bit2win you can:

- create a sales flow (creating opty, quote and order)
- configure the opportunity, quote and order objects navigating the Catalogs in the bit2win cart
- digitalize quote-to-cash processes, automate, optimize, simplify and speed up the entire quote-to-cash process.

The scope of this document is to describe the bit2win 2GP and how setup it.


Architecture

bit2win CPQ consists of two modules:

- Author Portal
- Runtime module

For both modules, bit2win CPQ provides:

- a complete set of APIs, which you can use independently to satisfy your needs, for example to manage your own user interface
- at least one complete and ready-to-use user interface



Author Portal

CPQ administration is performed on the Author Portal.

By the Author Portal:

- a System administrator can create and manage:
 - users and profile
 - fields, datamaps
 - business processes
- a Catalog administrator can create and manage:
 - catalogs and products
 - price models and price lists
 - eligibility, catalog and product rules

The information managed on the Author Portal is made available to the runtime module via a *Publish* process.

Runtime module

Data created via the Author Portal and published can be used by the Runtime Services.

The bit2win Runtime Services:

- are used by the standard front-end to provide runtime experience.
- can be used to realize a multichannel experience (end user web site, mobile app, internal application)
- provide standard Asset Based Ordering services to manipulate order lifecycle
- change order and change offer allow user to easily modify existing customer asset or upgrade/downgrade customer offers

Among the standard front-end, bit2win CPQ offers a native integration with Salesforce, through a managed package of second generation.

Additionally it also offers a standard integration with the first version (and generation) of the Bit2win Salesforce managed package (hereinafter referred as b2w-1GP)

Salesforce Managed Package

The Salesforce managed package is a second generation (hereinafter referred as b2w-2GP core) one and it includes the objects and the logics to:

- initialize, manage and finalize a cart session for retail, b2b and b2c scenarios
- follow the acquisition process
- track the asset information
- follow the asset lifecycle (creating post-sales processes)

The 2GP solution is comprised of several Managed Packages:

- **Bit2win_DigitalCommerce(Core):** This package includes core objects and functionalities, plus all the Lightning Web Components (LWCs) for cart and customer data.
- *Integration package with 1GP (Legacy):* This package provides integration with Bit2win's first-generation solution, which was completely Salesforce-based.
- *Extension packages for Standard Salesforce Orders and Quotes:* These packages enrich the data model of standard Salesforce objects (Order and Quote) to enable native integration with Bit2win.

Bit2win_DigitalCommerce (Core)

Package Overview

The Bit2win_DigitalCommerce package is the core component of the Bit2win 2GP solution, providing the foundation for Salesforce integration with the Bit2win MultiCloud platform.

Purpose and Scope

This package contains the essential metadata and logic to enable Salesforce to interact with the Bit2win MultiCloud services. It includes custom objects, Apex classes, and Lightning Web Components (LWC) required to manage the digital commerce lifecycle directly within Salesforce.

What It Does

- Creates and manages Cart Sessions with MultiCloud
- Handles Service Point association and selection
- Supports the full lifecycle of:
 - Opportunities
 - Quotes
 - Orders
 - Assets
- Provides LWC components for a streamlined and interactive user experience
- Exposes Apex logic to integrate with external APIs and Bit2win backend services

Use Cases

- Initiating and managing commerce sessions from Salesforce
- Integrating Salesforce Opportunities with the Bit2win MultiCloud engine
- Synchronizing product configurations and pricing with backend services
- Enabling Salesforce users to work with Bit2win commerce data through a native UI

Package Setup

Installation

From here begins the first installation process of your b2w-2GP core.

This guide allows you to install the b2w-2GP core from scratch in your organization.

Remember that whenever you create a new sandbox copy the b2w-2GP core will not be exported and you will always have to perform a new installation package.

The [Bit2win Expertise Team](#) is always available for your every need.


Let's begin!

Get Bit2Win package URL

From the [Release Notes page](#), it is possible to find the URL to the latest stable version of the b2w-2GP core.

Once you have chosen your b2w-2GP core version click on the installation link to log in your Salesforce environment and proceed with the installation. If you're installing into a sandbox, remember to replace the login.salesforce.com portion of the installation package link with test.salesforce.com.

Before you begin, make sure you have a user with the System Administration profile on the destination Salesforce environment.



Install Core Package

After entering the username and the password for the Salesforce organization in which you want to install the package, it will be required to enter the password for installing the core package.

b2w-2GP core password: usually, you receive this information in the response to your environment setup request ticket.



Upgrade Bit2win_DigitalCommerce

By bit2win



This app is protected by an installation key.



An earlier version is installed. It can be upgraded while preserving the existing data.
 Installed: 2GP-23r2.0 (232.0.6) New Version: 2GP-23r2.0 (232.0.7)



☒ **Install for Admins Only**



☐ **Install for All Users**



☐ **Install for Specific Profiles...**

Upgrade

Cancel

App Name	Publisher	Version Name	Version Number
Bit2win_DigitalCommerce	bit2win	2GP-23r2.0	232.0.7

Additional Details [View Components](#)

In Enterprise, Performance, Unlimited and Developer Editions, choose one of the security options:

Install for Admins Only

Specifies the following settings on the installing administrator's profile and any profile with the "Customize Application" permission:

- Object permissions read, create, edit, delete, view all and modify all enabled
- Field-level security set to visible and editable for all fields
- Apex classes enabled
- Visualforce pages enabled
- App settings enabled
- Tab settings determined by the package creator
- Page layout settings determined by the package creator
- Record Type settings determined by the package creator

Install for All Users

Specifies the following settings on all internal custom profiles:

- Object permissions read, create, edit, delete enabled
- Field-level security set to visible and editable for all fields
- Apex classes enabled
- Visualforce pages enabled
- App settings enabled
- Tab settings determined by the package creator
- Page layout settings determined by the package creator
- Record Type settings copied from admin profile


Install for Specific Profiles

Enables you to choose the usage access for all custom profiles in your organization. You can set each profile to have full access or no access for the new package and all its components:

- Full Access: specifies the following settings for each profile:
 - Object permissions read, create, edit, delete, view all and modify all enabled
 - Field-level security set to visible and editable for all fields
 - Apex classes enabled
 - Visualforce pages enabled

- App settings enabled
- Tab settings determined by the package creator
- Page layout settings determined by the package creator
- Record Type settings determined by the package creator
- No Access: specifies the same settings as Full Access, except all object permissions are disabled.

Click Install. You'll see a message that describes the progress and a confirmation message after the installation is complete.



Upgrade Bit2win_DigitalCommerce
By bit2win

Upgrading and granting access to admins Only...

App Name	Publisher	Version Name	Version Number
Bit2win_DigitalCommerce	bit2win	2GP-23r2.0	232.0.7

[Additional Details](#) [View Components](#)

Finished the installation, you can check the Bit2win version in Setup → Installed Packages

Installed Packages

On AppExchange you can browse, test drive, download, and install pre-built apps and components right into your salesforce.com environment. [Learn More about Installing Packages.](#)

Apps and components are installed in packages. Any custom apps, tabs, and custom objects are initially marked as "In Development" and are not deployed to your users. This allows you to test and customize before deploying. You can deploy the components individually using the other features in setup or as a group by clicking Deploy.

Depending on the links next to an installed package, you can take different actions from this page.

To remove a package, click Uninstall. To manage your package licenses, click Manage Licenses.

Installed Packages															
Action	Package Name	Publisher	Version Number	Namespace Prefix	Status	Allowed Licenses	Used Licenses	Enabled for Platform Integrations	Expiration Date	Install Date	Limits	Apps	Tabs	Objects	AppExchange Ready
Uninstall Manage Licenses	Bit2win_DigitalCommerce	bit2win	232.0.7	b2w	Active	Unlimited	0	☐	Does not Expire	28/02/2022, 13:00	✓	0	4	7	Not Passed

Installation completed!

Now, if you need the b2w-2GP core it is possible to proceed with the Package Configuration

Configuration

In order to connect and integrate b2w-2GP core to the Bit2win CPQ an authorization provider and an improved named credential must be created.

Auth. Provider

SETUP

Auth. Providers

Auth. Provider Detail

EditDeleteClone

Auth. Provider ID	0SO7Q000000iEgW		
Provider Type	Open ID Connect		
Name	Keycloak		
URL Suffix	Keycloak		
Consumer Key	client-internal-prod-03		
Consumer Secret	Click to reveal		
Authorize Endpoint URL	https://login.bit2win.cloud/auth/realms/internal-prod-03/protocol/openid-connect/auth		
Token Endpoint URL	https://login.bit2win.cloud/auth/realms/internal-prod-03/protocol/openid-connect/token		
User Info Endpoint URL			
Use Proof Key for Code Exchange (PKCE) Extension	☒	i	
Token Issuer			
Default Scopes	openid email profile offline_access		
Send access token in header	☒	i	Send client credentials in header ☐ i
Include Consumer Secret in SOAP API Responses	☒	i	
Custom Error URL			
Custom Logout URL			
Registration Handler	AutocreatedRegHandler1702504288634		
Execute Registration As	B2W Admin		
Portal			
Icon URL			
Use Salesforce MFA for this SSO Provider	☐	i	


Salesforce Configuration

Test-Only Initialization URL	https://b2w-core-2gp-security-revie-dev-ed.my.salesforce.com/services/auth/test/Keycloak
OAuth-Only Initialization URL	https://b2w-core-2gp-security-revie-dev-ed.my.salesforce.com/services/auth/oauth/Keycloak
Callback URL	https://b2w-core-2gp-security-revie-dev-ed.my.salesforce.com/services/auth/callback/Keycloak
Single Logout URL	https://b2w-core-2gp-security-revie-dev-ed.my.salesforce.com/services/auth/rp/oidc/logout

EditDeleteClone

Create a new Auth. Provider:

1. go to Setup
2. search by Auth. Providers



3. press New button
4. select **Open ID Connect** into the *Provider Type* field
5. fill the other fields as follow:

Field Name	Value
Name	Keycloak
URL Suffix	Keycloak
Consumer Key	[provided by the Bit2win Operation Team]
Consumer Secret	[provided by the Bit2win Operation Team]
Authorize Endpoint URL	[provided by the Bit2win Operation Team]
Token Endpoint URL	[provided by the Bit2win Operation Team]
Send access token in header	true
Include Consumer Secret in API Responses	true
Default Scopes	openid offline_access

6. click Save button

Provide the salesforce url to the Bit2win Operation Team in order to link the salesforce org to the Bit2win CPQ applications:


Auth. Providers

Auth. Provider Detail
Edit Delete Clone

Auth. Provider ID	0S07Q000000IBgW		
Provider Type	Open ID Connect		
Name	Keycloak		
URL Suffix	Keycloak		
Consumer Key	client-internal-prod-03		
Consumer Secret	Click to reveal		
Authorize Endpoint URL	https://login.bit2win.cloud/auth/realms/internal-prod-03/protocol/openid-connect/auth		
Token Endpoint URL	https://login.bit2win.cloud/auth/realms/internal-prod-03/protocol/openid-connect/token		
User Info Endpoint URL			
Use Proof Key for Code Exchange (PKCE) Extension	☒ i		
Token Issuer			
Default Scopes	openid email profile offline_access		
Send access token in header	☒ i	Send client credentials in header	☐ i
Include Consumer Secret in SOAP API Responses	☒ i		
Custom Error URL			
Custom Logout URL			
Registration Handler	AutocreatedRegHandler1702504288634		
Execute Registration As	B2W Admin		
Portal			
Icon URL			
Use Salesforce MFA for this SSO Provider	☐ i		

Salesforce Configuration

Test-Only Initialization URL	https://b2w-core-2gp-security-revie-dev-ed.my.salesforce.com/services/auth/test/Keycloak
OAuth-Only Initialization URL	https://b2w-core-2gp-security-revie-dev-ed.my.salesforce.com/services/auth/oauth/Keycloak
Callback URL	https://b2w-core-2gp-security-revie-dev-ed.my.salesforce.com/services/auth/callback/Keycloak
Single Logout URL	https://b2w-core-2gp-security-revie-dev-ed.my.salesforce.com/services/auth/oidc/logout

Edit Delete Clone

Named Credentials and External Credentials


The b2w-2GP core package is integrated with the Bit2win CPQ using the improved Named Credential and External Credentials.

You can find more information about named credentials [here](#)

External Credentials

In the following the steps required to create and configure an External Credentials with the Browser Flow

You can find more information about external credentials [here](#)



SETUP > NAMED CREDENTIALS
B2W External Credential [Edit] [Delete]

Label: B2W External Credential
Name: b2w_external_credential
Authentication Protocol: OAuth 2.0
Authentication Flow Type: Browser Flow
Authentication Provider: Keycloak
Scope: offline_access
Managed Package Access: [Empty]
Created By Namespace: [Empty]

Related Named Credentials

Label	Name	URL
IP03_b2w_services_credential	b2w_service_credentials	https://internal-prod-03.bit2win.cloud/

Principals [New]

Sequence	Parameter Name	Identity Type	Sc...	Authentication Status	Actions
1	Named Principal	Named Principal		Not Configured	[Dropdown]

Create a new External Credential:


1. go to Setup
2. search by Named Credentials
3. go to External Credentials tab:

named credentials

Security

Named Credentials

Didn't find what you're looking for?
Try using Global Search.



SETUP
Named Credentials

Named Credentials External Credentials

1 Items · Sorted by Label

Label
Named Principal

[New]

4. press New button
5. fill the fields as follow:

Field Name	Value
Label	b2w External Credential
Name	b2w_external_credential

Field Name	Value
Authentication Protocol	OAuth 2.0
Authentication Flow Type	Browser Flow
Scope	openid offline_access
Authentication Provider	Keycloak

Named Credential


SETUP > NAMED CREDENTIALS
b2w_services_credential

Label

b2w_services_credential

Name

b2w_services_credential

URL

https://internal-prod-03.bit2win.cloud/

Enabled for Callouts

☒

Authentication

External Credential

[B2W External Credential](#)

Client Certificate

Callout Options

Generate Authorization Header 

☒

Allow Formulas in HTTP Header 

☐

Allow Formulas in HTTP Body 

☐

Outbound Network Connection 

Managed Package Access

Created By Namespace 

Allowed Namespaces for Callouts 

b2w

Create a new Named Credential:


1. go to Setup
2. search by Named Credentials
3. press New button
4. fill the fields as follow:

Field Name	Value
Label	b2w services credential

Field Name	Value
Name	b2w_services_credential
URL	[provided by the Bit2win Operation Team]
Enabled for Callouts	true
External Credential	B2W External Credential
Allowed Namespaces for Callouts	b2w
Generate Authorization Header	true

5. click Save button

Principals



The screenshot shows the Bit2win interface for configuring a named credential. The top section is titled "SETUP > NAMED CREDENTIALS" and "B2W External Credential". It includes fields for Label, Name, Authentication Protocol, Authentication Flow Type, Authentication Provider, and Scope. Below this is a section for "Managed Package Access" and "Created By Namespace".

The "Related Named Credentials" section shows a table with columns for Label, Name, and URL. It lists the "b2w_services_credential" with its name and URL.

The "Principals" section is highlighted with a red box. It contains a table with columns for Sequence, Parameter Name, Identity Type, Scope, Authentication Status, and Actions. The table shows one principal with the following details:

Sequence	Parameter Name	Identity Type	Scope	Authentication Status	Actions
1	Named Principal	Named Principal	offline_access	Configured	

After the named and external credentials have been created, the Principals can be configured:

Create a new Principal:

1. go to Setup
2. search by Named Credentials
3. go to External Credentials tab
4. go to B2W External Credential details
5. in the Principals section press New button
6. fill the fields as follow:

Field Name	Value
Parameter Name	Named Principal
Identity Type	Named Principal
Scope	openid offline_access

7. click Save button:

Principals New					
Sequence ...	Parameter Name	Identity Type	Scope	Authentication Status	Actions
1	Named Principal	Named Principal	offline_access	Not Configured	

After saving the Authentication Status of the principal row is Not Configured and you can configure it using the Authenticate action.

You must enable user external credentials so that users can make authenticated callouts using named credentials.

You can find more information about external credentials [here](#)

Cart configuration

Custom Metadata

In the b2w-2GP core each salesforce object can be used to start a cart session.

In order to define this kind of objects, the custom metadata object called Cart Mappings is provided.

Cart Mappings

This custom metadata object is used in order to define the objects that will be used like opportunity, quote and order header in order to start a cart session with the Bit2win CPQ.

Out of the box the 2GP core includes the basic configuration in order to use:

- the Salesforce Opportunity object
- the bit2win Opportunity object (b2w__Opportunity_Header__c)
- the bit2win Quote object (b2w__Quote_Header__c)

- the bit2win Order object (b2w__Order_Header__c)

Cart Mappings			
View: All Create New View			
Action	Label	Cart Mapping Name	Namespace Prefix
Edit	Opportunity	opportunity	b2w
Edit	Opportunity	sfdc_opportunity	b2w
Edit	Order	order	b2w
Edit	Quote	quote	b2w

Service Point Configuration in Cart Mapping

Cart Mapping Detail

[Edit](#)
[Clone](#)

Label	Opportunity	Parent Opportunity Id	
Cart Mapping Name	opportunity	Parent Quote Id	
Source Object	Opportunity.Header	Connector Status	B2W_Synchronization_Status
B2W External Id	B2W External Id	Connector Request Id	B2W_Synchronization_Request_Id
B2W External Name	B2W External Name	Datamap Name	ExternalOpportunitySFDC_2GP
B2W Flow Id	B2W Flow Id	Init Query	
Account	Account		

Service Point

Enable For Service Point	☒	New Object Fieldset	
Redirect Page Name		Disable Save Account	☐

System Information

Created By	User User, 7/23/2025, 7:42 AM	Last Modified By	User User, 7/24/2025, 2:00 AM
Protected Component	☐	Namespace Prefix	b2w

A new section has been introduced in the Cart Mapping Custom Metadata Type to manage Service Point behavior.

Field Name	Description
Enable For Service Point	Enables Service Point-specific logic during cart session initialization
Redirect Page Name	Page name to redirect the user in Service Point context
New Object Fieldset	Api Name of the fieldset used to define fields shown during object creation in Service Point flow
Disable Save Account	Prevents the automatic saving of the Account object during Service Point flows, needed to manage object where the account field is retrieved to a lookup or configured as read only

Bit2win Administration Console

Bit2win Administration Console

**Cart Administration**

Manage edit privileges for product configuration, based on profiles and cart type.

[Manage Settings](#)

**Cart Mapping**

Retrieve the datamap for every cart mapping in the org

[Manage Settings](#)

Each card in this console allows you to customize and configure your b2w-2GP core.

Cart Administration

You Have Lightning Components Debug Mode Enabled. Salesforce is slower in debug mode. Ask your admin how to disable it, or see [Enable Debug Mode for Lightning Components](#).

Search...

EPE: 1,545 1278,92 KB

Sales Home Bit2win Administration Console Accounts Opportunity Headers Quote Headers Order Headers Opportunities Leads Tasks Files Contacts Campaigns Dashboards Reports More

Bit2win Administration Console

BIT2WIN ADMINISTRATION CONSOLE

Cart Administration [Back to Console](#)

CART CONFIGURATIONS [New Configuration](#)

CART OPTIONS
50 Profiles

CART SETTINGS FOR: CART OPTIONS [Save Settings](#)

EDIT SETTINGS [ASSIGN PROFILES \(50\)](#)

GENERAL

☒ Show product images on all widgets ☐ Show cart description

STATUS BAR

☐ Show new version button ☐ Show revise button ☐ Show asset button

CATALOG

* Items per page: Search And Add Field:

CART CONFIGURATOR

Attributes pagination: show Families per page. Inside each Family, show Attributes per page.

* Items per page:

☐ Show all families and attributes ☒ Open Bonus Product By Default

Discount Name: ☒ Enable Single CartItem

Pricing - Total

☐ Enable editing of **Total Price** Available discount percentages (total):

☒ Allow custom percentage

Pricing - Item

☐ Enable editing of **One Time Fee** ☐ Enable editing of **Recurring Charge**

Available discount percentages (Item): ☒ Allow custom percentage

☐ PricelistItems Lazy Loading

MESSAGES PAGINATION

Distribute messages over: columns. Scroll the message area after lines.

☒ Open Widget By Default

PROMOTION

☒ Open Widget By Default ☐ Rounding Management

CART SUMMARY

☐ Read Only ☐ Disable associate SP after checkout

This card includes the options for the cart components and the profile associations.

Edit Settings

In this tab there is a section per widget or functionality.

General

In this section options cross widget (for instance catalog navigator widget and cart configurator widget) are listed:

GENERAL



Show product images on all widgets



Show cart description

from 25r1 we have another field:

GENERAL



Show product images on all widgets



Show cart description



Enable External System ⓘ

This toggle, called '*Enable External System*', activates the *EDM* external system in the cart.

Status Bar

In this section options related to the Status Bar Widget are listed:

STATUS BAR



Show new version button



Show revise button



Show asset button

Cart Configurator

In this section options related to the Cart Configurator Widget are listed:

Pricing

In this section options related to the pricing are listed:

Pricing - Total

☐ Enable editing of **Total Price**

Available discount percentages (total)

10,20,30

☒ Allow custom percentage

Pricing - Item

☐ Enable editing of **One Time Fee**

☐ Enable editing of **Recurring Charge**

Available discount percentages (item)

10,20,30

☒ Allow custom percentage

☐ Pricelistitems Lazy Loading ⓘ

Messages pagination

In this section options related to the Message Widget are listed:

MESSAGES PAGINATION

Distribute messages over: columns. Scroll the message area after lines.

☒ Open Widget By Default

Promotion

In this section options related to the Promotion Widget are listed:

★ PROMOTION:

☒ Open Widget By Default ☐ Rounding Management

Service Point management (from 25r1):

In this section options related to the Service Point are listed:

SERVICE POINT MANAGEMENT

☒ Enable Go To Cart From Single Service Point

☒ Enable Go To Cart From Service Point Group

☒ Enable Go To Cart From List Of Service Point

☒ Enable Profile Management

- **Enable Go To Cart From Single Service Point**

Allows users to proceed to the cart directly from a single service point .

- **Enable Go To Cart From Service Point Group**
Allows users to proceed to the cart from a group of service points.
- **Enable Go To Cart From List Of Service Points**
Allows users to select multiple service points from the full list and proceed directly to the cart.
- **Enable Profile Management**
Enables integration with EDM for managing service point profiles in the Author section.

Assign Profiles

In this tab the association between the profile and the cart administration can be done. Each profile that requires to use the cart components must have an association to a “cart administration” record.

CART SETTINGS FOR: **CART OPTIONS**

[Save Settings](#)

[EDIT SETTINGS](#) [ASSIGN PROFILES \(5\)](#)

PROFILE
☐ Partner Community User
☐ Partner User
☐ Read Only
☐ Salesforce API Only System Integrations
☐ Service Cloud
☐ Silver Partner User
☐ Solution Manager
☒ Standard Platform User
☒ Standard User
☒ System Administrator
☐ Work.com Only User

show [1](#) [2](#) [3](#)

Cart Mapping

BIT2WIN ADMINISTRATION CONSOLE [Back to Console](#)

Cart Mapping

Datamap Name	Have Datamap	Last Modified Date	Status
☐ ExternalOpportunitySfdc_2GP	✓	29 Feb 2024	--
☐ ExternalOrderSfdc_2GP	✓	29 Feb 2024	--
☐ ExternalQuoteSfdc_2GP	✓	29 Feb 2024	--
☐ ExternalOpportunitySfdc	✓	14 Dec 2023	--

[check](#) [check and update](#)

The bit2win CPQ datamaps are used to define which objects and fields must be read from Salesforce objects (configured into the custom meta data Cart Mappings) and send to the bit2win CPQ.

In order to improve the runtime performances, these datamap informations are retrieved from bit2win CPQ and stored into salesforce using the Cart Mapping card of the bit2win Administration Console.

So, if you need to add a field or an object to the b2w-2GP core integration with the bit2win CPQ, you must:

1. Go into the bit2win CPQ add the field to the required datamap
2. publish the datamap
3. Go into Salesforce navigating to the *bit2win Administration Console* -> *Cart Mappings*.
4. press the check and update button in order to synchronize the salesforce data with the bit2win CPQ ones

Lightning Web Component

The Lightning Web Components can be divided the following types:

- Account components
- Cart components

Account components

The following components can be placed below an Account (or any object is working like it) or require an Account id (or any object is working like it) like recordId.

- *Service Point List*
- *Asset Summary Widget*
- *Contract List*

Service Point List

API Name: *servicePointList*

This widget is used principally in B2B, in B2C and in any scenarios requiring the service point management.

From this widget it is possible manage all the Service points associated to the Account (or any object is working like it):

Service Points (19)

☐ 1 group

☐ Odd SP in Milan

☐ 19 Result in Standard

☐ Select All

NAME	TYPE	CITY	COUNTRY	SP GROUP	
☐ SP 01	Standard	Milan	Italy	Odd SP in Milan	☐ ☐
☐ SP 02	Standard	Milan	Italy	Odd SP in Milan	☐ ☐
☐ SP 05	Standard	Milan	Italy	Odd SP in Milan	☐ ☐
☐ SP 07	Standard	Milan	Italy	Odd SP in Milan	☐ ☐
☐ SP 09	Standard	Milan	Italy	Odd SP in Milan	☐ ☐


show per page

You can:

- view, create, edit and delete all the Service Points related to the current account
- view, create, edit and delete groups of Service Points related to the current account

Service point Management (from 25r1)

Widget UI Overview




The widget UI for Service Points (17) includes a top navigation bar with a 'Settings' button. Below the header, there are filters for 'Select Type' (a dropdown menu) and 'Search in:' (a dropdown menu), followed by an 'Apply' button and a 'Show Groups' toggle switch. At the bottom, there are buttons for 'Create Offer', 'Create Group', 'Add To GROUP 1', '+ Add New SP', 'Download Template', and 'Upload'.

The widget includes the following buttons and elements:

1- Settings (top-right):

Opens configuration options for the widget.

By clicking this button opens a configuration modal where the user can manage the visibility and behavior of the fields retrieved from the DataMap.



The 'Service Points - Settings' modal displays a list of fields from the ServicePoint DataMap. The left section (blue background) shows a search bar and a list of fields: ACTIVE, CODE, ADDRLINE1, VALIDATEDERROR, TYPE, VALIDATED, CRM_ACCOUNTCODE, GEOLAT, GEOLOG, ADDRLINE3, ZIPCODE, COUNTRYCODE, GEO, STATUS, SELECTED, and ADDRLINE2. The right section, titled 'Added Fields', lists the selected fields with their labels and properties. Each field has a green checkmark, a label, a text input field, and icons for mandatory (*), search (magnifying glass), and visibility (eye). The fields listed are: Name, account Code, GROUP, Service Point city, Service Point Country, and State Code. At the bottom right, there are 'Cancel' and 'Save settings' buttons.

Inside the modal:

All fields defined in the ServicePoint DataMap are listed.

Left Section (Blue Background):

Displays all available fields from the ServicePoint DataMap that are currently not visible in either the creation modal or the main list/table view. These are inactive fields that can be dragged or selected to be included in the right section.

Right Section:

Displays all the fields that are currently visible to the user. This includes: fields shown in the Service Point creation form, fields shown as columns in the table/list view and for each field, the following properties can be configured:

- Required:  The field must be filled during Service Point creation.
- Visible in table:  The field will appear as a column in the main list/table view.
- Searchable:  The field will be available in the search/filter section of the widget (i.e., under "Search in").

2- Download Template (button):

Allows downloading a csv template (for bulk upload).

3- Upload (button):

Enables uploading a file (matching the template) to bulk-create/import/edit Service Points.

4- go to offer:

After the user has created the Service Point and, if needed, the Group, they can proceed by clicking the "Go to Offer" button.

Note: The "Go to Offer" button will remain disabled until the user selects at least one record to add to the cart.

The logic for enabling the "Go to Offer" button is managed in the [service point section](#).

If the **Profile Management** option is selected, there will be an additional step before proceeding with the order creation.

In this case, the component will wait for each selected Service Point to be validated through the external service validation process. Only once all selected service points are successfully validated can the order creation proceed.

The final step before redirecting to the cart is the creation of the starting object.

At this stage, the page allows the user to choose which object will be created and used as the entry point for the cart session.

- The list of available objects will display every Source Object defined in the [cart mapping](#) where the flag "**Enable For Service Point**" is set to true.
- Once an object is selected (e.g., Quote), the component will look for a corresponding fieldset defined as a "New Object Fieldset".
- This fieldset will be rendered, allowing the user to input all necessary values.

After the required information is provided:

1. The page attempts to insert (create) the selected object.
2. Upon successful creation, the user is redirected to the newly created object to continue the cart session.

If you need to use the Service Point component starting from an object other than Account, you must create a custom wrapper component that imports the base service-point-list component. This setup allows for flexibility while preserving core functionality.

Required Parameters for the Custom Component:

1. record-id (Required)
 - The ID of the Account.
 - This field is mandatory and should be retrieved from the starting object.
2. use-record-id-as-is (Required)
 - Set to true to bypass certain internal validations.
 - This is essential when launching the component outside of the standard Account context.
3. additional-data (Optional)
 - Used to provide default values during the object creation step.
 - The data must follow this structure:

JSON

```
{ "defaultValues": [ { "objectField": "fieldApiName", "objectValue": "value of the field" } ] }
```


These fields must be included in the **fieldset** defined in the cart mapping configuration in order to be processed correctly.

Asset Summary Widget

API Name: *assetSummaryWidget*

This widget is used principally in B2B, in B2C and in any scenarios requiring Asset management.

From this widget it is possible view all the Assets associated to the Account (or any object is working like it):



		STATUS	QUANTITY	ACTIONS
☐	> INTERNET OFFER ✓ OR-0004277	Active	1	
☐	> INTERNET OFFER ✓ OR-000471	In Progress	1	
☐	> INTERNET OFFER ✓ OR-000473	In Progress	1	
☐	> INTERNET OFFER ✓ OR-000469	Active	5	
☐	> INTERNET OFFER ✓ OR-000468	Active	1	

For each asset you can:

- view the asset details
- view the asset history
- start a post-sales process

Asset details

By clicking in the left accordion of each asset row you can see the whole structure of the assets (hierarchy and attributes):

Assets HIDE

☐ Modify Assets ☐ Disconnect

		STATUS	QUANTITY	ACTIONS
☐ > INTERNET OFFER ✓ OR-0004277		Active	1	
☐ > INTERNET OFFER ✓ OR-000471		In Progress	1	
☐ > INTERNET OFFER ✓ OR-000473		In Progress	1	
☐ > ✓ INTERNET OFFER ✓ OR-000469	CONFIGURATION: FIBER SPEED: 500 MB ADSL SPEED: ...	Active	5	SHOW 3 ATTRIBUTES
ADD ONS > NETFLIX ✓ Active 1 ACCESS > ACCESS FIBRA ✓ Active 1				
☐ > INTERNET OFFER ✓ OR-000468		Active	1	

Asset history

By clicking the recent icon of each asset row you can see the complete asset history: which orders have created, changed or disconnected the asset:

Assets HIDE

☐ Modify Assets ☐ Disconnect

		STATUS	QUANTITY	ACTIONS
☐ > INTERNET OFFER ✓ OR-0004277		Active	1	
☐ > INTERNET OFFER ✓ OR-000471		In Progress	1	
☐ > INTERNET OFFER ✓ OR-000473		In Progress	1	
☐ > INTERNET OFFER ✓ OR-000469		Active	5	
☐ > INTERNET OFFER ✓ OR-000468		Active	1	

EDIT HISTORY: INTERNET OFFER

PROCESS	DATE	ORDER	PHASE	STATUS
ACTIVATION	12 FEB 2024	OR-0000468	SENT	DONE

By clicking on the accordion of each order, you can see details of the asset at that moment:

Assets

HIDE

Modify Assets

Disconnect

	STATUS	QUANTITY	ACTIONS
INTERNET OFFER ✓ OR-0004277	Active	1	
INTERNET OFFER ✓ OR-000471	In Progress	1	
INTERNET OFFER ✓ OR-000473	In Progress	1	
INTERNET OFFER ✓ OR-000459	Active	5	
INTERNET OFFER ✓ OR-000458	Active	1	

EDIT HISTORY: INTERNET OFFER

PROCESS	DATE	ORDER	PHASE	STATUS
ACTIVATION	12 FEB 2024	OR-000468 DISCONNECTED	SENT	DONE

	PRICE PER UNIT	TOTAL
INTERNET OFFER ✓	0.00 EUR +	28.00 EUR/MONTHLY
		34.99 EUR +
		28.00 EUR/MONTHLY

CONFIGURATION

FIBER SPEED

MAX. RATE

ACTUAL SPEED

TYPE...

SHOW 3 ATTRIBUTES

ACCESS FIBRA ✓	34.99 EUR +	0.00 EUR/MONTHLY
		34.99 EUR +
		0.00 EUR/MONTHLY

Post-sales processes

A post-sales process can start from one or more "complatible" assets:

Single asset:

Assets HIDE


☐ [Modify Assets](#) [Disconnect](#)

	STATUS	QUANTITY	ACTIONS
☐ INTERNET OFFER ✓ OR-0004493	Active	1	Edit Disconnect
☐ INTERNET OFFER ✓ OR-0004488	Active	1	Edit Disconnect
☐ INTERNET OFFER ✓ OR-0004476	Active	1	Edit Disconnect
☐ INTERNET OFFER ✓ OR-0004277	Active	1	Edit Disconnect
☐ INTERNET OFFER ✓ OR-000471	In Progress	1	Edit Disconnect

1 2

Multiple assets:

car



Related Details Service Points **Asset** Retail Cart

Assets Change Order Disconnect HIDE

☐ Modify Assets Disconnect

		STATUS	QUANTITY	ACTIONS
☒	> INTERNET OFFER ✓ OR-0004493	Active	1	Modify Assets Disconnect
☒	> INTERNET OFFER ✓ OR-0004488	Active	1	Modify Assets Disconnect
☒	> INTERNET OFFER ✓ OR-0004476	Active	1	Modify Assets Disconnect
☐	> INTERNET OFFER ✓ OR-0004277	Active	1	Modify Assets Disconnect
☐	> INTERNET OFFER ✓ OR-0000471	In Progress	1	Modify Assets Disconnect

1 - select compatible assets

1 2

Cart components

LWC Configuration Engine

API Name: *lwcConfigurationEngine*

This is the hidden engine component. It receives requests from other components, calls the web services, and returns their responses back to those components.

In the page layout, it must be placed in a section that is always available (e.g., outside of any tab components).

API Parameters

The component exposes the following API parameter:

API Name	Description
recordId	The ID of the record used to start the cart session. A corresponding record must exist in the Cart Mapping Custom Metadata Types for the specified object.

API Name	Description
engineParameters	A list of parameters in query string format. Each parameter will become a sessionParameter in the cart session. There are no system parameters. Example: None <code>param1=value1&param2=value2&param3=value3</code>
lightCart	Enables or disables the retail experience. Default: <i>false</i>
languageIsoCode	The ISO code of the language. Example: Italian → it, English → en_US If not provided, the value returned by <i>UserInfo.getLanguage()</i> will be used.
disableFlow	Enables or disables the multi-cloud business process. Default: <i>true</i>
enableMessageService	Enables or disables propagation of certain events (e.g., <i>initCart</i>, <i>checkout</i>, etc.) through the <i>Lightning Message Channel</i> b2w_Cart_Channel. Default: <i>false</i>
disableRedirect	Internal use only
disableIwcredirect	Internal use only
enableAuraEvents	Internal use only
priceListName	Internal use only

API Name	Description
quoteCustomFieldsForChange	Internal use only

Configuration

You can configure this component using the Lightning App Builder and Experience Builder:

Engine parameters ⓘ

☐ Retail Cart

☐ Disable redirect

Price list name ⓘ

Language ISO code ⓘ

☐ Disable lwc redirect

☐ Disable flow

☐ Enable message service publishing

☐ Enable aura events wrapper

Custom fields to update after changeOrder ⓘ

Currently Supported Parameters

At this time, the only supported and functional parameters are:

- **Retail Cart** – Enables the retail cart experience.
- **Disable Flow** – Disables the standard Bit2win flow.

All other parameters have been added for future use.

Listening to Cart Events from a Custom LWC Component

It is possible to listen to cart-related events from a custom Lightning Web Component (LWC) using the Lightning Message Service and the **b2w__Cart_Channel__c** message channel provided by the bit2win package.

To enable this functionality:

1. Set the `enableMessageService` API parameter to `true` in the `lwcConfigurationEngine` component.
2. In your custom component, import the Lightning Message Service modules and the `b2w__Cart_Channel__c` message channel.

```
JavaScript
import { subscribe, unsubscribe, APPLICATION_SCOPE, MessageContext } from
'lightning/messageService';
import PROCESS_RESPONSE from
'@salesforce/messageChannel/b2w__Cart_Channel__c';
```

Example: Subscribing to Cart_Channel in a Custom LWC

The following JavaScript snippet demonstrates how a custom LWC can subscribe to the **b2w__Cart_Channel__c** message channel, handle incoming events, and clean up the subscription when disconnected.

```
JavaScript
export default class ExampleMessageChannel extends
NavigationMixin(LightningElement) {
    @wire(MessageContext) messageContext;
    @track configurationId;
```

```
@track headerId;
@track eventName;

subscription = null;

connectedCallback() {
    if (!this.subscription) {
        this.subscription = subscribe(this.messageContext,
PROCESS_RESPONSE, (message) => this.handleMessage(message), { scope:
APPLICATION_SCOPE });
    }
}

disconnectedCallback() {
    unsubscribe(this.subscription);
    this.subscription = null;
}

// Handler for message received by component
handleMessage(message) {
    if(message){
        console.log('Received message: ',
JSON.parse(JSON.stringify(message)));
    }
}
}
```

Supported Events

The message payload typically includes:

- **eventName**: the name of the cart event (e.g., initCart, checkout, etc.)
- **eventData**: additional data related to the event (e.g., configurationId, quoteId, etc.)


You can use these values to trigger specific behaviors in your custom component based on cart events.

Catalog Navigator Widget

API Name: *catalogNavigatorWidget*

It is the Catalog Navigator component: it shows what could be added to the cart.

It is used principally in the B2B2X cart experience



It consists of:

- Catalog selector: it shows all the available catalogs
- Category selector: it shows all the available categories for the selected catalogs
- Products list: it shows all the available products for the selected category.

Product can be:

- Simple: a stand-alone product with, possibly, attributes
- Complex: a hierarchical product (it can have one or more child products) with, possibly, attributes


The aspect of the widget can be configured through the [General](#) section of the [Cart Administration](#)

Cart Configurator Widget

API Name: `cartConfiguratorWidget`

It is the Cart Configurator component: it shows what has been added to the cart.

It is used principally in the B2B2X cart experience



Opportunity Line Items		TOTAL ONE-TIME EUR 1238,80		TOTAL RECURRING EUR 34,90 MONTHLY		Reset
NAME	QUANTITY	PRICE PER UNIT	TOTAL	STATUS	ACTIONS	
95o1gfkmm-step-3 > IPHONE 12 PRO	1	1159,00 EUR	1159,00 EUR	COMPLETED	[Remove]	
Current Configuration ▶						
hwdg7fb67-step-4 > WIFI MODEM	1	39,90 EUR	39,90 EUR	COMPLETED	[Remove]	
aweicr8fa-step-5 > MOBILE UNLIMITED EDITION	1	0,00 EUR + 34,90 EUR/Monthly	0,00 EUR + 34,90 EUR/Monthly	CONFIGURE	[Remove]	
Current Configuration ▶						
9353xzfiv-step-6 > WIFI MODEM	1	39,90 EUR	39,90 EUR	CONFIGURE	[Remove]	

It consists of:

- added products list
- configuration details

The aspect of the widget can be configured through the General and the Cart Configurator section of the Cart Administration

The aspect of the widget can be configured through the [General](#) and the [Cart Configurator](#) section of the [Cart Administration](#)

Product List:

When a product is added by the Catalog Navigator Widget it becomes a cart item and it is available in the Cart Configurator Widget.

It is possible to identify a simple or a complex product by the Current Configuration section:

- simple products do not have it (e.g.: WIFI MODEM)
- complex ones have it (e.g.: IPHONE 12 PRO)

qabco067us-step-7 > WIFI MODEM	1	39,90 EUR	39,90 EUR	CONFIGURE	
2omknqszq-step-8 > IPHONE 12 PRO	1	1159,00 EUR	1159,00 EUR	CONFIGURE	
Current Configuration ▶					

Products (simple or complex) may need to be configured: the status is Configure and the label is orange:

qabco067us-step-7 > WIFI MODEM	1	39,90 EUR	39,90 EUR	CONFIGURE	
2omknqszq-step-8 > IPHONE 12 PRO	1	1159,00 EUR	1159,00 EUR	CONFIGURE	
Current Configuration ▶					

When the products do not require any configuration or have already been configured: the status is Completed and the label is green

95o1gfkmmh-step-3 > IPHONE 12 PRO	1	1159,00 EUR	1159,00 EUR	COMPLETED	
Current Configuration ▶					
hwdg7fx67-step-4 > WIFI MODEM	1	39,90 EUR	39,90 EUR	COMPLETED	

Configure a Simple Product

1. Click on the Configure button

qabco067us-step-7 > WIFI MODEM	1	39,90 EUR	39,90 EUR	CONFIGURE	
--	---	-----------	------------------	-----------	--

2. The message section shows the attributes required:
in the example: MODEL and PROVIDER are attributes of the MODEM CONFIGURATION family

qabco067us-step-7 1 39,90 EUR 39,90 EUR CONFIGURE

WIFI MODEM

Please complete the following minimum required configuration

- Attribute 'MODEL' in family 'MODEM CONFIGURATION' is required
- Attribute 'PROVIDER' in family 'MODEM CONFIGURATION' is required
- Configuration not valid from the product 'WIFI MODEM'

MODEM CONFIGURATION

* MODEL * PROVIDER

Is required for family Is required for family

Select an Option

3. fill in all the required attributes: the status becomes Completed

qabco067us-step-7 1 39,90 EUR 39,90 EUR COMPLETED

WIFI MODEM

MODEM CONFIGURATION

* MODEL * PROVIDER

Wireless CISCO

4. Clicking on Save button the simple product configuration is saved and the product is closed

qabco067us-step-7 1 39,90 EUR 39,90 EUR COMPLETED

WIFI MODEM

Configure a Complex Product

1. Click on the Configure button

2omkngszq-step-8 1 1159,00 EUR 1159,00 EUR CONFIGURE

IPHONE 12 PRO

Current Configuration

2. The message section shows:

- if any, the attributes required

- if any, the child products required

In the example there are no any child product required and the IPHONE COLOR is the only required attribute of the family IPHONE CONFIGURATION

IPHONE 12 PRO

5G goes Pro. A14 Bionic rockets past every other smartphone chip. The Pro camera system takes low-light photography to the next level — with an even bigger

[Read More](#)

Please complete the following minimum required configuration

- ⚠ Attribute 'IPHONE COLOR' in family 'IPHONE CONFIGURATION' is required
- ⚠ Configuration not valid from the product 'IPHONE 12 PRO'

IPHONE CONFIGURATION

OPTIONAL ACCESSORIES

OPTIONAL - SELECT UP TO 99

NAME	QUANTITY	PRICE PER UNIT	TOTAL	STATUS	ACTIONS
+ > AIRPODS	1 ↑	199,00 EUR	199,00 EUR		
+ > AIRTAG	1 ↑	29,00 EUR	29,00 EUR		
+ > MAGSAFE CHARGE	1 ↑	39,00 EUR	39,00 EUR		

ACCESSORIES

Current Configuration

		PRICE PER UNIT	TOTAL
■ IPHONE 12 PRO ✓	1	1159,00 EUR +	0,00 EUR/Monthly
			1159,00 EUR +
			0,00 EUR/Monthly

IPHONE CONFIGURATION COLOR: CA...

[SHOW 2 ATTRIBUTES](#)

- fill in all the required attributes

2omknqszq-step-8

1

1159,00 EUR

1159,00 EUR

COMPLETED

IPHONE 12 PRO

5G goes Pro. A14 Bionic rockets past every other smartphone chip. The Pro camera system takes low-light photography to the next level — with an even bigger

Read More

IPHONE CONFIGURATION

COLOR

PACIFIC BLUE

CAPACITY

128 GB

OPTIONAL ACCESSORIES

OPTIONAL - SELECT UP TO 99

NAME	QUANTITY	PRICE: PER UNIT	TOTAL	STATUS	ACTIONS
+ > AIRPODS	1	199,00 EUR	199,00 EUR		
+ > AIRTAG	1	29,00 EUR	29,00 EUR		
+ > MAGSAFE CHARGE	1	39,00 EUR	39,00 EUR		

ACCESSORIES

Current Configuration

		PRICE: PER UNIT	TOTAL		
• IPHONE 12 PRO	1	1159,00 EUR +	0,00 EUR/Monthly	1159,00 EUR +	0,00 EUR/Monthly

IPHONE CONFIGURATION

COLOR: PACIFIC BLUE...

SHOW 2 ATTRIBUTES

4. fill in all the required child products:

In the example there are no any required products: The ACCESSORIES category is optional:

- Clicking on the ADD icon of the AIRPODS item

OPTIONAL ACCESSORIES

OPTIONAL - SELECT UP TO 99

NAME	QUANTITY	PRICE: PER UNIT	TOTAL	STATUS	ACTIONS
+ > AIRPODS	1	199,00 EUR	199,00 EUR		
+ > AIRTAG	1	29,00 EUR	29,00 EUR		
+ > MAGSAFE CHARGE	1	39,00 EUR	39,00 EUR		

ACCESSORIES

- the product is added to the cart, it is available in the Current Configuration:

DRAFT Opportunity Line Items						TOTAL ONE-TIME EUR 2397,80	TOTAL RECURRING EUR 0,00 MONTHLY	Reset
NAME	QUANTITY	PRICE: PER UNIT	TOTAL	STATUS	ACTIONS			
95o1gfkmmh-step-3 > IPHONE 12 PRO	1 ↑	1159,00 EUR	1159,00 EUR	✓ COMPLETED				
Current Configuration ▶								
hwdg7fx67-step-4 > WIFI MODEM	1 ↕	39,90 EUR	39,90 EUR	✓ COMPLETED				
qabcx067us-step-7 > WIFI MODEM	1 ↕	39,90 EUR	39,90 EUR	✎ CONFIGURE				
58dxhnbxq7-step-14 > IPHONE 12 PRO	1 ↑	1159,00 EUR	1159,00 EUR	✎ CONFIGURE				
Current Configuration ▶								

When all the products have been configured, the checkout button appears:

DRAFT Opportunity Line Items						TOTAL ONE-TIME EUR 2596,80	TOTAL RECURRING EUR 0,00 MONTHLY	Reset	CHECKOUT
NAME	QUANTITY	PRICE: PER UNIT	TOTAL	STATUS	ACTIONS				
95o1gfkmmh-step-3 > IPHONE 12 PRO	1 ↑	1159,00 EUR	1159,00 EUR	✓ COMPLETED					
Current Configuration ▶									
hwdg7fx67-step-4 > WIFI MODEM	1 ↕	39,90 EUR	39,90 EUR	✓ COMPLETED					
qabcx067us-step-7 > WIFI MODEM	1 ↕	39,90 EUR	39,90 EUR	✓ COMPLETED					
58dxhnbxq7-step-14 > IPHONE 12 PRO	1 ↑	1159,00 EUR	1358,00 EUR	✓ COMPLETED					
Current Configuration ▶									

Pressing the checkout button the configuration status becomes Completed:

COMPLETED

Opportunity Line Items

TOTAL ONE-TIME

EUR 2596,80

TOTAL RECURRING

EUR 0,00

MONTHLY

NAME	QUANTITY	PRICE PER UNIT	TOTAL	ACTIONS
> IPHONE 12 PRO ☰ Current Configuration ▶	1	1159,00 EUR	1159,00 EUR	🗑️
> WIFI MODEM ☰ Current Configuration ▶	1	39,90 EUR	39,90 EUR	✏️ 🗑️
> WIFI MODEM ☰ Current Configuration ▶	1	39,90 EUR	39,90 EUR	✏️ 🗑️
> IPHONE 12 PRO ☰ Current Configuration ▶	1	1159,00 EUR	1358,00 EUR	🗑️

Messages Widget

API Name: *suggestedProductsWidget*

It is the messages widget.

Messages (2)
 HIDE

!!Buy Airtag with IPHONE 12 PRO!!

WARNING - Configuration not valid from the product 'IPHONE 12 PRO'

In b2w-2GP core 2 kind of messages are managed:

- warning: it is an informative message
- upselling: in addition to the information message there is an icon through which it is possible to add a product to the cart

The aspect of the widget can be configured through the [Message pagination](#) section of the [Cart Administration](#)

Service Point Widget

API Name: *servicePointsWidget*

It is the service point widget and It is used principally in the B2B2X cart experience.
It shows the service points and service point groups related to the account.
By this widget a service point or group can be added to cart items adding the item to the cart

 **Service Points**

HIDE 

View products eligible for:

Select All 

☐  Odd SP in Milan 5 

Select All 

☒  SP 01 

☒  SP 02 

☐  SP 03 

☐  SP 04 

 1 2 3 4 5 

Business Scenarios

Retail Cart Experience

The following components are the mandatory ones for the retail cart experience:

- LWC Configuration Engine
- Retail Cart Widget

In order to work in the retail experience, the LWC Configuration Engine must be configured setting the parameters as follow:

```
JavaScript  
retailCart = true
```

B2B2X Cart Experience

The following components are the mandatory ones for the B2B2X cart experience:

- LWC Configuration Engine
- Catalog Navigation Widget
- Cart Configurator Widget

Optional components:

- Compare Products Widget
- Status Bar Widget
- Messages Widget
- Promotion Widget

B2B Utility Scenario

This scenario covers the configuration and quoting process for B2B utility products and services, including electricity, gas, and value-added services (VAS). It supports a modular

product structure with customizable technical and commercial attributes, enabling tailored offers based on customer needs.

The CPQ system guides the user through product selection, configuration of consumption parameters, and pricing options. It ensures compliance with contractual rules and commercial policies specific to the utility B2B domain, such as billing type, invoice preferences, and calculation models.

Optionally, when configured, the system integrates with an external EDM (Energy Data Management) platform to retrieve forecasting data and perform real-time price calculations based on dynamic consumption profiles, tariffs, and market data. This allows for accurate and customer-specific pricing, especially in complex or high-volume contracts.

The scenario is designed to support sales teams, account managers, and partner channels in quickly generating accurate, compliant, and personalized quotes, while maintaining flexibility in integrating external pricing intelligence when needed.

Configuration via Administration Console

All parameters related to EDM integration — both at authoring and runtime — are managed and configured through the Administration Console.


👉 See documentation section for [Administration Console setup](#)

EDM Integration – Author Side (Service Point Widget)

As part of the EDM integration, a new capability is now available in the Service Point widget on the authoring side.

1. "Create Offer"

When the EDM service is enabled, clicking the Create Offer button



Service Points (3) Settings

Select Type: Select an Option Search in: Select a field Apply Show Groups

Create Offer Create Group Add To group 1 + Add New SP Download Template Upload


☒ > group 1 1

show 5 per page

> 2 Result in **standard**

> 1 Result in **gas**

opens a modal



Profile Assignment Cancel Confirm & Create Offer

Selected Service points: 1

NAME	CODE	ACCOUNT CODE	SERVICE POINT CITY	SERVICE POINT COUNTRY	STATE CODE	STATE	STATUS	ACTIONS
withforecas	PODA	001MB00000KpTJOYAN	Hillerød	Denmark	DK		a	Link

show 10 per page

allows users to associate one or more forecasting profiles to service points.

- Users can select a single service point, a group, or a list of service points, depending on how the offer/cart configuration is intended to proceed.
- For each selected service point, a call is made to EDM to retrieve available forecasting profiles.

2. Profile association via EDM

Once a profile has been successfully associated with a service point, the "Profile Status" indicator turns green.

Profile Assignment

Selected Service points: 1

[Cancel](#)
[Confirm & Create Offer](#)

SERVICE POINT CITY	SERVICE POINT COUNTRY	STATE CODE	STATE	STATUS	COUNTRYCODE	PROVINCE	PROFILE STATUS	ACTIONS
Hillerød	Denmark	DK		a	a		✓	✎

show
per page

This visual feedback confirms that the service point is ready for pricing and offer generation based on EDM data.

3. "Confirm & Create Offer" button

The **"Confirm & Create Offer"** button becomes enabled only when all selected service points have a valid profile associated via EDM.


Record Creation Modal – After "Confirm & Create Offer"

After selecting profiles and confirming service point readiness (via the **Confirm & Create Offer** button), the system opens a record creation modal to proceed with generating one of the following:

- an Opportunity
- a Quote
- an Order

Modal Behavior

- If **multiple record types** (Opportunity, Quote, Order) are enabled in the configuration, the user is prompted to choose which object to create.



- If only **one object type** is configured (e.g., only Quote), the corresponding creation modal opens directly.

Success Quote

 Selected group 1

* = Required Information

* Opportunity ID	* Account ID  Carlo Alberto
Expiration Date 	* Quote Name

Close

Save


This modal is **fully configurable** through **fieldsets** on the target object.

Admins can define which fields appear (and their order) by editing the fieldset on the corresponding object (e.g., *Quote*, *Opportunity*, or *Order*).


Once the quote (or opportunity or order, depending on the configuration) is created, the user is redirected to the cart.

If **EDM is enabled**, the experience differs from the standard cart flow:

- The Service Point is preselected in the cart based on the group chosen during offer creation.



- When a product is added to the cart, the system automatically calls EDM services to fetch the corresponding consumption profile for the selected Service Point.



- **Dollar icon:** manually triggers the EDM service to recalculate pricing based on the associated consumption profile.
- **Graph icon:** opens a modal named "Define Group Volumes" , which displays the monthly and yearly breakdown of consumption.

Extended Payment Gas

TOTAL Volume Consumption
1403550

TOTAL Weighted Average
EUR **0**

Reset

Calculate Curve Price

X

SP Group
group 1

Start Date
2025-07-01

End Date
2027-07-31

N of SP
1

Define Group Volumes

Year on Focus
2027

2027 Volume Consumption: 392994 kWh

January 2027
56142,369

February 2027
56142,369

March 2027
56142,369

April 2027
56142,369

May 2027
56142,369

June 2027
56142,369

July 2027
56142,369

August 2027

September 2027

October 2027

November 2027

December 2027

Inside the “*Define Group Volumes*” modal:

- The user can view and modify monthly volumes for the selected year.
- The system displays the annual consumption total based on the inputs.
- Clicking “**Calculate Curve Price**” recalculates the pricing dynamically according to the updated consumption values.
- Pressing “**Reset**” reverts to the original volume data.

This feature allows for detailed consumption management during quote configuration, enabling more accurate pricing based on real-time data from EDM.

Bit2win_Quote_Extension

Package Overview

The **Bit2win_Quote_Extension** is a Salesforce managed extension package provided by Bit2win. It is designed to extend the core **Bit2win_DigitalCommerce** package by enhancing quote-related functionality within Salesforce.

This package provides customizations that facilitate integration between Salesforce and Bit2win platform by enriching the Quote and Quote Line Item objects with additional fields, permissions, components, and metadata.

Quote and Quote Line Item Extensions

The package adds custom fields to the standard Salesforce *Quote* (or related objects) to support integration with Bit2win services.

Example Fields on Quote:

- **b2w__External_Id__c** Used to link the Salesforce Quote with the corresponding Bit2win quote.
- **b2w__Start_Date__c**
Indicates the start date of the quote or commercial offering.
- **b2w__End_Date__c**
Indicates the end date of the quote or commercial offering.

These fields enable synchronization and accurate data exchange between systems during the quote-to-order lifecycle.

Permission Set

The package includes a predefined **Permission Set** that grants access to the newly introduced fields and objects. This allows administrators to easily assign the correct access rights to users interacting with Bit2win quote data.

Sample Cart Page

To demonstrate usage and provide a reference implementation, the package includes a **sample page** that contains components related to the cart experience. This page is useful for developers and consultants as a starting point for building custom UIs integrated with Bit2win cart logic.

Custom Metadata Type: Cart Mappings

The package introduces a **Custom Metadata Type** record in the **Cart Mappings**.

This is used to configure how Salesforce Quote data is utilized and interpreted in the Bit2win cart context. It helps define the datamap to be used or the information that connect Salesforce quote structures to Bit2win's internal data models.