

Setting Up a Complete Example: Opportunity to Cart Flow

To enable the cart experience starting from an **Opportunity**, you must create a custom **Lightning Web Component (LWC)** and add it to the **Opportunity record page**.

This component will import the component `servicePointList` and act as a bridge between the **Opportunity** and the Bit2win cart engine by collecting the necessary data and passing it to the Bit2win-managed components.

Required Parameters for `servicePointList`

The following parameters must be passed to the `servicePointList` Bit2win-managed component:

- **`recordId`**
The code or ID of the related Account, retrieved from the Opportunity's `Account` field.
- **`useRecordIdAsIs`**
Must be set to `true`. This instructs the component to use the provided `recordId` directly without any internal lookup or transformation.
- **`additionalData`**

This parameter is used to pass **default values** to the form that creates the target object (e.g., a **Quote**). It allows you to prepopulate fields on the new object based on data from the originating record (such as the

Opportunity).The structure and usage of `additionalData` are explained in the next section.

Passing Default Values

You also need to pass an object containing a list of default field values to be used when creating the new **Quote**.

This object must follow the structure below and is passed to the `servicePointList` component via the `additionalData` property.

Object Structure

```
{
  "defaultValues": [
    {
      "objectField": "fieldApiName",
      "objectValue": "value of the field"
    }
  ]
}
```

Each entry in the `defaultValues` array maps a target field (by API name) to the value it should be pre-filled with.

Example: Passing the Opportunity ID

Here is an example of how you might define the `additionalData` getter in your custom LWC to pass the current Opportunity ID:

```
get additionalData() {  
    return {  
        defaultValues: [  
            {  
                objectField: "OpportunityId",  
                objectValue: "006MB00000IECQLYA5" // Replace with dynamic Opportunity  
ID  
                }  
            ]  
        };  
    }  
}
```

`objectField` must match the API name of a field on the Quote object, as configured in the Cart Mapping.

`objectValue` is the value to be populated, typically pulled dynamically from the current Opportunity context.

Any field included in `defaultValues` must also be:

- Present in the **New Object Fieldset** on the Quote object.
- Mapped in the **Cart Mapping custom metadata**.

This setup ensures the cart process can correctly pre-fill and create the **Quote** object with the necessary contextual data from the originating **Opportunity**.

Example: Importing and Using the **servicePointList** Component

Below is an example of how to include the **servicePointList** component in your custom LWC:

```
<c-service-point-list  
  class="slds-grid slds-size_7-of-7"  
  record-id={accountId}  
  use-record-id-as-is  
  additional-data={additionalData}  
></c-service-point-list>
```

Replace **accountId** and **additionalData** with the appropriate properties from your component's controller logic.

Behavior

With this configuration:

- The component will retrieve all existing **Service Points** already associated with the given context (e.g., Account or Opportunity).
- It will also allow the user to add new Service Points as part of the cart configuration flow.

Cart Session Flow After Selecting the Service Point

Once a **Service Point** is selected for the cart session, the user must:

1. **Create and Select a Group**

A group must be created and selected in order to enable the **"Create Offer"** button.

If the button remains disabled, this may indicate a misconfiguration in the **Cart Administration settings** for the user profile.

2. **Review Service Point Status**

Upon selecting the group, a modal window will appear displaying the status of each selected Service Point.

All selected Service Points must be **completed**. Once this is done, the **"Confirm and Create Offer"** button will become enabled.

3. **Create the Offer**

Clicking **"Confirm and Create Offer"** advances to the next step. Based on the object configured in **Cart Mapping Custom Metadata**, the system will:

- Display a list of available Salesforce objects (e.g., Quote, Order).
- If only one object is active, this selection step is skipped.

4. **Pre-Fill and Create the Object**

The UI will display all fields defined in the **New Object Fieldset**, with values pre-filled from **defaultValues** where applicable.

Once all **mandatory fields** are populated, the new object (e.g., Quote) is created.

5. **Redirect and Cart Navigation**

After creation, the page is redirected to the newly created object (typically a **Quote**), where all cart-related components are loaded.

The user can now:

- Browse and add products to the cart.
- Configure all **required product family attributes**.
- Ensure any **mandatory child items** are selected.

6. **Checkout and Contract Creation**

After completing product configuration, the user can proceed with **Checkout**, which will result in the creation of the associated **Contract**.

In the environment was created a group with a single servicepoint selected with all a valid status.

The account id is "001Pw00000RjFDzIAN" ("TEST")

And the servicepoint group is EDM valid