

Name Of Patient: Mr. Junior Anand Gupta

Age / Gender : 44 Yrs Male

Reffered By :

Test Request ID : 511816885

Order ID : 585261

Sample Collected On : 07/06/2018 07:00:00 Sample Recived on : 07/06/2018 10:55:08 Report Printed On : 07/06/2018 17:35:01

Sample Type : Serum

Test Name Value Unit Biological Ref Interval

IMMUNOASSAY

Vit D Total (25-Hydroxy) 34.06 ng/ml chemiluminescence immunoassay

Deficiency: Below 20 ng/ml Insufficiency: 20 - 30 ng/ml Sufficiency: 30 - 100 ng/ml Toxicity: Above 100 ng/ml.

Remarks:

- 1. Cholecalciferol (VitaminD3) is synthesized in skin in response to sunlight, some part also comes from Diet and supplements. Ergocalciferol (Vitamin D2) comes essentially from diet and supplements.
- 2. Both Cholicalciferol and Ergocalciferol are converted in liver to 25 OH Vitamin D.
- 3. 25 OH Vitamin D is considered the best indicator of Vitamin D nutritional status.

_

(Tests are Performed By Fully Automated Roche Cobas 6000 Analyzer.)

Dr.Poonam Singh DNB-Pathology

Dr.Sumera Amin MBBS,DCP

Page No: 1 of 12





Name Of Patient: Mr. Junior Anand Gupta

Age / Gender : 44 Yrs Male

Reffered By :

Test Request ID : 511816885

Order ID : 585261

Sample Collected On: 07/06/2018 07:00:00

Sample Recived on : 07/06/2018 10:55:08, 07/06/2018

Report Printed On : $\frac{10}{500}$:

Sample Type : WB-EDTA, WB-EDTA (HBA1C)

Test Name Value Unit Biological Ref Interval

BIOCHEMISTRY

HbA1c 5.6

Reference Range:

Normal	below - 6%
Good Control	6 - 7%
Fair Control	7 - 8%
Unsatisfactory	8 - 10%
Poor control	> 10%

REMARKS:

- 1. HbA1c is used for monitoring diabetic control.It reflects the mean plasma glucose over three months.
- 2. HbA1c may be falsely low or undetectable in diabetes with hemolytic disease or in presence of hemoglobin variant or abnormal hemoglobin in homozygous form. In such cases, a plasma fructosamine level may be used which evaluates the diabetic status of previous 2 to 3 weeks.
- 3. HbA1C may be increased in patients with polycythemia or post-splenectomy.
- 4. Trends in HbA1c are a better indicator of diabetic control than a solitary test.
- 5. Any sample with >15% HbA1C should be suspected of having a hemoglobin variant, especially in a non-diabetic patients

114

- 6. HbA1c target in pregnancy is to attain level <6 %.
- 7. HbA1c target in pediatric age group is to attain level < 7.5 %.

Test are performed by fully Automated Tosho-G8.

Average blood Glucose (ABG)

Calculated from HBA1C value Indicate average blood sugar level over past 3 months.

Reference Range:

Excellent Control	90 - 120 mg/dl
Good Control	121 - 150 mg/dl
Average Control	151 - 180 mg/dl
Critical Sugar	181 - 210 mg/dl
Panic Value	>211 mg/dl

HAEMATOLOGY

Blood Group ABO & Rh Typing (manual) , Blood

Forward Grouping

"B" POSITIVE

Dr.Sumera Amin MBBS,DCP Page No: 2 of 12

Dr.Poonam Singh DNB-Pathology

Clinically Tested By: Ufirst Diagnostics: 323, Sector-12A, Near Mianwali Colony,
Gurgaon - 122001





Name Of Patient: Mr. Junior Anand Gupta

Age / Gender : 44 Yrs Male

Reffered By

511816885 Test Request ID

Order ID 585261

Sample Collected On: 07/06/2018 07:00:00 07/06/2018 10:55:08 Sample Recived on : Report Printed On 07/06/2018 17:35:01

Sample Type **URINE**

Test Name	Value	Unit	Biological Ref Interval
iesi Name	Vallie	Unii	KININGICAL KEL INTERVAL

CLINICAL PATHOLOGY

URINE ROUTINE EXAMINATION

PHYSICAL EXAMINATION

Colour	Pale Yellow		Pale Yellow
Volume	25	mL	
Specific Gravity	1.030		1.001 - 1.035
Appearance	Clear		Clear
Ph	5.0		4.5 - 7.0
Ph	5.0		4.5 - 7.0

CHEMICAL EXAMINATION


Protein	Nil	Nil
Glucose	Nil	Nil
Ketone	Nil	Nil
Urobilinogen	Normal	Normal
Bilirubin	Negative	Negative
Nitrate	Negative	Negative
Blood	NIL	NIL

MICROSCOPY EXAMINATION

Pus Cells	2-4	/HPF	0 - 5
Epithelial Cells	1-2	/HPF	0 - 2
RBC's	Nil	/HPF	Nil
Casts	Nil		Nil
Crystals	Nil		Absent
Bacteria	Absent		Absent
Other	Nil		Nil

Dr.Poonam Singh DNB-Pathology

Dr.Sumera Amin MBBS,DCP



Page No: 3 of 12



Name Of Patient: Mr. Junior Anand Gupta

Age / Gender : 44 Yrs Male

Reffered By

511816885 Test Request ID

Order ID 585261

Sample Collected On: 07/06/2018 07:00:00 Sample Recived on 07/06/2018 10:55:08 Report Printed On 07/06/2018 17:35:01

Sample Type Serum

Test Name	Value	Unit	Biological Ref Interval	
IMMUNOASSAY				
Vitamin B12 chemiluminescence immunoassay(CLIA)	336.0	pg/ml	211.0 - 911.0	

REMARKS:

- 1.Vit B12 levels are decreased in megaloblastic anemia, partial/total gastrectomy, pernicious anemia, peripheral neuropathies, chronic alcoholism, senile dementia, and treated epilepsy.
- 2.An associated increase in homocysteine levels is an independent risk marker for cardiovascular disease and deep vein thrombosis.
- 3. HoloTranscobalamin II levels are a more accurate marker of active VitB12 component.

Dr.Poonam Singh **DNB-Pathology**

Dr.Sumera Amin MBBS,DCP

Page No: 4 of 12



Name Of Patient: Mr. Junior Anand Gupta

Age / Gender : 44 Yrs Male

Reffered By :

Test Request ID : 511816885

Order ID : 585261

Sample Collected On : 07/06/2018 07:00:00 Sample Recived on : 07/06/2018 10:55:08 Report Printed On : 07/06/2018 17:35:01

Sample Type : WB-EDTA

Test Name	Value	Unit	Biological Ref Interval
	HAEMATO	DLOGY	
Basic Screening package			
Complete Hemogram / CBC			
Haemoglobin (Hb) Modified Drabkins Method(cynmeth Hb)	15.3	g/dl	13.0 - 17.0
Total Leucocyte Count (TLC) Electrical Resistance Impedence	6220	cells/μL	4000 - 10000
Hematocrit (PCV) Calculated	43.4	%	40.0 - 54.0
Red Blood Cell count (RBC) Electrical Resistance Impedence	5.34	millions/cumm	4.50 - 6.50
Mean Corp Volume (MCV) Calculated	81.0	fl	83.0 - 101.0
Mean Corp Hb (MCH) Calculated	28.7	pg	27.0 - 33.0
Mean Corp Hb Conc (MCHC) Calculated	35.4	gm%	30.0 - 35.0
RDW- CV Calculated	18.3	%	11.6 - 14.0
Mentzer index Calculated	15.2	Ratio	< 13 Thalassemia > 13 Iron Deficiency Anaemia
Differential Leucocyte Count			
Neutrophil Impedence & Light- Scattering	47	%	40 - 80
Lymphocyte Impedence & Light- Scattering	40	%	20 - 40
Monocyte Impedence & Light- Scattering	09	%	02 - 10
Eosinophil Impedence & Light- Scattering	03	%	01 - 06
Basophil Impedence & Light- Scattering	01	%	00 - 02
Absolute Leucocyte Count			
Absolute Neutrophil Count Calculated	2.81	10^3/μ1	2.0 - 7.0
Absolute Lymphocyte Count Calculated	2.67	10^3/μ1	1.4 - 3.5
			N

Dr.Poonam Singh DNB-Pathology

Clinically Tested By: **Ufirst Diagnostics: 323, Sector-12A, Near Mianwali Colony, Gurgaon - 122001**



Page No: 5 of 12



Name Of Patient: Mr. Junior Anand Gupta

Age / Gender : 44 Yrs Male

Reffered By :

Test Request ID : 511816885

Order ID : 585261

Sample Collected On : 07/06/2018 07:00:00 Sample Recived on : 07/06/2018 10:55:08 Report Printed On : 07/06/2018 17:35:01

Sample Type : WB-EDTA

Test Name Absolute Monocyte Count Calculated	Value 0.54	Unit 10^3/µ1	Biological Ref Interval 0.2 - 1.0
Absolute Eosinophil Count, Blood Calculated	0.16	10^3/μ1	0.02 - 0.50
Absolute Basophil Count Calculated	0.04	10^3/μ1	0.00 - 100.00
Platelet Count(PLT) Automated Electrical Resistance/ Light Microscopy	213	$10^3/\mu$ 1	150 - 410
PDW Calculated	13.3	%	9.6 - 15.2
MPV Calculated	7.8	fl	6.0 - 9.0
PCT Calculated	0.17	%	0.19 - 0.39

Test are performed by Fully Automated ABX- Pentra XL80 Hematology Analayzer.



Page No: 6 of 12

Dr.Poonam Singh DNB-Pathology







Name Of Patient: Mr. Junior Anand Gupta

Age / Gender : 44 Yrs Male

Reffered By :

Test Request ID : 511816885

Order ID : 585261

Sample Collected On : 07/06/2018 07:00:00 Sample Recived on : 07/06/2018 10:55:08 Report Printed On : 07/06/2018 17:35:01

00 - 15

Sample Type : WB-EDTA

Test Name Value Unit Biological Ref Interval

ESR (Westergren) 04 mm/Ist hr.
Modified Westergren Method

(Tests are Performed By Vesmatic -30 Analyzer.)

Dr.Sumera Amin MBBS,DCP

Page No: 7 of 12

Dr.Poonam Singh DNB-Pathology







Name Of Patient: Mr. Junior Anand Gupta

Age / Gender : 44 Yrs Male

Reffered By :

Test Request ID : 511816885

Order ID : 585261

Sample Collected On : 07/06/2018 07:00:00 Sample Recived on : 07/06/2018 10:55:08 Report Printed On : 07/06/2018 17:35:01

Sample Type : Plasma -F

Test Name Value Unit Biological Ref Interval

Fasting Blood Sugar 89.8 mg/dl Hexokinase

American Diabetes Association Reference Range:

Normal	< 100 mg/dl
Impaired fasting glucose(Prediabetes)	100 - 126 mg/dl
Diabetes	>= 126 mg/dl

_

(Tests are Performed By XL-640 Analyzer.)

-

Dr.Sumera Amin MBBS,DCP

Page No: 8 of 12





Name Of Patient: Mr. Junior Anand Gupta

Age / Gender : 44 Yrs Male

Reffered By :

Test Request ID : 511816885

Order ID : 585261

Sample Collected On : 07/06/2018 07:00:00 Sample Recived on : 07/06/2018 10:55:08 Report Printed On : 07/06/2018 17:35:01

Sample Type : Serum


Test Name KIDNEY FUNCTION TEST (KFT)	Value	Unit	Biological Ref Interval
Blood Urea	22.6	mg/dl	19.0 - 44.0
Serum Creatinine Modified Jaffe's	0.85	mg/dl	0.70 - 1.30
Serum Uric Acid Uricase-POD	5.0	mg/dl	3.5 - 7.2
Serum Calcium Arsenazo	9.0	mg/dl	8.6 - 10.2
Serum Phosphorus UV Molybdate	4.0	mg/dl	2.5 - 4.5
Blood Urea Nitrogen (BUN)	10.6	mg/dl	7.0 - 18.0
Serum Sodium Method: Ion Selective Electrodes	133	mmol/L	136 - 145
Serum Potassium Method: Ion Selective Electrodes	3.9	mmol/L	3.5 - 5.1
Serum Chloride Method: Ion Selective Electrodes	103	mmol/L	98 - 107
Urea/Creatinine Ratio	26.6	Ratio	
Bun/Creatinine Ratio	12.5	Ratio	12:1 - 20:1
	_		

(Tests are Performed By Fully Automated Advia-1800 Analyzer.)

-

Dr.Sumera Amin MBBS,DCP

Page No: 9 of 12





Name Of Patient: Mr. Junior Anand Gupta

Age / Gender : 44 Yrs Male

Reffered By :

Test Request ID : 511816885

Order ID : 585261

Sample Collected On : 07/06/2018 07:00:00 Sample Recived on : 07/06/2018 10:55:08 Report Printed On : 07/06/2018 17:35:01

Sample Type : Serum


Test Name LIVER PROFILE / LFT	Value	Unit	Biological Ref Interval
Serum Bilirubin (Total) Diazo	0.61	mg/dl	0.00 - 1.20
Serum Bilirubin (Direct) Diazo	0.30	mg/dl	0.00 - 0.30
Serum Bilirubin (Indirect)	0.31	mg/dl	0.10 - 1.00
Aspartate Aminotransferase(SGOT) IFCC, Without Pyridoxal Phosphate	33	U/l	0 - 35
Alanine Transaminase(SGPT) IFCC, Without Pyridoxal Phosphate	35	U/1	0 - 45
Alkaline Phosphatase, Serum	61	U/1	53 - 128
Gamma glutamyl transferase(GGT) Glupa C	29	U/1	0 - 55
SerumTotal Protein	6.7	gm/dl	6.4 - 8.3
Albumin, Serum BCG	4.2	gm/dl	3.5 - 5.2
Serum Globulin	2.5	gm/dl	1.8 - 3.5
Albumin/Globulin Ratio	1.7	Ratio	> 1.5
SGOT/SGPT ratio	0.9	Ratio	

(Tests are Performed By Fully Automated Advia - 1800 Analyzer.)

_

Dr.Sumera Amin MBBS,DCP

Page No: 10 of 12







Name Of Patient: Mr. Junior Anand Gupta

Age / Gender : 44 Yrs Male

Reffered By

Test Request ID : 511816885

Order ID : 585261


Sample Collected On : 07/06/2018 07:00:00 Sample Recived on : 07/06/2018 10:55:08 Report Printed On : 07/06/2018 17:35:01

Sample Type : Serum

Test Name LIPID PROFILE	Value	Unit	Biological Ref Interval
Total Cholesterol CHOD-PAP	249.0	mg/dl	< 200 Desirable 200 - 239 Borderline High >/= 240 High
Serum Triglycerides GPO	138.0	mg/dl	Normal : < 150 Borderline High: 150 - 199 High : 200 - 499 Very High : >= 500
Serum HDL Cholesterol HDL-Direct	61.0	mg/dl	35.0 - 55.0
Serum LDL Cholesterol Calculated	160	mg/dl	50.0 - 135.0
			Optimal : < 100 Above optimal : 100 - 129 Borderline High : 130 - 159 High : 160 - 189 Very High : >/= 190
Serum VLDL Cholesterol	28	mg/dl	10.0 - 30.0
Total CHO/HDLCholesterol Ratio	4.08	Ratio	3.30 - 4.40 Low Risk: 3.3 - 4.4 Average Risk: 4.5 - 7.0 Moderate Risk: 7.1 - 11.0 High Risk: > 11.0
LDL/HDL Cholesterol Ratio	2.62	Ratio	Desirable/Low Risk: 0.5 - 3.0 Border Line/Moderate Risk: 3.0 - 6.0 Elevated/High Risk: > 6.0
HDL/LDL Cholestrol Ratio	0.38	Ratio	Desirable/Low Risk: 0.5 - 3.0 Border Line/Moderate Risk: 3.0 - 6.0 Elevated/High Risk: > 6.0
Non HDL Cholesterol	188		

Dr.Sumera Amin MBBS,DCP

Page No: 11 of 12









Name Of Patient: Mr. Junior Anand Gupta

Age / Gender : 44 Yrs Male

Reffered By :

Test Request ID : 511816885

Order ID : 585261

Sample Collected On : 07/06/2018 07:00:00 Sample Recived on : 07/06/2018 10:55:08 Report Printed On : 07/06/2018 17:35:01

Sample Type : Serum

Test Name	Value	Unit	Biological Ref Interval		
IMMUNOASSAY					
TOTAL THYROID PROFILE					
Serum Total T3 chemiluminescence immunoassay{ CLIA }	0.95	ng/ml	0.60 - 1.81		
Serum Total T4 chemiluminescence immunoassay{ CLIA }	6.40	$\mu g/dl$	4.50 - 10.90		
Serum TSH chemiluminescence immunoassay{ CLIA }	2.84	uIU/ml	0.35 - 5.50		
			pregnancy Reference Range: Trimester T1: 0.10 - 2.50 Trimester T2: 0.20 - 3.0 Trimester T3: 0.30 - 3.0 Hyperthyroid: < 0.35 MIU/ml Hypothyroid: > 5.50 MIU/ml		

Test are Performed By Fully Automated Siemens Advia- Centaur XP Analyzer.

*** End of Report ***

Dr.Poonam Singh DNB-Pathology

ISO

Dr.Sumera Amin MBBS,DCP

Page No: 12 of 12