



Extruded Aluminum Enclosures (Metal End Panels) (1455 Series)

Home Products Distributors Technical Contact Us Other Options

Path: [Home](#) > [Enclosure Index](#) > Extruded Aluminum w/ Metal End Panels



(click to enlarge)
Clear Anodized
(One Panel Off View)



(click to enlarge)
Clear Anodized
(Assembled View)



(click to enlarge)
Black Anodized
(Assembled View)



(click to enlarge)
Blue Anodized
(Assembled View)



(click to enlarge)
Red Anodized
(Assembled View)

Key Features:

- Designed to house P.C. boards or for equipment interfacing.
- Sized for standard Eurocards.
- P.C. boards mount horizontally by sliding into internal slots extruded into the enclosure body.
- Rugged body constructed from extruded aluminum with a minimum thickness of .06" (1.5 mm).
- Extruded body includes a slide removable "belly" plate - except in smaller "C" & "D" sizes (ie..1455D601, 1455D801, 1455C801 & 1455C1201 sizes)
- See ["photo tables"](#) for more visual details.

Includes:

- Two aluminum end panels - finish matched to extruded aluminum body (or link here if you prefer our solid [plastic end panel version](#))
- Two black ABS plastic bezels (your option to install)
- Extruded aluminum body - choice of clear, black, blue or red anodized finish
- Self adhesive rubber feet. Replacements are available - order part number **1421T2CL** (pack of 24).
- All hardware - end panel screws are #6 x 3/8" TTT - thread rolling, steel screws with a #4 flat head phillips drive. Zinc plate finish - either clear or black (black screws are used on the black, blue & red models).
- For black replacement screws (quantity 100) order part number **1455MS100BK**
- For clear replacement screws (quantity 100) order part number **1455MS100**
- NOTE:** Recommended screw torque is 5 lbf/in

Part Number	Anodized Color	PDF Reader File	AutoCAD .dwg Files (zipped)	3D Solid Model .igs & .stp files (zipped)	Units	Length	Width	Height
1455D601	Clear				Inches	2.36	1.76	0.99
1455D601BK	Black				mm	60	45	25
1455D601BU	Blue	207K	194K	206K				
1455D601RD	Red							
1455D801	Clear				Inches	3.15	1.76	0.99
1455D801BK	Black				mm	80	45	25
1455D801BU	Blue	207K	193K	206K				
1455D801RD	Red							
1455C801	Clear				Inches	3.15	2.13	0.91
1455C801BK	Black				mm	80	54	23
1455C801BU	Blue	205K	187K	154K				
1455C801RD	Red							
1455C1201	Clear				Inches	4.72	2.13	0.91
1455C1201BK	Black				mm	120	54	23
1455C1201BU	Blue	209K	188K	154K				
1455C1201RD	Red							
1455J1201	Clear				Inches	4.72	3.07	1.06
1455J1201BK	Black				mm	120	78	27
1455J1201BU	Blue	194K	196K	237K				
1455J1201RD	Red							
1455K1201	Clear				Inches	4.72	3.07	1.69
1455K1201BK	Black				mm	120	78	43
1455K1201BU	Blue	169K	194K	213K				
1455K1201RD	Red							

1455L1201	Clear				Inches	4.72	4.06	1.20
1455L1201BK	Black							
1455L1201BU	Blue							
1455L1201RD	Red				mm	120	103	30.5
1455N1201	Clear				Inches	4.72	4.06	2.09
1455N1201BK	Black							
1455N1201BU	Blue							
1455N1201RD	Red				mm	120	103	53
1455J1601	Clear				Inches	6.30	3.07	1.06
1455J1601BK	Black							
1455J1601BU	Blue							
1455J1601RD	Red				mm	160	78	27
1455K1601	Clear				Inches	6.30	3.07	1.69
1455K1601BK	Black							
1455K1601BU	Blue							
1455K1601RD	Red				mm	160	78	43
1455L1601	Clear				Inches	6.30	4.06	1.20
1455L1601BK	Black							
1455L1601BU	Blue							
1455L1601RD	Red				mm	160	103	30.5
1455N1601	Clear				Inches	6.30	4.06	2.09
1455N1601BK	Black							
1455N1601BU	Blue							
1455N1601RD	Red				mm	160	103	53
1455P1601	Clear				Inches	6.30	4.92	1.20
1455P1601BK	Black							
1455P1601BU	Blue							
1455P1601RD	Red				mm	160	125	30.5
1455Q1601	Clear				Inches	6.30	4.92	2.03
1455Q1601BK	Black							
1455Q1601BU	Blue							
1455Q1601RD	Red				mm	160	125	51.5
1455R1601	Clear				Inches	6.30	6.50	1.20
1455R1601BK	Black							
1455R1601BU	Blue							
1455R1601RD	Red				mm	160	165	30.5
1455T1601	Clear				Inches	6.30	6.50	2.03
1455T1601BK	Black							
1455T1601BU	Blue							
1455T1601RD	Red				mm	160	165	51.5
1455L2201	Clear				Inches	8.66	4.06	1.20
1455L2201BK	Black							
1455L2201BU	Blue							
1455L2201RD	Red				mm	220	103	30.5
1455N2201	Clear				Inches	8.66	4.06	2.09
1455N2201BK	Black							
1455N2201BU	Blue							
1455N2201RD	Red				mm	220	103	53
1455P2201	Clear				Inches	8.66	4.92	1.20
1455P2201BK	Black							
1455P2201BU	Blue							
1455P2201RD	Red				mm	220	125	30.5
1455Q2201	Clear				Inches	8.66	4.92	2.03
1455Q2201BK	Black							
1455Q2201BU	Blue							
1455Q2201RD	Red				mm	220	125	51.5
1455R2201	Clear				Inches	8.66	6.50	1.20
1455R2201BK	Black							
1455R2201BU	Blue							
1455R2201RD	Red				mm	220	165	30.5
1455T2201	Clear				Inches	8.66	6.50	2.03
1455T2201BK	Black							
1455T2201BU	Blue							
1455T2201RD	Red				mm	220	165	51.5



Link here to [photo tables](#) of each part number

Belly Plate Feature:



(click to enlarge)

- Belly plate slides out of the bottom of the "U" shaped enclosure body.
- Allows easy access to the interior of enclosure.
- Feature is included in all but the smaller "C" & "D" sizes (ie..1455D601, 1455D801, 1455C801 & 1455C1201 sizes)

Accessories

Wallmount Options:



(click to enlarge)



(click to enlarge)

- Designed to convert these enclosures where shelf or wall mounting is required
- Flanges are .064" (1.6 mm) thick aluminum foot "L" brackets and attach to each end, replacing the aluminum end panels
- Finish available in either clear or black anodized
- **SOLD IN PAIRS**

Part Number	Color	Reader File	AutoCAD .dwg Files (zipped)	3D Solid Model .igs & .stp files (zipped)	USE WITH ENCLOSURE
1455CF 1455CFBK	Clear Black	142K	94K	24K	Any part above starting with 1455C
1455DF 1455DFBK	Clear Black	191K	149K	12K	Any part above starting with 1455D
1455JF 1455JFBK	Clear Black	174K	83K	25K	Any part above starting with 1455J
1455KF 1455KFBK	Clear Black	159K	118K	23K	Any part above starting with 1455K
1455LF 1455LFBK	Clear Black	160K	110K	25K	Any part above starting with 1455L
1455NF 1455NFBK	Clear Black	165K	111K	25K	Any part above starting with 1455N
1455PF 1455PFBK	Clear Black	180K	112K	87K	Any part above starting with 1455P
1455QF 1455QFBK	Clear Black	145K	113K	25K	Any part above starting with 1455Q
1455RF 1455RFBK	Clear Black	143K	111K	25K	Any part above starting with 1455R
1455TF 1455TFBK	Clear Black	150K	111K	25K	Any part above starting with 1455T

Replacement Screws:

Part Number: **1455MS100**

(click to enlarge)

Part Number: **1455MS100BK**

(click to enlarge)

100 Screw Pack (Zinc Plate) used on our
Clear Anodized 1455 Series Enclosures

 Reader File	AutoCAD .dwg Files (zipped)	3D Solid Model .igs & .stp files (zipped)
 106K	 211K	 269K

100 Screw Pack (Black) used on our
Blue, Black & Red Anodized 1455 Series Enclosures

 Reader File	AutoCAD .dwg Files (zipped)	3D Solid Model .igs & .stp files (zipped)
 103K	 211K	 269K

Replacement End Panels & Open Bezels:

USE WITH (Enclosure Part Number Prefix)						
	(click to enlarge)	(click to enlarge)	(click to enlarge)	(click to enlarge)	(click to enlarge)	(click to enlarge)
	Aluminum Clear End Plate (10 Pack)	Aluminum Black End Plate (10 Pack)	Aluminum Blue End Plate (10 Pack)	Aluminum Red End Plate (10 Pack)	Black Plastic Open (2 Pack)	Black Plastic Open (1 Pack)
1455D601	1455DAL-10	1455DALBK-10	1455DALBU-10	1455DALRD-10	1455DBBK	1455DBBK
1455D801	1455DAL-10	1455DALBK-10	1455DALBU-10	1455DALRD-10	1455DBBK	1455DBBK
1455C801	1455CAL-10	1455CALBK-10	1455CALBU-10	1455CALRD-10	1455CBBK	1455CBBK
1455C1201	1455CAL-10	1455CALBK-10	1455CALBU-10	1455CALRD-10	1455CBBK	1455CBBK
1455J1201	1455JAL-10	1455JALBK-10	1455JALBU-10	1455JALRD-10	1455JBBK	1455JBBK
1455K1201	1455KAL-10	1455KALBK-10	1455KALBU-10	1455KALRD-10	1455KBBK	1455KBBK
1455L1201	1455LAL-10	1455LALBK-10	1455LALBU-10	1455LALRD-10	1455LBBK	1455LBBK
1455N1201	1455NAL-10	1455NALBK-10	1455NALBU-10	1455NALRD-10	1455NBBK	1455NBBK
1455J1601	1455JAL-10	1455JALBK-10	1455JALBU-10	1455JALRD-10	1455JBBK	1455JBBK
1455K1601	1455KAL-10	1455KALBK-10	1455KALBU-10	1455KALRD-10	1455KBBK	1455KBBK
1455L1601	1455LAL-10	1455LALBK-10	1455LALBU-10	1455LALRD-10	1455LBBK	1455LBBK
1455N1601	1455NAL-10	1455NALBK-10	1455NALBU-10	1455NALRD-10	1455NBBK	1455NBBK
1455P1601	1455PAL-10	1455PALBK-10	1455PALBU-10	1455PALRD-10	1455PBBK	1455PBBK
1455Q1601	1455QAL-10	1455QALBK-10	1455QALBU-10	1455QALRD-10	1455QBBK	1455QBBK
1455R1601	1455RAL-10	1455RALBK-10	1455RALBU-10	1455RALRD-10	1455RBBK	1455RBBK
1455T1601	1455TAL-10	1455TALBK-10	1455TALBU-10	1455TALRD-10	1455TBBK	1455TBBK
1455L2201	1455LAL-10	1455LALBK-10	1455LALBU-10	1455LALRD-10	1455LBBK	1455LBBK
1455N2201	1455NAL-10	1455NALBK-10	1455NALBU-10	1455NALRD-10	1455NBBK	1455NBBK
1455P2201	1455PAL-10	1455PALBK-10	1455PALBU-10	1455PALRD-10	1455PBBK	1455PBBK
1455Q2201	1455QAL-10	1455QALBK-10	1455QALBU-10	1455QALRD-10	1455QBBK	1455QBBK
1455R2201	1455RAL-10	1455RALBK-10	1455RALBU-10	1455RALRD-10	1455RBBK	1455RBBK
1455T2201	1455TAL-10	1455TALBK-10	1455TALBU-10	1455TALRD-10	1455TBBK	1455TBBK

Optional Open Bezels:

USE WITH (Enclosure Part Number Prefix)				
	(click to enlarge)		(click to enlarge)	
	Red ABS Plastic Open Bezel		Yellow ABS Plastic Open Bezel	
	(2 Pack)	(10 Pack)	(2 Pack)	(10 Pack)
1455C801	1455CBRED	1455CBRED-10	1455CBY	1455CBY-10
1455C1201	1455CBRED	1455CBRED-10	1455CBY	1455CBY-10
1455J1201	1455JBRED	1455JBRED-10	1455JBY	1455JBY-10
1455K1201	1455KBRED	1455KBRED-10	1455KBY	1455KBY-10
1455L1201	1455LBRED	1455LBRED-10	1455LBY	1455LBY-10
1455N1201	1455NBRED	1455NBRED-10	1455NBY	1455NBY-10
1455J1601	1455JBRED	1455JBRED-10	1455JBY	1455JBY-10
1455K1601	1455KBRED	1455KBRED-10	1455KBY	1455KBY-10
1455L1601	1455LBRED	1455LBRED-10	1455LBY	1455LBY-10
1455N1601	1455NBRED	1455NBRED-10	1455NBY	1455NBY-10
1455P1601	1455PBRED	1455PBRED-10	1455PBY	1455PBY-10
1455Q1601	1455QBRED	1455QBRED-10	1455QBY	1455QBY-10
1455R1601	1455RBRED	1455RBRED-10	1455RBY	1455RBY-10
1455T1601	1455TBRED	1455TBRED-10	1455TBY	1455TBY-10
1455L2201	1455LBRED	1455LBRED-10	1455LBY	1455LBY-10
1455N2201	1455NBRED	1455NBRED-10	1455NBY	1455NBY-10
1455P2201	1455PBRED	1455PBRED-10	1455PBY	1455PBY-10
1455Q2201	1455QBRED	1455QBRED-10	1455QBY	1455QBY-10
1455R2201	1455RBRED	1455RBRED-10	1455RBY	1455RBY-10
1455T2201	1455TBRED	1455TBRED-10	1455TBY	1455TBY-10



(click to enlarge)

**Translucent Blue Polycarbonate
Open Bezel - Installed on a clear
anodized enclosure**



(click to enlarge)

**Translucent (IR) Red
Polycarbonate
Open Bezel - Installed on a clear
anodized enclosure**

USE WITH (Enclosure Part Number Prefix)				
	(click to enlarge)		(click to enlarge)	
	Translucent Blue		Translucent Red	
	(2 Pack)	(10 Pack)	(2 Pack)	(10 Pack)
1455C801	1455CBTBU	1455CBTBU-10	1455CBTRD	1455CBTRD-10
1455C1201	1455CBTBU	1455CBTBU-10	1455CBTRD	1455CBTRD-10
1455J1201	1455JBTBU	1455JBTBU-10	1455JBTRD	1455JBTRD-10
1455K1201	1455KBTBU	1455KBTBU-10	1455KBTRD	1455KBTRD-10

1455L1201	1455LBTBU	1455LBTBU-10	1455LBTRD	1455LBTRD-10
1455N1201	1455NBTBU	1455NBTBU-10	1455NBTRD	1455NBTRD-10
1455J1601	1455JBTBU	1455JBTBU-10	1455JBTRD	1455JBTRD-10
1455K1601	1455KBTBU	1455KBTBU-10	1455KBTRD	1455KBTRD-10
1455L1601	1455LBTBU	1455LBTBU-10	1455LBTRD	1455LBTRD-10
1455N1601	1455NBTBU	1455NBTBU-10	1455NBTRD	1455NBTRD-10
1455P1601	1455PBTBU	1455PBTBU-10	1455PBTRD	1455PBTRD-10
1455Q1601	1455QBTBU	1455QBTBU-10	1455QBTRD	1455QBTRD-10
1455R1601	1455RBTBU	1455RBTBU-10	1455RBTRD	1455RBTRD-10
1455T1601	1455TBTBU	1455TBTBU-10	1455TBTRD	1455TBTRD-10
1455L2201	1455LBTBU	1455LBTBU-10	1455LBTRD	1455LBTRD-10
1455N2201	1455NBTBU	1455NBTBU-10	1455NBTRD	1455NBTRD-10
1455P2201	1455PBTBU	1455PBTBU-10	1455PBTRD	1455PBTRD-10
1455Q2201	1455QBTBU	1455QBTBU-10	1455QBTRD	1455QBTRD-10
1455R2201	1455RBTBU	1455RBTBU-10	1455RBTRD	1455RBTRD-10
1455T2201	1455TBTBU	1455TBTBU-10	1455TBTRD	1455TBTRD-10



NOW catalog pages on this series (193K) [9C-1455.pdf](#)

Exactly what you are looking for???

Link to our stocking distributors - most have "on-line" pricing, stock check and ordering!!!

Our Distributors

[Order from your favorite distributor](#)

[Home](#) | [Products](#) | [Distributors](#) | [Technical](#) | [Contact Us](#) | [Other Options](#)

Copyright; © 2002-2015 Hammond Mfg Co Inc

URL: <http://www.hammondmfg.com>