


ASSEMBLYAI VOICE AGENT HACKATHON

CareThread

Clinical handoffs with
responsibility intact

Clinical communication simulation
Synthetic data only



Uncertainty can disappear in a handoff

SENDER

“The scan result is pending.
Discharge is waiting
for the review.”

RECEIVER

“The scan was clear.
The patient is ready
for discharge.”

A changed statement needs reconciliation.

Fictional example. Clinicians determine what is correct. CareThread asks for clarification.

The pending work stays explicit

Task	Review the pending scan result
Owner	Dr. Lee
Due	By 3:00 p.m.
Condition	Discharge awaits the stated review
Uncertainty	Result remains pending

Each field keeps its source turn. Missing information remains unknown until clarified.

Acceptance and completion are separate

HANDOFF

Accepted

The receiver accepts the current revision.

CLINICAL TASK

Still pending

Completion requires a separate clinician report.

A substantive correction invalidates the earlier acceptance and requires review again.

AssemblyAI powers speech and planning

01

Browser

Selected sender or receiver
Microphone and transcript
Visible source evidence

02

AssemblyAI

Voice Agent conversation
LLM Gateway JSON plans
Proposed board changes

03

Validated state

Required fields and revisions
Separate acceptance state
Open-task record and export

Server protects the key. AssemblyAI processes audio and text. Browser records remain local.

Simulation is the first setting

Initial users

**Clinical educators
and simulation centers**

Product hypothesis

A reviewable handoff exercise
with visible omissions,
clarifications and acceptance.

Commercial hypothesis: institution subscription for training sessions.

Customer demand, pricing and clinical benefit remain unvalidated.

Validation and limitations

78 automated checks passed

State, storage, access and planner checks passed

One synthetic spoken fixture reached validated board state

Device microphone and clinical reliability remain unvalidated

No patient-outcome evidence or clinical deployment claim

Reported checks describe this prototype only. Live speech and clinical outcomes require separate evidence.

CareThread keeps the handoff reviewable

Every open item keeps its owner, timing and source statement.

Next: clinician feedback on the simulation
and measured handoff usability.

Synthetic scenario replay is separate from live microphone mode. No diagnosis or treatment decisions.