

CareThread

Clinical handoffs with
responsibility intact

Clinical communication simulation using synthetic data

Uncertainty can disappear in a handoff

Sender

Receiver

The scan result is pending.
Discharge is waiting
for the review.

The scan was clear.
The patient is ready
for discharge.


A changed statement needs clarification.

Fictional example. Clinicians determine what is correct.

A shared view of unfinished work

The task keeps its owner, timing and source statement.

Pending work.
Named owner.
Stated timing.
Source evidence.



Code-rendered interface illustration · Fictional patient

Acceptance and completion are separate

Handoff

Accepted

The receiver acknowledges the current revision.

Clinical work

Still pending

Completion requires a separate participant report.

A substantive correction clears acceptance of the earlier revision.

AssemblyAI powers speech and planning

01

Conversation

Voice Agent API
Speech input and spoken
replies

02

Proposed changes

LLM Gateway
Structured plans from
transcripts

03

Validated record

Application rules
Source checks and revision
control

Built for handoff practice

Clinical educators and simulation centers

Review omissions and clarifications after a handoff exercise.

An institution subscription is a business hypothesis to test.

Next step: clinician feedback and a measured usability study.

What we verified

80

automated checks passed

State, API and lifecycle regressions

1

**synthetic spoken fixture
passed**

Speech to a validated pending task

Browser microphone-device behavior and clinical efficacy remain unvalidated.

CareThread

**The next person knows
what is still unfinished.**

<https://carethread-six.vercel.app>