

Laboratorio 8 - Actividad 1

Ángel García 1097920035

```
PS C:\mia_github\url-mia-2026\semana_8> Get-FileHash datos.xml -Algorithm SHA1
```

Algorithm	Hash	Path
SHA1	67FD932DD908077BAD5D28C79018B8C9DB582B27	C:\mia_github\url-mia-2...

```
PS C:\mia_github\url-mia-2026\semana_8>
```

```
PS C:\mia_github\url-mia-2026\semana_8> Get-FileHash datos.xml -Algorithm MD5
```

Algorithm	Hash	Path
MD5	CB418F0430332C1BC67F0001539AB4C7	C:\mia_github\url-mia-2...

```
PS C:\mia_github\url-mia-2026\semana_8>
```

ANTES DEL CAMBIO

datos.xml U X hash_Angel_Garcia.txt U X

url-mia-2026 > semana_8 > datos.xml

```
1 <alumnos>
2 <alumno id="1">
3 Michael Castellanos
4 </alumno>
5 <alumno id="2">
6 Angel Garcia
7 </alumno>
8 </alumnos>
```

Problems Output Debug Console Terminal


> Terminal

PS C:\mia_github\url-mia-2026\semana_8> Get-FileHash datos.xml -Algorithm SHA256

Algorithm	Hash	Path
SHA256	9F429D1D17AD08BC2AA812F0A467519A35B5FB05952D6D4A35570515B1759EA9	C:\mia_github\url-mia-2...

PS C:\mia_github\url-mia-2026\semana_8>

DESPUES DEL CAMBIO



The image shows a Visual Studio Code editor with two tabs: `datos.xml` and `hash_Angel_Garcia.txt`. The `datos.xml` file contains the following XML content:

```
1 <alumnos>
2 <alumno id="1">
3   Demby Lopez
4 </alumno>
5 <alumno id="2">
6   Angel Garcia
7 </alumno>
```

Below the editor, the `Terminal` panel shows the execution of the `Get-FileHash` command in PowerShell. The command is run twice, and the output is displayed in a table format.

```
PS C:\mia_github\url-mia-2026\semana_8> Get-FileHash datos.xml -Algorithm SHA256
```

Algorithm	Hash	Path
SHA256	9F429D1D17AD08BC2AA812F0A467519A3585FB05952D6D4A3557051581759EA9	C:\mia_github\url-mia-2...

```
PS C:\mia_github\url-mia-2026\semana_8> Get-FileHash datos.xml -Algorithm SHA256
```

Algorithm	Hash	Path
SHA256	9C25452E9B75598466FCF7DE8A35D5B2701CA2CC9C5C5B0A396AAF18A8D203F5	C:\mia_github\url-mia-2...

```
PS C:\mia_github\url-mia-2026\semana_8>
```