






Rectangle
Plain
White



Rectangle
Dots
White



Rectangle
Diagonal lines
White



Rectangle
Plain
Reverse



Rectangle
Dots
Reverse



Rectangle
Diagonal lines
Reverse



Rectangle
Plain
Grey



Rectangle
Dots
Grey



Rectangle
Diagonal lines
Grey



Circle
Plain
White



Circle
Dots
White



Circle
Diagonal lines
White



Circle
Plain
Reverse



Circle
Dots
Reverse



Circle
Diagonal lines
Reverse



Circle
Plain
Grey



Circle
Dots
Grey



Circle
Diagonal lines
Grey



Diamond
Plain
White



Diamond
Dots
White



Diamond
Diagonal lines
White



Diamond
Plain
Reverse


Diamond
Dots
Reverse



Diamond
Diagonal lines
Reverse



Diamond
Plain
Grey



Diamond
Dots
Grey



Diamond
Diagonal lines
Grey



Square
Plain
White


Square
Dots
White



Square
Diagonal lines
White



Square
Plain
Reverse


Square
Dots
Reverse


Square
Diagonal lines
Reverse


Square
Plain
Grey


Square
Dots
Grey


Square
Diagonal lines
Grey


Straight Lines



Dotted Lines



Dashed Lines



Striped Lines



Alternating Lines




Tracers




Tiles




Hashes




Arrowheads



Bidirectional arrows




Asymmetric Endpoints



Junctions


T junction




T with dot



Y junction




Four-way with dot




Line crossings


Connected with dot



No connection: gap




No connection: bridge



Ports · direction inside the boundary square


Direction choices · component on the right




Input ports on each component edge



The same input port with palette fills and textures




Termination symbols




Crossings without connection

Gap crossing



Bridge crossing




Orthogonal connectors (90°)


One turn



Offset



U-shaped route




U-shaped detour




Curved connectors

Arc vs straight




Smooth offset



Rounded corner




U curve




One-to-many branching


Two-way angled fork




Two-way stepped fork



Three-way fork



Two-stage branching




Off-page references


Flag locator



Circle locator



Boxed locator



Connection labels


Above line




Inline label




Boxed inline



SHARED BUS — common resource




CONNECTION BUNDLE — independent interfaces




Parallel routing lanes

Gray = guide; black = connection



Parallel routes and bundles



Reserved Routing Corridor

Empty reserved area




One routed link



Three routed links




Turning region




Hierarchical connections


Parent to child




Sibling connection



Three nested levels




Named connection references



Interface matrices · N²

Paired interfaces




● Interface

Mirrored marks show one pair.

Blank: not stated

Named interfaces



● **IF-11**


■ **IF-12**

Mirrored cells share one ID.


Blank: not stated

Interface matrices · N² (continued)

Typed interfaces



Directed interfaces



Line weights

Reference weights

Pattern detail

1.2 units · 0.48s
Hatching

Annotation

1.5 units · 0.60s
Leaders and dimensions


Connection

2.5 units · 1.00s
Connectors and frames

Component outline

3 units · 1.20s
Visible boundary

Applied together



Weights in this example

Component outline	**3.0**
Connector / port border	**2.5**
Port arrow detail	**2.2**
ID leader	**1.5**
Pattern detail	**1.2**

Optional emphasis

Reference connection · 2.5

Heavier connection · 4.0

Engineering typography

Title

Cooling loop

36 / BOLD / UNDERLINE

Subtitle

Interface overview

26 / REGULAR

Component

Pump controller

28 / BOLD

Attribute

Pressure limit

24 / REGULAR

Value

250 kPa

26 / BOLD

Note

NOTE 01 Check seal.

24 / PREFIX + REGULAR

Reference

IF-201 · S2/B4

24 / MONO / REGULAR

Reverse contrast


Pump controller

28 / BOLD

In context

Pump monitoring


Illustrative signal interface




Engineering annotations

Dimensions in millimetres · not to scale


Dimension line




Extension lines




Datum feature marker




Linear tolerance




Geometric tolerance




Revision cloud




Connection patterns · merging and loops





Connection patterns · merging and loops






Connection patterns · independent links






Connection patterns · hub and cross-coupling


Hub-and-spoke connections



Cross-coupled connections




System boundaries and groups




Containers and boundaries · continued


Collapsed subsystem



Expanded subsystem



Nested containers



Swimlane / responsibility





FIGURE 1 · OVERVIEW



DETAIL A
TO S2 / B2

REVISIONS	
REV	CHANGE
B	PORT DETAIL

LEGEND

- Directional port
- Detail area

TITLE: CONTROL INTERFACE		
DRAWING: DWG-001	REV: B	SHEET: 1 OF 2
FIGURE: FIG. 1	SCALE: NONE	

4 | 3 | 2 | 1

C

B


A

FIGURE 2 · DETAIL

REVISIONS	
REV	CHANGE
B	PORT DETAIL

DETAIL A

FROM S1 / C2



DIAGRAMMATIC ENLARGEMENT

LEGEND

- Directional port
- Detail area

TITLE: CONTROL INTERFACE		
DRAWING: DWG-001	REV: B	SHEET: 2 OF 2
FIGURE: FIG. 2	SCALE: NONE	


4 | 3 | 2 | 1

Routing and spacing


Connector clearance




Label clearance




Port spacing





Crossing minimization





Interface classifications
















Port structures


Port array




Grouped interfaces




Multiplicity



Optional port




Explicit split and merge behavior




Classification on connections


One classification




Two classifications



Vertical connection



Logical dependency




Lightness and visibility

Lightness · percentage of black

White	10%	25%	50%	75%	Black
#FFFFFF	#E6E6E6	#BFBFBF	#808080	#404040	#000000


Visibility · foreground fill opacity



Alignment and grids

Gray = guides

Aligned edges




Shared centers




Baselines

A	**Pump**	250 kPa
B	**Valve**	15 kPa


Columns



Modular grid



Radial arrangement



Controlled color swatches

Base + four lightness levels · sRGB

C13 Butter	C14 Tangerine	C15 Citron	C16 Leaf	C17 Blush	C18 Ocean
BASE #F6DE7E	BASE #F78851	BASE #D6DC46	BASE #6CAD68	BASE #F6A1B5	BASE #0F6599
L36 #493C00	L36 #662700	L36 #3F4100	L36 #024B04	L36 #672036	L36 #004167
L50 #756200	L50 #A14200	L50 #666900	L50 #347432	L50 #93485C	L64 #4893CA
L64 #A28B24	L64 #D56930	L64 #909300	L78 #89CB84	L64 #C07084	L78 #74C0F9
L78 #CEB756	L92 #FFDCCD	L78 #BBC11C	L92 #B5F9B0	L92 #FFD9E1	L92 #CDE9FF

C19 Sky	C20 Amber	C21 Pale olive	C22 Sand	C23 Coral	C24 Yellow
BASE #A1DFF0	BASE #DEA744	BASE #E3E9B7	BASE #E1D0BC	BASE #F76160	BASE #F6DD40
L36 #004553	L36 #523800	L36 #3D4113	L36 #483A2A	L36 #770012	L36 #473D00
L50 #306D7C	L50 #835B00	L50 #63673A	L50 #6F604F	L50 #B51D2A	L50 #726400
L64 #5A97A7	L64 #B6810A	L64 #8C9162	L64 #998977	L78 #FF958F	L64 #A08D00
L78 #85C3D3	L92 #FFE0AE	L78 #B7BC8C	L78 #C5B4A1	L92 #FFDBD8	L78 #D0B800

Additional selected colors

sRGB

Orchid

C25-B #E57CC6

Lavender gray

C26-B #ADA4BB

Burnt orange

C27-B #DA5C18

Lemon

C28-B #FFFB6D

Berry

C29-B #B93978

Navy

C30-B #273357

Russet

C31-B #823D28

Steel blue

C32-B #90B6CB

Closest existing shades

Orange

Existing

C14-L64 #D56930

Added

C27-B #DA5C18


Blue-gray


Existing


C19-L78 #85C3D3


Added

C32-B #90B6CB











INTERFACE CLASSIFICATIONS


PREVIOUSLY ACCEPTED GLYPHS




Power
PWR / CLASSIFICATION




Data
DAT / CLASSIFICATION



Control
CTL / CLASSIFICATION



Fluid
FLD / CLASSIFICATION



Mechanical
MEC / CLASSIFICATION




Functional dependency
FNC / CLASSIFICATION


* = CAPTION NEEDED | DECISION = HELD ALTERNATIVE
STUDY = SAMPLE KEPT SEPARATELY

PEOPLE AND CONCEPT SYMBOLS


DRAFTING-STYLE CANDIDATES




Person
I001 / PICTOGRAM




Operator
I002* / PICTOGRAM




Engineer
I003* / PICTOGRAM




Technician
I004 / PICTOGRAM




Manager
I005* / DIAGRAM




Team
I006 / DIAGRAM




Organization
I007 / DIAGRAM




User
I008 / PICTOGRAM




Customer
I009* / DIAGRAM




Start
I010 / PICTOGRAM




Stop
I011 / PICTOGRAM




Pause
I012 / PICTOGRAM




Inspect
I013* / DIAGRAM




Repair
I014* / ILLUSTRATION




Replace
I015* / DIAGRAM




Assemble
I016 / DIAGRAM




Disassemble
I017 / DIAGRAM




Transport
I018 / DIAGRAM




Deploy
I019* / DIAGRAM




Verify
I020* / DIAGRAM




Home
I021 / PICTOGRAM




Back
I022 / PICTOGRAM




Forward
I023 / PICTOGRAM




Up
I024 / PICTOGRAM




Down
I025 / PICTOGRAM




Expand
I026 / PICTOGRAM



Collapse
I027 / PICTOGRAM




Zoom In
I028 / PICTOGRAM




Zoom Out
I029 / PICTOGRAM




Search
I030 / PICTOGRAM




Locate
I031 / PICTOGRAM




Return
I032 / PICTOGRAM




Active
I033* / DIAGRAM




Inactive
I034* / DIAGRAM




Complete
I035 / DIAGRAM




Pending
I036* / DIAGRAM




Failed
I037 / DIAGRAM



Unknown
I038 / DIAGRAM




Assumed
I039* / DIAGRAM




Proposed
I040* / DIAGRAM




Approved
I041 / DIAGRAM



Rejected
I042 / DIAGRAM



Information
I043 / PICTOGRAM



Note
I044 / PICTOGRAM



Caution
I045 / DIAGRAM



Warning
I046 / DIAGRAM




Danger
I047 / DIAGRAM




Prohibition
I048 / DIAGRAM




Mandatory action
I049 / DIAGRAM




File
I050 / PICTOGRAM




Folder
I051 / PICTOGRAM




Drawing
I052 / ILLUSTRATION




Specification
I053 / PICTOGRAM




Procedure
I054 / PICTOGRAM




Checklist
I055 / PICTOGRAM




Report
I056 / PICTOGRAM




Revision
I057 / PICTOGRAM




Attachment
I058 / PICTOGRAM




Clock
I059 / PICTOGRAM




Timer
I060 / PICTOGRAM




Calendar
I061 / PICTOGRAM



Duration
I062 / DIAGRAM




Delay
I063* / DIAGRAM




Deadline
I064 / PICTOGRAM

PEOPLE AND CONCEPT SYMBOLS


DRAFTING-STYLE CANDIDATES




Sequence
I065 / DIAGRAM




Milestone
I066 / DIAGRAM




Building
I067 / PICTOGRAM




Room
I068 / ILLUSTRATION




Map
I069 / PICTOGRAM




Coordinates
I070 / DIAGRAM



Direction
I071 / DIAGRAM



Boundary
I072 / DIAGRAM



Waypoint
I073 / DIAGRAM



Destination
I074* / DIAGRAM

CONTENTS

DOMAIN	ITEMS	SHEETS
Electrical and electronics	44	02–06
Mechanical and structural	46	07–10
Fluid, pneumatic, hydraulic and thermal	38	11–14
Computing and networking	38	15–18
Scientific and mathematical	22	19–20
Medicine and laboratories	26	21–23
Aerospace and field operations	27	24–26
Drawing and document symbols	16	27–28

257 DRAWINGS / DRAFTING-STYLE CANDIDATES

Technical illustrations · interface pictograms
Simplified schematics · mathematical notation

REFERENCE FRAME 35 × 35 MM
PRINT AT 100%

* = CAPTION NEEDED | DECISION = HELD ALTERNATIVE
STUDY = SEPARATE SAMPLE | VARIANTS = SAVED OPTIONS

ITEM MEANINGS AND REFERENCE NOTES ARE PROVIDED SEPARATELY



Resistor — axial physical
E001 / ILLUSTRATION / STUDY




Resistor — rectangular schematic
E019 / SCHEMATIC



Capacitor — polarized radial
E002 / ILLUSTRATION



Capacitor — unpolarized schematic
E020 / SCHEMATIC




Inductor — coil physical
E003* / ILLUSTRATION / DECISION




Inductor — schematic
E021 / SCHEMATIC




Diode — axial physical
E004 / ILLUSTRATION




Diode — rectifier schematic
E022 / SCHEMATIC




Transistor — three-lead package physical
E005* / ILLUSTRATION




Transistor — NPN schematic
E023 / SCHEMATIC




Integrated circuit — package physical
E006* / ILLUSTRATION




Integrated circuit — functional block schematic
E024* / SCHEMATIC




Transformer — physical
E007 / ILLUSTRATION



Transformer — two-winding schematic
E025 / SCHEMATIC




Generator — generic schematic
E026* / SCHEMATIC




Motor — generic schematic
E027* / SCHEMATIC




Switch — normally open schematic
E028 / SCHEMATIC




Relay — coil and normally open contact
E029 / SCHEMATIC




Contactor — physical front view
E008* / ILLUSTRATION




Fuse — schematic
E030 / SCHEMATIC




Circuit breaker — enclosed open contact
E014* / PICTOGRAM




Disconnect — open isolator schematic
E031 / SCHEMATIC




Ground — signal reference
E032 / SCHEMATIC




Protective earth — reference mark
E033 / SCHEMATIC




Connector — mated physical
E009* / ILLUSTRATION




Connector — unmated two-contact schematic
E034 / SCHEMATIC




Terminal — screw terminal physical
E010* / ILLUSTRATION




Terminal — schematic
E035 / SCHEMATIC




Plug — physical side view
E011 / ILLUSTRATION




Plug — pin contacts schematic
E036 / SCHEMATIC




Socket — physical mating face
E012* / ILLUSTRATION




Socket — receptacle contacts schematic
E037 / SCHEMATIC




Battery — cylindrical cell physical
E013 / ILLUSTRATION




Battery — multi-cell schematic
E038 / SCHEMATIC




Power supply — AC to DC block
E015* / PICTOGRAM




Converter — DC to AC inverter block
E016* / PICTOGRAM




Sensor — input to electrical output
E017* / PICTOGRAM




Transducer — conversion block
E018* / PICTOGRAM




Instrumentation — voltmeter schematic
E039* / SCHEMATIC




AND gate — schematic
E040 / SCHEMATIC




OR gate — schematic
E041 / SCHEMATIC



NOT gate — schematic
E042 / SCHEMATIC




NAND gate — schematic
E043 / SCHEMATIC




Basic control circuit — open switch and coil rung
E044 / SCHEMATIC

MECHANICAL AND STRUCTURAL


DRAWING TYPES IDENTIFIED WITH EACH ITEM




Gear — physical form
M001 / ILLUSTRATION




Pulley
M002* / ILLUSTRATION / VARIANTS




Belt drive
M003 / ILLUSTRATION




Chain drive
M004 / DIAGRAM




Cam and follower
M005 / ILLUSTRATION




Lever
M006 / DIAGRAM




Four-bar linkage
M007 / DIAGRAM




Rolling-element bearing
M008 / ILLUSTRATION




Spring
M009* / ILLUSTRATION / VARIANTS



Stepped shaft
M010 / ILLUSTRATION / STUDY



Flanged shaft coupling
M011* / ILLUSTRATION / DECISION




Pinned joint
M012 / ILLUSTRATION


PULLEY AND SPRING VARIATIONS

SAVED VARIATIONS / 35 MM FRAMES AT 100% PRINT SCALE


PULLEY / FACE AND SHALLOW OBLIQUE VIEWS




04 baseline
35 MM FRAME



A Visible path
35 MM FRAME



B Hidden wrap
35 MM FRAME




C Oblique view
35 MM FRAME

A: continuous rope path; upper wheel rim omitted under the rope. Diagrammatic view.

B: near flange masks the wrap. C: shallow oblique projection with partially hidden rope.

The editable groove section is supplied separately as a supporting detail.

SPRING / BOUNDARY AND CENTERLINE VIEWS



04 baseline
35 MM FRAME



A Four-turn wire
35 MM FRAME



B Three-turn wire
35 MM FRAME




C Centerline
35 MM FRAME

A: wider four-turn projected wire. B: three turns improve spacing at small sizes.

C: single-stroke centerline of A; clearer at 64 px, without wire-thickness boundaries.

Saved drawings are illustrative. Spring wire boundaries are projected approximations.

35 MM FRAMES SHOWN AT PRINT SIZE / 64 PX RENDERS PROVIDED SEPARATELY
UNITS AND PHYSICAL PROPORTIONS ARE NOT MANUFACTURING SPECIFICATIONS



GROOVE SECTION DETAIL

Rope seated in a pulley groove.

Hatch marks identify cut material.

A local section, not a complete pulley.



SPRING CENTERLINE / 03

Preserved prior centerline view.

The line represents the wire path,

rather than a wire-thickness outline.


The six main variations and their 04 baselines appear on the preceding sheet.

A native 64 px comparison is supplied separately in the editable package.


These generic drawings do not specify product dimensions or performance.

MECHANICAL AND STRUCTURAL


DRAWING TYPES IDENTIFIED WITH EACH ITEM




Bolt
M013 / ILLUSTRATION




Motor
M014 / ILLUSTRATION




Linear actuator
M015* / ILLUSTRATION




Piston and rod
M016* / ILLUSTRATION / DECISION




Cylinder and piston — section
M017 / DIAGRAM




Servo actuator
M018* / ILLUSTRATION




Beam
M019 / DIAGRAM




Frame
M020 / DIAGRAM




Support
M021 / DIAGRAM




Bracket
M022 / ILLUSTRATION / DECISION




Foundation
M023 / DIAGRAM




Cut
M024 / DIAGRAM




Weld
M025 / DIAGRAM




Drill
M026 / DIAGRAM




Mill
M027 / DIAGRAM




Bend
M028 / DIAGRAM




Cast
M029 / DIAGRAM




Machine — turning
M030* / DIAGRAM




Exploded view
M031 / DIAGRAM




Mating
M032 / DIAGRAM




Insertion
M033 / DIAGRAM




Alignment
M034 / DIAGRAM




Attachment
M035 / DIAGRAM




Rotation
M036 / SCHEMATIC




Translation
M037 / SCHEMATIC




Oscillation
M038 / SCHEMATIC




Reciprocation
M039 / SCHEMATIC




Gear pair — abstract
M040* / SCHEMATIC




Force
M041 / SCHEMATIC




Torque
M042 / SCHEMATIC




Tension
M043 / SCHEMATIC




Compression
M044 / SCHEMATIC



Shear
M045 / SCHEMATIC




Moment of force
M046 / SCHEMATIC




Pipe
F001 / ILLUSTRATION / STUDY




Tube
F002 / ILLUSTRATION




Channel
F003 / SECTION




Manifold
F004* / ILLUSTRATION / DECISION




Junction
F005* / ILLUSTRATION / DECISION




Valve: physical
F006 / ILLUSTRATION




Check valve: open cutaway
F007* / DIAGRAM



Regulator
F008* / ILLUSTRATION / DECISION




Orifice
F009* / SECTION




Pump: physical
F010* / ILLUSTRATION / DECISION




Compressor
F011* / ILLUSTRATION / DECISION




Fan
F012 / ILLUSTRATION




Blower
F013* / ILLUSTRATION / DECISION




Tank: physical
F014 / ILLUSTRATION




Reservoir
F015* / DIAGRAM




Pressure vessel
F016 / ILLUSTRATION




Filter: physical
F017* / DIAGRAM




Separator
F018* / DIAGRAM




Mixer
F019* / DIAGRAM




Heat exchanger: physical
F020* / DIAGRAM / DECISION




Pressure instrument
F021 / ILLUSTRATION




Flow instrument
F022* / DIAGRAM




Temperature instrument
F023 / PICTOGRAM




Level instrument
F024* / DIAGRAM




Heater
F025* / PICTOGRAM




Cooler
F026* / PICTOGRAM




Radiator
F027* / PICTOGRAM




Insulation
F028* / SECTION




Leakage
F029 / PICTOGRAM




Pressure loss
F030* / PICTOGRAM




Blockage
F031* / PICTOGRAM




Cavitation
F032* / PICTOGRAM




Valve: schematic
F033* / SCHEMATIC




Pump: schematic
F034* / SCHEMATIC




Tank: schematic
F035* / SCHEMATIC



Filter: schematic
F036* / SCHEMATIC



Heat exchanger: schematic
F037* / SCHEMATIC




Instrument: schematic
F038* / SCHEMATIC

COMPUTING AND NETWORKING


DRAWING TYPES IDENTIFIED WITH EACH ITEM




Computer
C001 / ILLUSTRATION




Server
C002* / ILLUSTRATION / STUDY




Workstation
C003* / ILLUSTRATION




Embedded device
C004* / ILLUSTRATION




CPU
C005 / PICTOGRAM




GPU
C006 / PICTOGRAM




Memory
C007* / ILLUSTRATION



Storage
C008* / ILLUSTRATION




Router
C009* / ILLUSTRATION




Network switch
C010* / ILLUSTRATION

COMPUTING AND NETWORKING


DRAWING TYPES IDENTIFIED WITH EACH ITEM




On-premises
C011* / DIAGRAM




Database
C012* / PICTOGRAM




Data lake
C013* / PICTOGRAM




API
C014* / PICTOGRAM




Application
C015 / PICTOGRAM




Firewall
C016* / PICTOGRAM




Cloud
C017* / PICTOGRAM




Message
C018 / PICTOGRAM




Encryption
C019* / PICTOGRAM




Authentication
C020* / PICTOGRAM




Artificial intelligence
C021* / PICTOGRAM




Simulation
C022* / PICTOGRAM




File system
C023* / SCHEMATIC




Service
C024* / SCHEMATIC




Process
C025* / SCHEMATIC




Gateway
C026* / SCHEMATIC




Edge
C027* / SCHEMATIC




Network connection
C028 / SCHEMATIC




Event
C029* / SCHEMATIC




Packet
C030* / SCHEMATIC




Authorization
C031* / SCHEMATIC




Software container
C032* / SCHEMATIC




Virtual machine
C033 / SCHEMATIC




Model
C034* / SCHEMATIC




Training
C035* / SCHEMATIC



Inference
C036* / SCHEMATIC



Digital twin
C037* / SCHEMATIC



Optimization
C038* / NOTATION

x

Variable
S001 / NOTATION

$dc/dt = 0$

Constant
S002 / NOTATION

f_θ

Parameter
S003 / NOTATION

$f(x)$

Function
S004 / NOTATION

$a + b$

Operators
S005 / NOTATION

$\sum x_i$

Summation
S006 / NOTATION

$\int f(x)\,dx$


Integration
S007 / NOTATION

$\overrightarrow{v}$


Vector
S008 / NOTATION

$\begin{bmatrix} a & b \\ c & d \end{bmatrix}$

Matrix
S009 / NOTATION



Coordinate reference frame
S010 / NOTATION




Probability distribution
S011 / NOTATION

$\bar{x} \pm s/\sqrt{n}$

Statistical uncertainty — standard error
S012 / NOTATION

$\ell = ?\ \mathrm{m}$

Measurement
S013 / NOTATION




Calibration
S014 / NOTATION

$\min\ f(x)$

Optimization
S015 / NOTATION

$x_n \rightarrow x^*$


Convergence
S016 / NOTATION




Waveform
S017 / NOTATION

$f = 1/T$

Frequency
S018 / NOTATION



Sampling
S019 / NOTATION



Discretization
S020 / NOTATION

$\mathrm{m/s}$


Units
S021 / NOTATION

$[v] = \mathrm{L/T}$


Dimensional analysis
S022 / NOTATION

MEDICINE AND LABORATORIES


DRAWING TYPES IDENTIFIED WITH EACH ITEM




Examination table
L001* / ILLUSTRATION




Hospital bed
L002 / ILLUSTRATION



Monitor
L003* / ILLUSTRATION




Blood-pressure device
L004* / ILLUSTRATION




Thermometer
L005 / PICTOGRAM




Pulse oximeter
L006* / ILLUSTRATION




Scale
L007 / PICTOGRAM




Syringe
L008 / ILLUSTRATION




Infusion pump
L009* / ILLUSTRATION / DECISION



Infusion line
L010* / DIAGRAM




Microscope
L011 / ILLUSTRATION




Centrifuge
L012* / ILLUSTRATION



Pipette
L013* / ILLUSTRATION




Sample container
L014* / ILLUSTRATION




Specimen
L015* / ILLUSTRATION



Reagent
L016* / ILLUSTRATION




Analyzer
L017* / ILLUSTRATION




Diagnostic device
L018* / ILLUSTRATION




Patient
L019* / PICTOGRAM




Clinician
L020* / PICTOGRAM




Technician
L021* / PICTOGRAM



ECG
L022* / PICTOGRAM



Assay
L023* / PICTOGRAM




Sterilization
L024* / PICTOGRAM




Contamination
L025* / PICTOGRAM




Biosecurity
L026* / PICTOGRAM




Aircraft
A001 / ILLUSTRATION




Helicopter
A002 / ILLUSTRATION




UAV
A003* / ILLUSTRATION / DECISION




Satellite
A004 / ILLUSTRATION




Ground station
A005* / ILLUSTRATION




Antenna
A006 / PICTOGRAM




Vehicle
A007 / ILLUSTRATION




Mobile platform
A008* / ILLUSTRATION




Trailer
A009* / ILLUSTRATION




Radar
A010* / ILLUSTRATION




Optical sensor
A011* / ILLUSTRATION




Power generation
A012* / ILLUSTRATION / DECISION




Environmental control
A013* / SCHEMATIC




Shelter
A014 / ILLUSTRATION




Facility
A015* / ILLUSTRATION




Field equipment
A016 / ILLUSTRATION




Transport
A017 / ILLUSTRATION




Navigation
A018 / PICTOGRAM




Supply
A019* / PICTOGRAM




Monitoring
A020* / PICTOGRAM




Tracking system
A021* / SCHEMATIC




Positioning
A022 / SCHEMATIC




Communications relay
A023* / SCHEMATIC




Power distribution
A024* / SCHEMATIC



Logistics
A025* / SCHEMATIC



Command
A026* / SCHEMATIC




Response
A027* / SCHEMATIC




Orientation marker
D001 / PICTOGRAM

ALL EXCEPT
B


Exception
D002 / PICTOGRAM




Numbered callout balloons
D003 / SCHEMATIC




Detail identifier
D004 / SCHEMATIC




Section view identifier
D005 / SCHEMATIC




Cutting-plane marker
D006 / SCHEMATIC




Elevation marker
D007 / SCHEMATIC




Datum feature identifier
D008 / SCHEMATIC




Dimension
D009 / SCHEMATIC



Revision marker
D010 / SCHEMATIC



Reference leader
D011 / SCHEMATIC



Coordinate grid
D012 / SCHEMATIC

1. DEBURR

Note
D013 / SCHEMATIC

A [1]

1 SEE NOTE

Footnote
D014 / SCHEMATIC

L ± t

Tolerance placeholder
D015 / NOTATION

1 : n

Scale indicator
D016 / NOTATION