

Adaptive Forms Naming Convention

UBS Forms

Exported on 10/15/2025

Table of Contents

No headings included in this document

Pending: Footer Naming Convention TBD

Adaptive Forms naming Convention for Components Library and Content Library			
Library	Naming Convention	Path	Comment
Component Library	afbase_complib_all	apps/afbase_complib_all	
Content Library	afbase_contentlib_all	apps/ afbase_contentlib_all	To be used for all DOR templates

Adaptive Forms naming Convention for Packages			
Naming Convention	Path	Example	Comment
afforms_global_all	/content/forms/af/ afforms_global_all		
afforms_global_<package_name>	/content/forms/af/ afforms_global_<package_name>	afforms_global_fragmentlib	Owned by Helen Gillholm To be used in Publisher Node
afforms_<location>_<package_name>	/content/forms/af/ afforms_<location>_<package_name>	afforms_ch_fragmentlib	To be used for locations specific deviations CH/DE/APAC/etc. The naming convention used is afforms_apac_fragmentlib, afforms_italy_fragmentlib, which looks in line with original names for folder. However, the swiss one is under afforms_global_fragmentlib, it was also the first folder for fragments created.

	/content/dam/ formsanddocuments/ afforms_local_<package_name>	afforms_global _account_opening	Used in Author Node
	/content/dam/ formsanddocuments/ afforms_<location>_<package_name>	afforms_ch_account_opening	To be used for locations specific deviations CH/DE/APAC/etc
afforms_global_x_<package_name>	/content/dam/ formsanddocuments/ afforms_global_x_<package_name>	afforms_global_x_account_opening	x used for technical packages
afforms_<location>_x_<package_name>	/content/dam/ formsanddocuments/ afforms_<location>_x_<package_name>	afforms_ch_x_account_opening	To be used for locations specific deviations CH/DE/APAC/etc

AF Java – will be moved inside the OP2_1_UBSFormsBundle in https://githuboce.ubs.net/OP2/OP2_1_UbsFormsBundle

Proposed list of packages:

afforms_global_all

afforms_global_formsets

afforms_global_form0sets - Doesn't exist.

afforms_global_common - (to be used for confirmation pages)

afforms_global_account_opening - Doesn't exist.

afforms_global_fragmentlib

afforms_ch_fragmentlib -(location specific; to be used for specific CH/DE/APAC/etc deviations)

afforms_global_objectlib

afforms_global_divers

afforms_global_qi_tax

afforms_global_declaration_regulation

afforms_global_data_dictionary

Some of the listed folders do not exist on AEM as they have been consolidated based on the geographic location for the form and all af are distributed based on this criteria. The XFA forms used to have distribution based on QI Tax, Account opening forms, etc.

Adaptive Form Fragment Naming Convention				
Prefix	Naming Convention	Location	Example	Comments
af<frg>	af<frg>_<global>_<fragment_name>_<field1>-<field2>-<fieldN	/content/forms/af/fragments/ af<frg>_<global>_<fragment_name>_<field1>-<field2>-<fieldN	affrg_global_PersonalDetails_Name_Address_Country_text	
	af<frg>_<location>_<fragment_name>_<field1>-<field2>-<fieldN	/content/forms/af/fragments/ af<frg>_<location>_<fragment_name>_<field1>-<field2>-<fieldN	affrg_ch_PersonalDetails_Name_Address_Country_text	To be used for location specific deviations

Current Fragment Name	New AF Fragment name (that aligns with naming convention)
internal-bank-use-signatureofcustomeradviser-signatureofsupervisor	affrg_global_PersonalDetails_Name_Company
personal-details-name-address-country_text	affrg_global_PersonalDetails_Name_Address_Country-text
personal-details-name-address-country_dropdown	affrg_global_PersonalDetails_Name_Address_Country-dropdown
personal-details-last-name-first-name-address-date-of-birth-nationality	affrg_global_PersonalDetails_Name_Address_DOB_Nationality
personal-details-last-name-first-name-company-address-country-phone	affrg_global_PersonalDetails_Name_Company_Address_Phone
panelPersonalDetailsDOBNationality	affrg_global_PersonalDetails_Name_Company_Address_DOB_Nationality

personalDetailsPanel_copy_1	affrg_global_PersonalDetails_Name_Company_Address
addressDetailsPanel	affrg_global_AddressDetails_Address_POBox_Phone_Email
attorneyPanel	affrg_global_AttorneyDetails_Name_DOB_Nationality_Address
panelApplicantDetails	affrg_global_ApplicantDetails_Company_Domicile_Address_LegalForm_Branch_RangeOfActivities
panelBeneficiary	affrg_global_BeneficiaryDetails_Name_Company_Address_IBAN_PurposeOfPayment
beneficial-owner-entity-address-date-of-incorporation-place-of-incorporation	affrg_global_BeneficialOwner_Entity_Address_DateOfIncorporation_PlaceOfIncorporation
bank-of-beneficiary-name-of-bank-bank-code-address	affrg_global_BeneficiaryBank_BankName_BankOfCode_Address
legal-counsel-details-company-name-professionalassociation-address-phone	affrg_global_LegalCounselDetails_Company_Name_ProfessionalAssociation_Address_Phone
change-of-name-title--last-name-first-name-additional-designation	affrg_global_ChangeOfName_Title_Name_AdditionalDesignation
panelDomicileAddress	affrg_global_DomicileAddress_Address_Phone
banking-relationship	affrg_global_BankingRelationship
banking-relationship-custody	affrg_global_BankingRelationship_CustodyAccount
addressblock-address-postalcode-city-state-country	affrg_global_AddressBlock
signature-place-date-legalcounselsignature-legalcounselname	affrg_global_Signature_Place_Date_LegalCounselName
signature-place-date-signature-name	affrg_global_Signature_Place_Date_Name

internal-bank-use-no-signature-text	affrg_global_InternalBankUse_OURef_Signature
panelDispatchViaCourier	affrg_global_InternalBankUse_Dispatch_OUGPN_Date
generic-internal-bank-use	affrg_global_InternalBankUse_Text_OURef_Signature
internal-bank-use-signature-signature-of-client-advisor-signature-of-supervisor	affrg_global_InternalBankUse_OURef_Signature_ClientAdvisorSignature_SupervisorSignature
internal-bank-use-signatureclientadvisor-signaturewitness	affrg_global_InternalBankUse_Line_CallBack_SpokeTo_Extension_ClientAdvisor_Witness_OURef_Date
internal-bank-use-signaturelegalcounsel	affrg_global_InternalBankUse_OURef_LegalCounselSignature
internal-bank-use-signatureofcustomeradvisor-signatureofsupervisor	affrg_global_InternalBankUse_OURef_CustomerAdvisorSignature_SupervisorSignature

Guidelines for Adaptive Forms Label Definition

- All labels in Adaptive Forms will start with the **<PREFIX>** of the Component Type
- The recommended label naming convention in an adaptive form is the **<UpperCamelCase>** style, which capitalizes the first letters of all words in a compound word, including the first word.
- The underscore "_" will be used when additional attribute clustering is required. (e.g: **TXT_FirstName_ClientAdvisor**)

Adaptive Form Label Naming Convention following the <UpperCamelCase> style			
Component Type	Prefix	Naming Convention	Example:
Radio Button	RB	RB_<GroupName> RB_<GroupSelection>	<i>RB_Currency</i> <i>RB_CHF</i>
Date	DATE	DATE_<ComponentName>	<i>DATE_ClientSignature</i> <i>DATE_ClientAdvisorSignature</i> <i>DATE_Enrollment</i>

Text Box	TXT	TXT_<ComponentName>	<i>TXT_FirstName_ClientAdvisor</i> <i>TXT_Signature_ClientAdvisor</i>
Check Box	CB	CB_<CBName>	<i>CB_Currency</i> <i>CB_Countries</i>
Check Box for T&C	CB	<i>CB_Confirmed_<Name></i>	<i>CB_Confirmed_T&C</i>
Drop Down	DD	DD_<GroupName>	<i>DD_PrefixName</i>
Panel	PN	PN_<PanelName>	<i>PN_ClientDetailSection</i> <i>PN_ClientApplicationDetails</i>
Repeat Container Header Title	RCHT	RCHT_<Name>	<i>RCHT_ClientInformation</i>
Repeat Container Panel	RCP	RCP_<Name>	
Repeat Container Button Panel	RCBP	RCBP_<Name>	
Repeat Container Header Panel	RCHP	RCHP_<Name>	
Number Box	NB	NB_<NBName>	<i>NB_Amount</i>
Buttons	BT	BT_<ActionName>	<i>BT_OpenURL</i>
Static Text	ST	ST_<Label>	<i>ST_Title</i> <i>ST_Heading</i> <i>ST_Terms&Conditions</i>
Telephone	TEL	TEL_<PhoneNumber>	<i>TEL_Mobile</i>
Title	TTL	TTL_<Form/SectionTitle>	

TextBox multiline	TXTM	TXTM_<Name>	
Email	EML	EML_<EmailAddress>	
Image	IMG	IMG_<ImageName>	
Chart	CRT	CRT_<ChartName>	
Separator	SPT	SPT_<SeparatorNumber>	<i>SPT_1</i>
Information Text	ITXT	ITXT_<InformationTextName>	
Error Text	ETXT	ETXT_<ErrorTextName>	
Interactive Table	TBL	TBL_<InteractiveTableName>	
Barcode	BARCODE	<i>BARCODE_<FormBaseCode_<Language>_<Mandator></i>	<i>BARCODE_AAAA_EN_001</i>
QRcode	QRCODE	<i>QRCODE_<FormBaseCode_<Language>_<Mandator></i>	<i>QRCODE_AAAA_EN_001</i>

Commonly used conventions & clarifications:

- TXT_BC_AccountNumber and TXT_MAST_AccountNumber for the 2 Banking Relationship fields
- TXT_ClientName, TXT_CompanyName
- DD_NamePrefix for (Mr/Mrs/Dr), TXT_FirstName, TXT_MiddleName, TXT_LastName
- DATE_BirthDate, TXT_Nationality
- TXT_StreetName, TXT_StreetNo, TXT_AddressDetails1, TXT_AddressDetails2, TXT_CityName, TXT_PostalCode, TXT_Canton_Province_State, TXT_CountryName
- DATE_SignatureDate, TXT_SignaturePlace, TXT_Signature, TXT_CA_Signature (*Client Advisor Signature*), *TXT_CA1_Signature*, *TXT_CAn_Signature* (*for repeatable panel*)
- Dedicated CheckBox label in a T&C form, for signing confirmation agreement for ClientAdvisor/Client (*e.g: CB_Confirmed_<Name>*;
- Naming convention for a regular text section within a form irrespective of show/hide function - *ST_<Label>* (*e.g: ST_CreditCard_Information*)
- Primary, Secondary, Tertiary & Remove Buttons components present in Library, can be identified as *BT_<ActionName>*

For more commonly used label definitions please consult the attached file: [Commonly used Label Definitions - 2020.09](#)¹

Adaptive Form - File Naming Convention:

Adaptive form file names will include the prefix <AF> and the <4 chars FormBaseCode>, as a single HTML file will be shared across multiple mandators & languages.

<prefix AF>_<FormBaseCode> (e.g: AF_AAAA, AF_AAABZ)

Adaptive Form - Folder Naming Convention and Structure

An Adaptive Forms folder name will contain the prefix <AF> and the <first 2 chars from the FormBaseCode>, representing the range of forms to be included in each folder.

<AF>_<First 2 chars from the FormBaseCode>

Example: folder AF_AA will include all adaptive forms with the formbasecode starting with AF_AA..:

AF Package	AF Folder	AF File
affforms_global_all	AF_AA	AF_AAAA
		AF_AAAB
		...
		AF_AAZZ
	AF_AB	AF_ABAA
		AF_ABAB
		...
		AF_ABZZ
	AF_AC	
	...	

¹ https://central-confluence.ubs.net/confluence/download/attachments/301279857/CommonLabelDefinition_Translation_Version_2020_09.xlsx?api=v2&modificationDate=1601044471000&version=1

AF Package	AF Folder	AF File
	AF_ZZ	

Adaptive Form Set - File Naming Convention

Adaptive Form Set file names will include the prefix <AFS> and <4 digits AdaptiveFormSetBaseCode>
 <prefix AFS>_<4 digits AdaptiveFormSetBaseCode> (e.g: AFS_0000, AFS_0001)

Adaptive (Business) Form Set - Folder Naming Convention and Structure:

AFS Package	AFS Folder	AFS File
afforms_global_formsets	AFS_0	AFS_0000
		AFS_0001
		...
		AFS_0999
	AFS_1	
		
	AFS_9	

the naming convention is place is different than the one proposed. The folder names are afforms_global_integrated (CH), afforms_apac_integrated for (APAC). The name of AFS are with 4 character code instead of number formsetbasecode.

Adaptive Form0 Form Set - File Naming Convention

An Adaptive Form0 Form Set, will be treated in KIOSK like a form, therefore will receive a unique <4 chars FormBaseCode>

<prefix AFS>_<4 chars FormBaseCode> (e.g: AFS_AAAB)

Adaptive Form0 Form Set - Folder Naming Convention and Structure

AFS Form0 Package	AFS Form0 Folder	AFS Form0 File
afforms_global_form0sets	AFS_AA	AFS_AAAA
		AFS_AAAB
		...
		AFS_AAZZ
	AFS_AB	AFS_ABAA
		AFS_ABAB
		...
		AFS_ABZZ
	AFS_AC	
	...	
	AFS_ZZ	

Please note that the FormBaseCode is unique across Forms and Form0(s).