

RESPONSIVE 

IMPACT

®

A BETTER FLOOR

INSPIRE®

SPC FLOORING



UNILIN™ CLICK SYSTEM

RESPONSIVE

IMPACT[®]
A BETTER FLOOR

A BETTER
FLOOR

PLANK SIZE: 7" x 48" x 4.5mm

INSPIRE[®]

SPC FLOORING

SIZE: 7" x 48"

THICKNESS: 4.5 MM

WEAR LAYER: 12 MIL | 0.30 MM

PIECES: 11 PER BOX

COVERAGE: 25.98 SQ FT / BOX | 2.41 M² / BOX

INTERLOCK: UNLIN[®] CLICK SYSTEM

INSPIRE®

SPC FLOORING: UNICLIC / UNIPUSH™ CLICK SYSTEM

SPC FLOORING FOR HEAVY COMMERCIAL USE

PUR Polyurethane Reinforcement | Product Standard INSPIRE ASTM F3261-17

CERTIFICATION & CLASSIFICATION	STANDARD	INSPIRE®
TYPE OF FLOOR COVERING	ISO 10582 EN 16511	SPC
CE CERTIFICATION	EN 14041	Yes
CLASSIFICATION	EN ISO 10874	Heavy Traffic : Class 34

TECHNICAL CHARACTERISTICS	STANDARDS	INSPIRE®
TOTAL THICKNESS	EN ISO 24336 (EN 428)	4.50 MM
WEAR LAYER THICKNESS	EN ISO 24340 (EN 429)	0.30 MM 12 MIL
SURFACE TREATMENT	UV TREATED	PUR
TOTAL WEIGHT	EN ISO 23997 (EN 430)	7.4 kg/m² 1.52 lbs / sq.ft
WEAR LAYER BINDER CONTENT	ISO 10582	TYPE I
FORM OF DELIVERY	EN ISO 24342 (EN 427) Planks box	7" X 48" = 25.98 sq.ft 11 Pieces per box 180X 1219 mm = 2.41 m² 11 Pieces per box

TECHNICAL PERFORMANCES	STANDARDS	INSPIRE®
DIMENSIONAL STABILITY	EN ISO 23999 (EN 434)	≤ 0.10%
REACTION TO FIRE	EN 13501 – 1	Bfl- S1
RESIDUAL INDENTATION	EN ISO 24343-1 (EN 433)	PASS
FURNITURE LEG	EN 424	No damage
CASTOR CHAIR	EN ISO 4918 (EN 425)	No damage
CURL RESULTANT TO HEAT	EN ISO 23999 (434)	≤ 2mm
IMPACT SOUND REDUCTION	EN ISO 140-8 EN ISO 717/2	Lnw = 18dB
LIGHT FASTNESS	EN ISO 105 – B02	PASS
RESISTANCE TO CHEMICALS	EN ISO 26987 (EN423)	Good resistance
SLIP RESISTANCE	DIN51130 EN 13893	R9 PASS




ISO 9001
ISO 14001
ISO 18001



INSPIRE[®]


SPC FLOORING: UNICLIC / UNIPUSH™ CLICK SYSTEM



FEATURES & BENEFITS



APPLICATIONS



GREY ELM

IMP-INS-01

RESPONSIVE 

IMPACT[®]
A BETTER FLOOR

GREY ELM
IMP-INS-01



GREY ELM
IMP-INS-01

10 UNIQUE
PATTERN
VARIATIONS

A



B



C



D



E



F



G




H



I



J



COUNTRY OAK

IMP-INS-02

RESPONSIVE 

IMPACT[®]
A BETTER FLOOR

COUNTRY OAK

IMP-INS-02



COUNTRY OAK
IMP-INS-02

10 UNIQUE
PATTERN
VARIATIONS

A



B



C



D



E



F



G




H



I



J



DELICATE BEECH

IMP-INS-03

RESPONSIVE 

IMPACT[®]
A BETTER FLOOR

DELICATE BEECH

IMP-INS-03



DELICATE BEECH
IMP-INS-03

10 UNIQUE
PATTERN
VARIATIONS

A



B



C



D



E



F



G



H



I



J



BURNT GREY

IMP-INS-04

RESPONSIVE 

IMPACT[®]
A BETTER FLOOR

BURNT GREY
IMP-INS-04




BURNT GREY
IMP-INS-04

10 UNIQUE
PATTERN
VARIATIONS

A



B



C




D




E




F




G



H



I



J



GARDEN WALNUT

IMP-INS-05

RESPONSIVE 

IMPACT[®]
A BETTER FLOOR

GARDEN WALNUT

IMP-INS-05



GARDEN WALNUT


IMP-INS-05

10 UNIQUE
PATTERN
VARIATIONS


A



B



C



D




E




F



G



H



I



J



HONEY HAZELNUT

IMP-INS-06

RESPONSIVE 

IMPACT[®]
A BETTER FLOOR

HONEY HAZELNUT

IMP-INS-06




HONEY HAZELNUT
IMP-INS-06

10 UNIQUE
PATTERN
VARIATIONS


A




B



C




D



E



F



G



H



I



J



DARK JACOBEN

IMP-INS-07

RESPONSIVE 

IMPACT[®]
A BETTER FLOOR

DARK JACOBEAN
IMP-INS-07



DARK JACOBEAN
IMP-INS-07

10 UNIQUE
PATTERN
VARIATIONS

A



B



C



D




E



F



G



H



I



J



RICH CHERRY

IMP-INS-08

RESPONSIVE 

IMPACT[®]
A BETTER FLOOR

RICH CHERRY

IMP-INS-08



RICH CHERRY
IMP-INS-08

10 UNIQUE
PATTERN
VARIATIONS

A




B




C




D




E



F




G



H



I



J

