

A futuristic orange and black VTOL aircraft is shown in flight, hovering over a winding coastal road. The aircraft has a sleek, aerodynamic design with a large, curved canopy and two prominent, circular engine nacelles mounted on the sides. The background features a dramatic sunset over the ocean, with a road curving along a cliffside. The overall scene conveys a sense of advanced technology and personal mobility.

The Apex of Personal Vertical Mobility

Introducing the Air One Rajput. A high-performance, electric-propulsion VTOL engineered to shatter the boundaries of urban and expeditionary flight.

Form Engineered by Aerodynamic Evolution



Absolute efficiency requires biomimetic geometry.

The Performance Envelope

600 Km

Single Sortie Range

300 Km/hr

Sustained Cruise Speed

20,000 Ft

Maximum Service Ceiling

500 Kg

Max Takeoff Weight (MTOW)

Empty Takeoff Weight: 230 - 270 kg

Payload Fraction

AIR ONE - RAJPUT BLUEPRINT

SCALE

PART NO. ROC108WG

PART NUMBERS


RAJP10123

PART 00

PAGE

1

Defeating Drag to Maximize Efficiency




Anatomy of a 100% Electric Propulsion System



While the aircraft utilizes a hybrid energy platform to unlock expeditionary range, the propulsion system itself is completely electric, routing power instantly to the dual rear thrusters and carbon-fiber autogyro rotor.

True Vertical Freedom Requires a Minimal Footprint



SCALE: 1:10

0 50 mm 200

Unlike traditional helicopters requiring dedicated helipads, the Rajput's compact stance and steerable nose wheel allow for **Vertical Vertical Takeoff and Landing (VTOL)** directly from a standard seven-seater car parking area.

0 50 mm 160

The Asymmetric Advantage

METRIC	FIRST-GEN eVTOLs	LIGHT HELICOPTERS	AIR ONE RAJPUT
Cruise Speed	~150 km/h	~250 km/h	300 km/h
Max Range	~100 km	~500 km	600 km
Service Ceiling	~10,000 ft	~15,000 ft	20,000 ft
Landing Footprint	Vertiport	Helipad	7-Car Parking Space



Mastering the Mega-City Commute

Navigating extreme urban density demands precision. The fully enclosed rear ducted thrusters eliminate the fatal hazard of exposed tail rotors, making the Rajput uniquely suited for tight-corridor operations above the world's most congested cities.



Seamless Marine and Leisure Integration

MTOW: 500 KG

With an astonishing Maximum Takeoff Weight of just 500 kg, the Rajput can land on standard luxury yacht helipads and private cantilevered balconies without requiring the expensive structural reinforcements demanded by traditional aircraft.

Unrestricted Global Exploration


Beyond the city, the Rajput serves as an apex expeditionary platform. It possesses the high-altitude capability and thermal endurance to dominate environments that ground lesser aircraft.



Dust-sealed electric thrusters.




20,000 ft Service Ceiling
clears alpine ranges.



600 km single sortie range
spans untouched wilderness.

Zero-Compromise Maintenance and Durability

- The 100% electric propulsion system strips away the complex, failure-prone mechanical linkages of traditional rotorcraft, resulting in minimal downtime and drastically reduced operating costs.



- The carbon-fiber monocoque teardrop pod offers unparalleled tensile strength while maintaining the strict 230-270 kg empty weight.

The Paradigm Has Shifted

- ✓ 600 km Range at 300 km/h
- ✓ 100% Electric Propulsion
- ✓ 7-Car Parking VTOL Freedom



Air One Rajput. The sky is no longer the limit; it is the starting line.