
Cucumber Report



Feature			Scer	nario		Step			
Name	Duration	T	P	F	S	T	P	F	S
Login Feature	6.712 s	1	0	1	0	5	4	1	0

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Login Feature	<u>verifyProductArrangeInAlphaBaticalOrder</u>

TAG		Scer	nario			Feature		
Name	T	P	F	S	T	P	F	S
@ajit	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	Login Feature	1	0	1	0	6.712 s

SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login Feature	verifyProductArrangeInAlphaBaticalOrder	5	4	1	0	6.710 s

DETAILED SECTION -- 7 -

Login Feature

FAILED	DURATION - 6.712 s	Scenarios		Steps	
		Total - 1		Total - 5	
/ 11:50:15.124 pm //	11:50:21.836 pm /	Pass - 0	1	Pass - 4	5
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

$verify {\bf Product Arrange In Alpha Batical Order}$



#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.001 s
2	And I hover mouse on Desktops tab and click	PASSED	0.074 s
3	And I call selectMenu method and pass the menu show AllDesktops	PASSED	1.062 s
4	And I select sort by position "Name (Z - A)"	PASSED	0.431 s
5	Then I Verify the Product will arrange in Descending order.	FAILED	0.005 s
	io.cucumber.core.exception.CucumberException: Step [I Verify the Product will arrange in Descending order.] is defined with 1 parameters at 'demo.com.tutorialsninja.steps.DesktopsPageSteps.iVerifyTheProductWillArrangeInDescendingOrder(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: I Verify the Product will arrange in Descending order. at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:848)		
	at org.testng.TestRunner.run(TestRunner.java:621)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:336)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)		
	at org.testng.TestNG.runSuites(TestNG.java:1114)		
	at org.testng.TestNG.run(TestNG.java:1082)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)		
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
	AFTER - demo.com.tutorialsninja.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.284 s
	verifyProductArrangeInAlphaBaticalOrder		
	Quitos com Superior Processor Proc		
	### Operation		
	O		
	Mail state Mai		