
Cucumber Report



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Login Feature	5 m 17.742 s	6	0	6	0	90	42	6	42

#	Feature Name	Scenario Name
1	Login Feature	verifyProductAddedToShoppingCartSuccessFully
2		verifyProductAddedToShoppingCartSuccessFully
3		verifyProductAddedToShoppingCartSuccessFully
4		verifyProductAddedToShoppingCartSuccessFully
5		verifyProductAddedToShoppingCartSuccessFully
6		verifyProductAddedToShoppingCartSuccessFully


TAG	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@sanity	6	0	6	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	<u>Login Feature</u>	6	0	6	0	5 m 17.742 s


SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login Feature	verifyProductAddedToShoppingCartSuccessFully	15	7	1	7	56.075 s
2		verifyProductAddedToShoppingCartSuccessFully	15	7	1	7	34.957 s
3		verifyProductAddedToShoppingCartSuccessFully	15	7	1	7	1 m 7.412 s
4		verifyProductAddedToShoppingCartSuccessFully	15	7	1	7	49.712 s
5		verifyProductAddedToShoppingCartSuccessFully	15	7	1	7	1 m 1.580 s
6		verifyProductAddedToShoppingCartSuccessFully	15	7	1	7	47.887 s

DETAILED SECTION -- 7 --

Login Feature




verifyProductAddedToShoppingCartSuccessFully



#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.000 s
2	And I hover mouse on Currency Dropdown and click	PASSED	0.204 s
3	And I hover mouse on £Pound Sterling and click	PASSED	1.298 s
4	And I hover mouse on Desktops tab and click	PASSED	0.137 s
5	And I click on show AllDesktops	PASSED	6.629 s
6	And I select sort by position "Name (A - Z)"	PASSED	0.567 s
7	And I select product "HTC Touch HD"	PASSED	4.361 s
8	And I verify the text "HTC Touch HD"	FAILED	20.041 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//h1[normalize-space()='HTC Touch HD'])[1]"} (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1014b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e3a1b020aa7bdf4594d42b0f5c1361e4, findElement {using=xpath, value=(//h1[normalize-space()='HTC Touch HD'])[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617, userDataDir: C:\Users\appat\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64728}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64728/devtoo, se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,		

#	Step / Hook Details	Status	Duration
#	pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e3a1b020aa7bdf4594d42b0f5c1361e4 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.ConlegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.getText(Unknown Source) at demo.com.tutorialsninja.utility.Utility.getTextFromElement(Utility.java:66)		
	at demo.com.tutorialsninja.pages.ProductPage.getProductNameText(ProductPage.java:41) at demo.com.tutorialsninja.steps.ProductPageSteps.iVerifyTheText(ProductPageSteps.java:9) at ?.I verify the text "HTC Touch HD"(file:///C:/Users/appat/IdeaProjects/tutorilalsninja-com-demo-6/src/test/resources/features/desktopstest. feature:15) * Not displayable characters are replaced by '?'.		
9	And I enter Qty 1 using select class	SKIPPED	0.000 s
10	And I click on Add to cart	SKIPPED	0.000 s
11	And I click on shopping cart link	SKIPPED	0.000 s
12	And I Verify the text Shopping Cart	SKIPPED	0.000 s
13	And I Verify the Product name "HTC Touch HD"	SKIPPED	0.000 s
14	And I Verify the Model "Product 1"	SKIPPED	0.000 s
15	And I Verify the Total "£74.73"	SKIPPED	0.016 s
	AFTER - demo.com.tutorialsninja.steps.Hooks.tearDown(io.cucumber.java.Scenario) verifyProductAddedToShoppingCartSuccessFully	PASSED	0.454 s

#	Step / Hook Details	Status	Duration
	The term of the property of th		




#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.000 s
2	And I hover mouse on Currency Dropdown and click	PASSED	0.183 s
3	And I hover mouse on £Pound Sterling and click	PASSED	0.827 s
4	And I hover mouse on Desktops tab and click	PASSED	0.068 s
5	And I click on show AllDesktops	PASSED	2.033 s
6	And I select sort by position "Name (A - Z)"	PASSED	0.492 s
7	And I select product "iPhone"	PASSED	1.689 s
8	And I verify the text "iPhone"	FAILED	20.035 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"(//h1[normalize-space()='HTC Touch HD'])[1]"} (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [66621d2fca6ae408c0f741a056b07aae, findElement {using=xpath, value=(//h1[normalize-space()='HTC Touch HD'])[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.11 (9729082fe617, userDataDir: C:\Users\appat\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64803}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64803/devtoo, se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Session ID: 66621d2fca6ae408c0f741a056b07aae		

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy29.getText(Unknown Source)		
	at demo.com.tutorialsninja.utility.Utility.getTextFromElement(Utility.java:66)		
	at demo.com.tutorialsninja.pages.ProductPage.getProductNameText(ProductPage.java:41)		
	at demo.com.tutorialsninja.steps.ProductPageSteps.iVerifyTheText(ProductPageSteps.java:9)		
	at ?.I verify the text "iPhone"(file:///C:/Users/appat/IdeaProjects/tutorilalsninja-com-demo-6/src/test/resources/features/desktopstest. feature:15)		
	* Not displayable characters are replaced by '?'.		
9	And I enter Qty 1 using select class	SKIPPED	0.000 s
10	And I click on Add to cart	SKIPPED	0.000 s
11	And I click on shopping cart link	SKIPPED	0.000 s
12	And I Verify the text Shopping Cart	SKIPPED	0.000 s
13	And I Verify the Product name "iPhone"	SKIPPED	0.000 s
14	And I Verify the Model "product 11"	SKIPPED	0.000 s
15	And I Verify the Total "£75.46"	SKIPPED	0.000 s
	AFTER - demo.com.tutorialsninja.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.438 s
	verifyProductAddedToShoppingCartSuccessFully		

#	Step / Hook Details	Status	Duration
	Galacian Si Santa Constitution		
	25		
	Apple Cinera 30* Apple Cinera 40* Apple Cinera		
	(2.3) (4.4) III III III III III III III III III I		
	"Annale Annale A		




#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.000 s
2	And I hover mouse on Currency Dropdown and click	PASSED	5.164 s
3	And I hover mouse on £Pound Sterling and click	PASSED	6.044 s
4	And I hover mouse on Desktops tab and click	PASSED	0.071 s
5	And I click on show AllDesktops	PASSED	7.732 s
6	And I select sort by position "Name (A - Z)"	PASSED	0.621 s
7	And I select product "iPod Classic"	PASSED	2.258 s
8	And I verify the text "iPod Classic"	FAILED	20.009 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//h1[normalize-space()='HTC Touch HD'])[1]"} (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e84d1b9de44973f9604591357d79e8e3, findElement {using=xpath, value=(//h1[normalize-space()='HTC Touch HD'])[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.11 (9729082fe617, userDataDir: C:\Users\appat\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64849}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64849/devtoo, se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Session ID: e84d1b9de44973f9604591357d79e8e3		

DETAILED SECTION -- 12 --

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.odec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(PtitpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$Element(Flement(Element(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(Element(ElementLocation.java:165) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.support.pagefactory.DefaultElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElement(RemoteWebDriver.java:38) at org.openqa.selenium.support.pagefactory.DefaultElement(Cont.findElement(DefaultElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.getText(Unknown Source) at demo.com.tutorialsninja.utility.Utility.getTextFromElement(Utility.java:66) at demo.com.tutorialsninja.steps.ProductPageSteps.iVerifyTheText(ProductPage.java:41) at demo.com.tutorialsninja.steps.ProductPageSteps.iVerifyTheText(ProductPage.java:41) at demo.com.tutorialsninja.steps.ProductPageSteps.iVerifyTheText(ProductPage.java:41) at demo.com.tutori		
9	And I enter Qty 1 using select class	SKIPPED	0.000 s
10	And I click on Add to cart	SKIPPED	0.000 s
11	And I click on shopping cart link	SKIPPED	0.000 s
12	And I Verify the text Shopping Cart	SKIPPED	0.002 s
13	And I Verify the Product name "iPod Classic"	SKIPPED	0.000 s
14	And I Verify the Model "product 20"	SKIPPED	0.001 s
15	And I Verify the Total "£74.73"	SKIPPED	0.000 s
	AFTER - demo.com.tutorialsninja.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.763 s
	verifyProductAddedToShoppingCartSuccessFully		

#	Step / Hook Details	Status	Duration
	The state of the s		




#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.000 s
2	And I hover mouse on Currency Dropdown and click	PASSED	5.170 s
3	And I hover mouse on £Pound Sterling and click	PASSED	6.096 s
4	And I hover mouse on Desktops tab and click	PASSED	0.053 s
5	And I click on show AllDesktops	PASSED	7.982 s
6	And I select sort by position "Name (A - Z)"	PASSED	0.470 s
7	And I select product "MacBook"	PASSED	2.362 s
8	And I verify the text "MacBook"	FAILED	20.013 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//h1[normalize-space()='HTC Touch HD'])[1]"} (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [56328c4c8f475850a5ead81ac351b811, findElement {using=xpath, value=(//h1[normalize-space()='HTC Touch HD'])[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.11 (9729082fe617, userDataDir: C:\Users\appat\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64917}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64917/devtoo, se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Session ID: 56328c4c8f475850a5ead81ac351b811		

DETAILED SECTION -- 14 --

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.odec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.odec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:191) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$Element(Flemet@Element(ElementLocation.java:165) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:38) at org.openqa.selenium.support.pagefactory.DefaultElement(RemoteWebDriver.java:38) at org.openqa.selenium.support.pagefactory.DefaultElement(CemoteWebDriver.java:38) at org.openqa.selenium.support.pagefactory.DefaultElement(CemoteWebDriver.java:38) at org.openqa.selenium.support.pagefactory.DefaultElement(CemoteWebDriver.java:38) at org.openqa.selenium.support.pagefactory.DefaultElement(CemoteWebDriver.java:38) at org.openqa.selenium.support.pagefactory.DefaultElement(CemoteWebDriver.java:38) at org.openqa.selenium.support.pagefactory.DefaultElement(CemoteWebDriver.java:38) at org.ope		
9	And I enter Qty 1 using select class	SKIPPED	0.000 s
10	And I click on Add to cart	SKIPPED	0.001 s
11	And I click on shopping cart link	SKIPPED	0.000 s
12	And I Verify the text Shopping Cart	SKIPPED	0.000 s
13	And I Verify the Product name "MacBook"	SKIPPED	0.000 s
14	And I Verify the Model "Product 16"	SKIPPED	0.000 s
15	And I Verify the Total "£368.73"	SKIPPED	0.000 s
	AFTER - demo.com.tutorialsninja.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.637 s
	verifyProductAddedToShoppingCartSuccessFully		

#	Step / Hook Details	Status	Duration
	The state of the s		




#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.000 s
2	And I hover mouse on Currency Dropdown and click	PASSED	0.164 s
3	And I hover mouse on £Pound Sterling and click	PASSED	0.840 s
4	And I hover mouse on Desktops tab and click	PASSED	0.052 s
5	And I click on show AllDesktops	PASSED	1.599 s
6	And I select sort by position "Name (A - Z)"	PASSED	30.161 s
7	And I select product "MacBook Air"	PASSED	1.916 s
8	And I verify the text "MacBook Air"	FAILED	20.078 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"(//h1[normalize-space()='HTC Touch HD'])[1]"} (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7f4d56a4020b2f2a55bdc17eca5ab85e, findElement {using=xpath, value=(//h1[normalize-space()='HTC Touch HD'])[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617, userDataDir: C:\Users\appat\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64972}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64972/devtoo, se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Session ID: 7f4d56a4020b2f2a55bdc17eca5ab85e		

DETAILED SECTION -- 16 --

#	Step / Hook Details	Status	Duration
#	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.dec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation.findElement(Element(Element(Cation.java:165)) at org.openqa.selenium.remote.RemoteWebDriver.findElement(Element(ElementLocation.java:38)) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:384) at org.openqa.selenium.support.pagefactory.DefaultElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.getText(Unknown Source) at demo.com.tutorialsninja.utility.Utility.getTextFromElement(Utility.java:66) at demo.com.tutorialsninja.steps.ProductPage.getProductNameText(ProductPage.java:41) at demo.com.tutorialsninja.steps.ProductPageSteps.iVerifyTheText(ProductPageSteps.java:9) at ?! verify the text "MacBook Air"(file:///C:	Status	Duration
9	* Not displayable characters are replaced by '?'. And I enter Qty 1 using select class	SKIPPED	0.000 s
10	And I click on Add to cart	SKIPPED	0.000 s
11	And I click on shopping cart link	SKIPPED	0.000 s
		SKIPPED	0.000 s
12	And I Verify the text Shopping Cart		
13	And I Verify the Product name "MacBook Air"	SKIPPED	0.000 s
14	And I Verify the Model "Product 17"	SKIPPED	0.000 s
15	And I Verify the Total "£736.23"	SKIPPED	0.000 s
	AFTER - demo.com.tutorialsninja.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.410 s
	verifyProductAddedToShoppingCartSuccessFully	<u> </u>	

#	Step / Hook Details	Status	Duration
	The state of the s		



#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.000 s
2	And I hover mouse on Currency Dropdown and click	PASSED	0.159 s
3	And I hover mouse on £Pound Sterling and click	PASSED	0.946 s
4	And I hover mouse on Desktops tab and click	PASSED	0.074 s
5	And I click on show AllDesktops	PASSED	4.304 s
6	And I select sort by position "Name (A - Z)"	PASSED	0.496 s
7	And I select product "Sony VAIO"	PASSED	5.540 s
8	And I verify the text "Sony VAIO"	FAILED	20.050 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"(//h1[normalize-space()='HTC Touch HD'])[1]"} (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [77de6fd5bb12e725dd3638088a5d0236, findElement {using=xpath, value=(//h1[normalize-space()='HTC Touch HD'])[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.11 (9729082fe617, userDataDir: C:\Users\appat\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65043}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65043/devtoo, se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Session ID: 77de6fd5bb12e725dd3638088a5d0236		

DETAILED SECTION -- 18 --

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.odec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$Element(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$Element(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.support.pagefactory.DefaultElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElement(RemoteWebDriver.java:364) at org.openqa.selenium.support.pagefactory.DefaultElement(RemoteWebDriver.java:368) at org.openqa.selenium.support.pagefactory.DefaultElement(PemoteWebDriver.java:364) at org.openqa.selenium.support.pagefactory.DefaultElement(PemoteWebDriver.java:368) at org.openqa.selenium.support.pagefactory.DefaultElement(PemoteWebDriver.java:369) at org.openqa.selenium.support.pagefactory.DefaultElement(PemoteWebDriver.java:369) at org.openqa.selenium.support.pagefactory.DefaultElement(PemoteWebDriver.java:369) at org.openqa.selenium.support.pagefactory.		
9	And I enter Qty 1 using select class	SKIPPED	0.000 s
10	And I click on Add to cart	SKIPPED	0.000 s
11	And I click on shopping cart link	SKIPPED	0.000 s
12	And I Verify the text Shopping Cart	SKIPPED	0.000 s
13	And I Verify the Product name "Sony VAIO"	SKIPPED	0.000 s
14	And I Verify the Model "Product 19"	SKIPPED	0.000 s
15	And I Verify the Total "£736.23"	SKIPPED	0.000 s
	AFTER - demo.com.tutorialsninja.steps.Hooks.tearDown(io.cucumber.java.Scenario) verifyProductAddedToShoppingCartSuccessFully	PASSED	0.466 s
	1 volley, routed latest volleymigourioussess any		

DETAILED SECTION -- 19 --

#	Step / Hook Details	Status	Duration
	Cycles CSCO Applies Cheens 307 Applie Cheens 307 Applie Cheens 307 Applies Cheens		