

Cucumber Report

17 Dec 2023, 17:55:01

Start : Dec 17, 5:52:12.483 pm

End : Dec 17, 5:55:00.219 pm

Duration : 2 m 47.736 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 6
SKIPPED - 0


PASSED - 42
FAILED - 6
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login Feature</u>	2 m 47.736 s	6	0	6	0	48	42	6	0

#	Feature Name	Scenario Name
1	<u>Login Feature</u>	<u>verifyProductAddedToShoppingCartSuccessfully</u>
2		<u>verifyProductAddedToShoppingCartSuccessfully</u>
3		<u>verifyProductAddedToShoppingCartSuccessfully</u>
4		<u>verifyProductAddedToShoppingCartSuccessfully</u>
5		<u>verifyProductAddedToShoppingCartSuccessfully</u>
6		<u>verifyProductAddedToShoppingCartSuccessfully</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@sanity	6	0	6	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	Login Feature	6	0	6	0	2 m 47.736 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login Feature</u>	<u>verifyProductAddedToShoppingCartSuccessfully</u>	8	7	1	0	35.798 s
2		<u>verifyProductAddedToShoppingCartSuccessfully</u>	8	7	1	0	37.239 s
3		<u>verifyProductAddedToShoppingCartSuccessfully</u>	8	7	1	0	11.269 s
4		<u>verifyProductAddedToShoppingCartSuccessfully</u>	8	7	1	0	36.187 s
5		<u>verifyProductAddedToShoppingCartSuccessfully</u>	8	7	1	0	10.954 s
6		<u>verifyProductAddedToShoppingCartSuccessfully</u>	8	7	1	0	36.228 s


Login Feature

FAILED	DURATION - 2 m 47.736 s	Scenarios Total - 6 Pass - 0 Fail - 6 Skip - 0		Steps Total - 48 Pass - 42 Fail - 6 Skip - 0	
/ 5:52:12.483 pm // 5:55:00.219 pm /					



verifyProductAddedToShoppingCartSuccessfully

<div><div>FAILED</div><div>DURATION - 35.798 s</div></div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 7</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 5:52:12.488 pm // 5:52:48.286 pm /				
Login Feature				
@sanity				


#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.000 s
2	And I hover mouse on Currency Dropdown and click	PASSED	0.187 s
3	And I hover mouse on £Pound Sterling and click	PASSED	0.807 s
4	And I hover mouse on Desktops tab and click	PASSED	0.060 s
5	And I click on show AllDesktops	PASSED	6.902 s
6	And I select sort by position "Name (A - Z)"	PASSED	0.459 s
7	And I select product "HTC Touch HD"	PASSED	4.804 s
8	And I verify the text "HTC Touch HD"	FAILED	0.035 s
	org.openqa.selenium.InvalidSelectorException: invalid selector: An invalid or illegal selector was specified (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/#invalid-selector-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dd6e15743928153e0bc1d0b5327861dc, findElement {using=css selector, value=//div[@id='content']/div/div/h1}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\lappat\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52991}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52991/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,		

#	Step / Hook Details	Status	Duration
	<p>pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: dd6e15743928153e0bc1d0b5327861dc</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.getText(Unknown Source) at demo.com.tutorialsninja.utility.Utility.getTextFromElement(Utility.java:66) at demo.com.tutorialsninja.pages.ProductPage.getProductLabelText(ProductPage.java:40) at demo.com.tutorialsninja.steps.ProductPageSteps.iVerifyTheText(ProductPageSteps.java:9) at ?.I verify the text "HTC Touch HD"(file:///C:/Users/appat/IdeaProjects/tutorialsninja-com-demo-6/src/test/resources/features/desktopstest.feature:15) * Not displayable characters are replaced by '?'. </p>		
	AFTER - demo.com.tutorialsninja.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.332 s
	verifyProductAddedToShoppingCartSuccessfully		
			



verifyProductAddedToShoppingCartSuccessfully

FAILED	DURATION - 37.239 s		<div>Steps</div> <div>Total - 8</div> <div>Pass - 7</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 5:52:48.308 pm // 5:53:25.547 pm /				
Login Feature				
@sanity				

#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.000 s
2	And I hover mouse on Currency Dropdown and click	PASSED	5.156 s
3	And I hover mouse on £Pound Sterling and click	PASSED	5.871 s
4	And I hover mouse on Desktops tab and click	PASSED	0.081 s
5	And I click on show AllDesktops	PASSED	12.328 s
6	And I select sort by position "Name (A - Z)"	PASSED	0.786 s
7	And I select product "iPhone"	PASSED	5.296 s
8	And I verify the text "iPhone"	FAILED	0.039 s
	org.openqa.selenium.InvalidSelectorException: invalid selector: An invalid or illegal selector was specified (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2709b0b598a1e7359b37b86e89b7cafd, findElement {using=css selector, value=//div[@id='content']/div/div/h1}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\appat\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53038}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53038/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2709b0b598a1e7359b37b86e89b7cafd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.getText(Unknown Source) at demo.com.tutorialsninja.utility.Utility.getTextFromElement(Utility.java:66) at demo.com.tutorialsninja.pages.ProductPage.getProductLabelText(ProductPage.java:40) at demo.com.tutorialsninja.steps.ProductPageSteps.iVerifyTheText(ProductPageSteps.java:9) at ?.I verify the text "iPhone"(file:///C:/Users/appat/IdeaProjects/tutorialsninja-com-demo-6/src/test/resources/features/desktopstest.feature:15) * Not displayable characters are replaced by '?'. </pre>		
	AFTER - demo.com.tutorialsninja.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.565 s
	verifyProductAddedToShoppingCartSuccessfully		
			

verifyProductAddedToShoppingCartSuccessfully



<div>FAILED</div> <div>DURATION - 11.269 s</div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 7</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 5:53:25.555 pm // 5:53:36.824 pm /</div>				
<div>Login Feature</div>				
<div>@sanity</div>				

#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.000 s
2	And I hover mouse on Currency Dropdown and click	PASSED	0.145 s


#	Step / Hook Details	Status	Duration
3	And I hover mouse on £Pound Sterling and click	PASSED	0.818 s
4	And I hover mouse on Desktops tab and click	PASSED	0.059 s
5	And I click on show AllDesktops	PASSED	1.289 s
6	And I select sort by position "Name (A - Z)"	PASSED	0.447 s
7	And I select product "iPod Classic"	PASSED	1.190 s
8	And I verify the text "iPod Classic"	FAILED	0.017 s
	<p>org.openqa.selenium.InvalidSelectorException: invalid selector: An invalid or illegal selector was specified (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [20710b58176180e3976caa075ace7dcd, findElement {using=css selector, value=//div[@id='content']/div/div/h1}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\lappat\AppData\Local\..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53088}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53088/devtoo..., se.cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 20710b58176180e3976caa075ace7dcd</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.getText(Unknown Source) at demo.com.tutorialsninja.utility.Utility.getTextFromElement(Utility.java:66) at demo.com.tutorialsninja.pages.ProductPage.getProductNameText(ProductPage.java:40) at demo.com.tutorialsninja.steps.ProductPageSteps.iVerifyTheText(ProductPageSteps.java:9)</p>		

#	Step / Hook Details	Status	Duration
	<p>at ?.I verify the text "iPod Classic"(file:///C:/Users/appat/IdeaProjects/tutorialsninja-com-demo-6/src/test/resources/features/desktopstest.feature:15)</p> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER - demo.com.tutorialsninja.steps.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>verifyProductAddedToShoppingCartSuccessfully</p> 	PASSED	0.243 s

verifyProductAddedToShoppingCartSuccessfully

FAILED	DURATION - 36.187 s		Steps Total - 8 Pass - 7 Fail - 1 Skip - 0	
/ 5:53:36.832 pm // 5:54:13.019 pm /				
Login Feature				
@sanity				


#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.000 s
2	And I hover mouse on Currency Dropdown and click	PASSED	0.146 s
3	And I hover mouse on £Pound Sterling and click	PASSED	1.042 s
4	And I hover mouse on Desktops tab and click	PASSED	0.065 s
5	And I click on show AllDesktops	PASSED	7.068 s
6	And I select sort by position "Name (A - Z)"	PASSED	0.809 s
7	And I select product "MacBook"	PASSED	4.432 s
8	<p>And I verify the text "MacBook"</p> <p>org.openqa.selenium.InvalidSelectorException: invalid selector: An invalid or illegal selector was specified (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [840b80bb101b0b656fac232597ad313b, findElement {using=css selector, value=//div[@id='content']/div/div/h1}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71</p>	FAILED	0.024 s

#	Step / Hook Details	Status	Duration
	<p>(9729082fe617..., userDataDir: C:\Users\appat\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53121}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53121/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 840b80bb101b0b656fac232597ad313b</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.getText(Unknown Source) at demo.com.tutorialsninja.utility.Utility.getTextFromElement(Utility.java:66) at demo.com.tutorialsninja.pages.ProductPage.getProductNameText(ProductPage.java:40) at demo.com.tutorialsninja.steps.ProductPageSteps.iVerifyTheText(ProductPageSteps.java:9) at ?.I verify the text "MacBook"(file:///C:/Users/appat/IdeaProjects/tutorialsninja-com-demo-6/src/test/resources/features/desktopstest.feature:15) * Not displayable characters are replaced by '?'. </p>		
	<p>AFTER - demo.com.tutorialsninja.steps.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>verifyProductAddedToShoppingCartSuccessfully</p> 	PASSED	0.281 s



verifyProductAddedToShoppingCartSuccessfully

FAILED	DURATION - 10.954 s		Steps Total - 8 Pass - 7 Fail - 1 Skip - 0	
/ 5:54:13.028 pm // 5:54:23.982 pm /				
Login Feature				
@sanity				

#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.001 s
2	And I hover mouse on Currency Dropdown and click	PASSED	0.150 s
3	And I hover mouse on £Pound Sterling and click	PASSED	0.794 s
4	And I hover mouse on Desktops tab and click	PASSED	0.063 s
5	And I click on show AllDesktops	PASSED	1.255 s
6	And I select sort by position "Name (A - Z)"	PASSED	0.429 s
7	And I select product "MacBook Air"	PASSED	1.200 s
8	And I verify the text "MacBook Air"	FAILED	0.022 s
	org.openqa.selenium.InvalidSelectorException: invalid selector: An invalid or illegal selector was specified (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bb341fe6d709e85e98dbe1cb73abc06a, findElement {using=css selector, value=//div[@id='content']/div/div/h1}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\appat\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53171}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53171/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: bb341fe6d709e85e98dbe1cb73abc06a at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.getText(Unknown Source) at demo.com.tutorialsninja.utility.Utility.getTextFromElement(Utility.java:66) at demo.com.tutorialsninja.pages.ProductPage.getProductLabelText(ProductPage.java:40) at demo.com.tutorialsninja.steps.ProductPageSteps.iVerifyTheText(ProductPageSteps.java:9) at ?.I verify the text "MacBook Air"(file:///C:/Users/appat/IdeaProjects/tutorialsninja-com-demo-6/src/test/resources/features/desktopstest.feature:15) * Not displayable characters are replaced by '?'. </pre>		
	AFTER - demo.com.tutorialsninja.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.293 s
	verifyProductAddedToShoppingCartSuccessfully		
			

verifyProductAddedToShoppingCartSuccessfully

FAILED	DURATION - 36.228 s	 <table border="1"><caption>Step Counts</caption><thead><tr><th>Step</th><th>Count</th></tr></thead><tbody><tr><td>1</td><td>0</td></tr><tr><td>2</td><td>0.2</td></tr><tr><td>3</td><td>1.0</td></tr><tr><td>4</td><td>0.1</td></tr><tr><td>5</td><td>7.0</td></tr><tr><td>6</td><td>0.4</td></tr><tr><td>7</td><td>5.4</td></tr><tr><td>8</td><td>0.1</td></tr></tbody></table>	Step	Count	1	0	2	0.2	3	1.0	4	0.1	5	7.0	6	0.4	7	5.4	8	0.1	<div>Steps</div> <div>Total - 8</div> <div>Pass - 7</div> <div>Fail - 1</div> <div>Skip - 0</div> <div></div>
Step	Count																				
1	0																				
2	0.2																				
3	1.0																				
4	0.1																				
5	7.0																				
6	0.4																				
7	5.4																				
8	0.1																				
/ 5:54:23.991 pm // 5:55:00.219 pm /																					
Login Feature																					
@sanity																					

#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.001 s
2	And I hover mouse on Currency Dropdown and click	PASSED	0.156 s

#	Step / Hook Details	Status	Duration
3	And I hover mouse on £Pound Sterling and click	PASSED	1.075 s
4	And I hover mouse on Desktops tab and click	PASSED	0.063 s
5	And I click on show AllDesktops	PASSED	7.045 s
6	And I select sort by position "Name (A - Z)"	PASSED	0.450 s
7	And I select product "Sony VAIO"	PASSED	5.361 s
8	And I verify the text "Sony VAIO"	FAILED	0.023 s
	<p>org.openqa.selenium.InvalidSelectorException: invalid selector: An invalid or illegal selector was specified (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e60fd004a5694ea8a9f064e435f9970, findElement {using=css selector, value=//div[@id='content']/div/div/h1}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\lappat\AppData\Local\Temp\scoped_dir1012_12006099109}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53200}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:53200/devtools, se.cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e60fd004a5694ea8a9f064e435f9970</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.getText(Unknown Source) at demo.com.tutorialsninja.utility.Utility.getTextFromElement(Utility.java:66) at demo.com.tutorialsninja.pages.ProductPage.getProductNameText(ProductPage.java:40) at demo.com.tutorialsninja.steps.ProductPageSteps.iVerifyTheText(ProductPageSteps.java:9) at ?.I verify the text "Sony VAIO"(file:///C:/Users/lappat/IdeaProjects/tutorialsninja-com-demo-6/src/test/resources/features/desktoptest.</p>		

#	Step / Hook Details	Status	Duration
	feature:15) * Not displayable characters are replaced by '?'. AFTER - demo.com.tutorialsninja.steps.Hooks.tearDown(io.cucumber.java.Scenario) verifyProductAddedToShoppingCartSuccessfully		
		PASSED	0.283 s