

Cucumber Report

17 Dec 2023, 17:45:11

Start : Dec 17, 5:42:56.811 pm

End : Dec 17, 5:45:10.790 pm

Duration : 2 m 13.979 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 6
SKIPPED - 0


PASSED - 48
FAILED - 6
SKIPPED - 36




| Feature | | Scenario | | | | Step | | | |
|----------------------|--------------|----------|---|---|---|------|----|---|----|
| Name | Duration | T | P | F | S | T | P | F | S |
| <u>Login Feature</u> | 2 m 13.979 s | 6 | 0 | 6 | 0 | 90 | 48 | 6 | 36 |

| # | Feature Name | Scenario Name |
|---|----------------------|---|
| 1 | <u>Login Feature</u> | <u>verifyProductAddedToShoppingCartSuccessfully</u> |
| 2 | | <u>verifyProductAddedToShoppingCartSuccessfully</u> |
| 3 | | <u>verifyProductAddedToShoppingCartSuccessfully</u> |
| 4 | | <u>verifyProductAddedToShoppingCartSuccessfully</u> |
| 5 | | <u>verifyProductAddedToShoppingCartSuccessfully</u> |
| 6 | | <u>verifyProductAddedToShoppingCartSuccessfully</u> |

| TAG | Scenario | | | | Feature | | | |
|---------|----------|---|---|---|---------|---|---|---|
| Name | T | P | F | S | T | P | F | S |
| @sanity | 6 | 0 | 6 | 0 | 1 | 0 | 1 | 0 |





| # | Feature Name | T | P | F | S | Duration |
|---|---------------|---|---|---|---|--------------|
| 1 | Login Feature | 6 | 0 | 6 | 0 | 2 m 13.979 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|----------------------|---|----|---|---|---|----------|
| 1 | <u>Login Feature</u> | <u>verifyProductAddedToShoppingCartSuccessfully</u> | 15 | 8 | 1 | 6 | 9.232 s |
| 2 | | <u>verifyProductAddedToShoppingCartSuccessfully</u> | 15 | 8 | 1 | 6 | 16.910 s |
| 3 | | <u>verifyProductAddedToShoppingCartSuccessfully</u> | 15 | 8 | 1 | 6 | 11.698 s |
| 4 | | <u>verifyProductAddedToShoppingCartSuccessfully</u> | 15 | 8 | 1 | 6 | 31.935 s |
| 5 | | <u>verifyProductAddedToShoppingCartSuccessfully</u> | 15 | 8 | 1 | 6 | 30.731 s |
| 6 | | <u>verifyProductAddedToShoppingCartSuccessfully</u> | 15 | 8 | 1 | 6 | 33.401 s |

Login Feature


| | | | | | |
|--------------------------------------|-------------------------|--|---|---|---|
| FAILED | DURATION - 2 m 13.979 s | Scenarios Total - 6 Pass - 0 Fail - 6 Skip - 0 |  | Steps Total - 90 Pass - 48 Fail - 6 Skip - 36 |  |
| / 5:42:56.811 pm // 5:45:10.790 pm / | | | | | |
| | | | | | |

verifyProductAddedToShoppingCartSuccessfully



| | | | | |
|---|--|---|--|--|
| <div>FAILED</div> <div>DURATION - 9.232 s</div> | | <div></div> | <div>Steps</div> <div>Total - 15</div> <div>Pass - 8</div> <div>Fail - 1</div> <div>Skip - 6</div> | <div></div> |
| <div>/ 5:42:56.818 pm // 5:43:06.050 pm /</div> | | | | |
| <div>Login Feature</div> | | | | |
| <div>@sanity</div> | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given I am on home page | PASSED | 0.000 s |
| 2 | And I hover mouse on Currency Dropdown and click | PASSED | 0.194 s |
| 3 | And I hover mouse on £Pound Sterling and click | PASSED | 0.855 s |
| 4 | And I hover mouse on Desktops tab and click | PASSED | 0.072 s |
| 5 | And I click on show AllDesktops | PASSED | 1.280 s |
| 6 | And I select sort by position "Name (A - Z)" | PASSED | 0.468 s |
| 7 | And I select product "HTC Touch HD" | PASSED | 1.068 s |
| 8 | And I verify the text "HTC Touch HD" | PASSED | 0.027 s |
| 9 | And I enter Qty 1 using select class | FAILED | 0.005 s |
| | io.cucumber.core.exception.CucumberException: Could not invoke step [I enter Qty {int} using select class] defined at 'demo.com.tutorialsninja.steps.ProductPageSteps.iEnterQtyUsingSelectClass(java.lang.String)'. It appears there was a problem with the step definition. The converted arguments types were (java.lang.Integer) at io.cucumber.core.runner.PickleStepDefinitionMatch.couldNotInvokeStep(PickleStepDefinitionMatch.java:130) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:65) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: io.cucumber.core.backend.CucumberBackendException: Failed to invoke public void demo.com.tutorialsninja.steps. ProductPageSteps.iEnterQtyUsingSelectClass(java.lang.String) at io.cucumber.java.Invoker.doInvoke(Invoker.java:68) at io.cucumber.java.Invoker.invoke(Invoker.java:24) </pre> | | |


| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) ... 39 more Caused by: java.lang.IllegalArgumentException: argument type mismatch at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) | | |
| 10 | And I click on Add to cart | SKIPPED | 0.000 s |
| 11 | And I click on shopping cart link | SKIPPED | 0.000 s |
| 12 | And I Verify the text Shopping Cart | SKIPPED | 0.000 s |
| 13 | And I Verify the Product name "HTC Touch HD" | SKIPPED | 0.000 s |
| 14 | And I Verify the Model "Product 1" | SKIPPED | 0.001 s |
| 15 | And I Verify the Total "£74.73" | SKIPPED | 0.000 s |
| | AFTER - demo.com.tutorialsninja.steps.Hooks.tearDown(io.cucumber.java.Scenario) | PASSED | 0.346 s |
| | verifyProductAddedToShoppingCartSuccessfully | | |
| |  | | |

verifyProductAddedToShoppingCartSuccessfully



| | | | |
|---|--|--|---|
| FAILED DURATION - 16.910 s / 5:43:06.075 pm // 5:43:22.985 pm / Login Feature @sanity |  | Steps Total - 15 Pass - 8 Fail - 1 Skip - 6 |  |
|---|--|--|---|

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given I am on home page | PASSED | 0.000 s |
| 2 | And I hover mouse on Currency Dropdown and click | PASSED | 0.155 s |
| 3 | And I hover mouse on £Pound Sterling and click | PASSED | 0.872 s |
| 4 | And I hover mouse on Desktops tab and click | PASSED | 0.069 s |
| 5 | And I click on show AllDesktops | PASSED | 1.556 s |
| 6 | And I select sort by position "Name (A - Z)" | PASSED | 0.513 s |
| 7 | And I select product "iPhone" | PASSED | 1.299 s |
| 8 | And I verify the text "iPhone" | PASSED | 0.022 s |
| 9 | <p>And I enter Qty 1 using select class</p> <p>io.cucumber.core.exception.CucumberException: Could not invoke step [I enter Qty {int} using select class] defined at 'demo.com.tutorialsninja.steps.ProductPageSteps.iEnterQtyUsingSelectClass(java.lang.String)'. It appears there was a problem with the step definition. The converted arguments types were (java.lang.Integer)</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.couldNotInvokeStep(PickleStepDefinitionMatch.java:130) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:65) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)</p> | FAILED | 0.002 s |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| | <pre> at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: io.cucumber.core.backend.CucumberBackendException: Failed to invoke public void demo.com.tutorialsninja.steps.ProductPageSteps.iEnterQtyUsingSelectClass(java.lang.String) at io.cucumber.java.Invoker.doInvoke(Invoker.java:68) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) ... 39 more Caused by: java.lang.IllegalArgumentException: argument type mismatch at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) </pre> | | |
| 10 | And I click on Add to cart | SKIPPED | 0.001 s |
| 11 | And I click on shopping cart link | SKIPPED | 0.000 s |
| 12 | And I Verify the text Shopping Cart | SKIPPED | 0.000 s |
| 13 | And I Verify the Product name "iPhone" | SKIPPED | 0.000 s |
| 14 | And I Verify the Model "product 11" | SKIPPED | 0.000 s |
| 15 | And I Verify the Total "£75.46" | SKIPPED | 0.000 s |
| | AFTER - demo.com.tutorialsninja.steps.Hooks.tearDown(io.cucumber.java.Scenario) | PASSED | 0.271 s |
| | verifyProductAddedToShoppingCartSuccessfully | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| |  | | |

verifyProductAddedToShoppingCartSuccessfully



| | | | | |
|--------------------------------------|---------------------|--|--|---|
| FAILED | DURATION - 11.698 s |  | <div>Steps</div> <div>Total - 15</div> <div>Pass - 8</div> <div>Fail - 1</div> <div>Skip - 6</div> |  |
| / 5:43:23.000 pm // 5:43:34.698 pm / | | | | |
| Login Feature | | | | |
| @sanity | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given I am on home page | PASSED | 0.000 s |
| 2 | And I hover mouse on Currency Dropdown and click | PASSED | 0.152 s |
| 3 | And I hover mouse on £Pound Sterling and click | PASSED | 0.767 s |
| 4 | And I hover mouse on Desktops tab and click | PASSED | 0.082 s |
| 5 | And I click on show AllDesktops | PASSED | 1.288 s |
| 6 | And I select sort by position "Name (A - Z)" | PASSED | 0.448 s |
| 7 | And I select product "iPod Classic" | PASSED | 1.180 s |
| 8 | And I verify the text "iPod Classic" | PASSED | 0.032 s |
| 9 | And I enter Qty 1 using select class | FAILED | 0.001 s |
| | io.cucumber.core.exception.CucumberException: Could not invoke step [I enter Qty {int} using select class] defined at 'demo.com.tutorialsninja.steps.ProductPageSteps.iEnterQtyUsingSelectClass(java.lang.String)'. It appears there was a problem with the step definition. The converted arguments types were (java.lang.Integer) at io.cucumber.core.runner.PickleStepDefinitionMatch.couldNotInvokeStep(PickleStepDefinitionMatch.java:130) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:65) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <p> at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: io.cucumber.core.backend.CucumberBackendException: Failed to invoke public void demo.com.tutorialsninja.steps.ProductPageSteps.iEnterQtyUsingSelectClass(java.lang.String) at io.cucumber.java.Invoker.doInvoke(Invoker.java:68) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) </p> | | |


| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| | <pre> at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) ... 39 more Caused by: java.lang.IllegalArgumentException: argument type mismatch at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) </pre> | | |
| 10 | And I click on Add to cart | SKIPPED | 0.001 s |
| 11 | And I click on shopping cart link | SKIPPED | 0.000 s |
| 12 | And I Verify the text Shopping Cart | SKIPPED | 0.000 s |
| 13 | And I Verify the Product name "iPod Classic" | SKIPPED | 0.000 s |
| 14 | And I Verify the Model "product 20" | SKIPPED | 0.000 s |
| 15 | And I Verify the Total "£74.73" | SKIPPED | 0.000 s |
| | AFTER - demo.com.tutorialsninja.steps.Hooks.tearDown(io.cucumber.java.Scenario) | PASSED | 0.271 s |
| | verifyProductAddedToShoppingCartSuccessfully | | |
| |  | | |

verifyProductAddedToShoppingCartSuccessfully



| | | | | |
|--------------------------------------|---------------------|---|--|---|
| FAILED | DURATION - 31.935 s |  | <div>Steps</div> <div>Total - 15</div> <div>Pass - 8</div> <div>Fail - 1</div> <div>Skip - 6</div> |  |
| / 5:43:34.709 pm // 5:44:06.644 pm / | | | | |
| Login Feature | | | | |
| @sanity | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given I am on home page | PASSED | 0.000 s |
| 2 | And I hover mouse on Currency Dropdown and click | PASSED | 0.168 s |
| 3 | And I hover mouse on £Pound Sterling and click | PASSED | 0.811 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 4 | And I hover mouse on Desktops tab and click | PASSED | 0.064 s |
| 5 | And I click on show AllDesktops | PASSED | 4.472 s |
| 6 | And I select sort by position "Name (A - Z)" | PASSED | 0.468 s |
| 7 | And I select product "MacBook" | PASSED | 4.834 s |
| 8 | And I verify the text "MacBook" | PASSED | 0.028 s |
| 9 | <p>And I enter Qty 1 using select class</p> <p>io.cucumber.core.exception.CucumberException: Could not invoke step [I enter Qty {int} using select class] defined at 'demo.com.tutorialsninja.steps.ProductPageSteps.iEnterQtyUsingSelectClass(java.lang.String)'. It appears there was a problem with the step definition. The converted arguments types were (java.lang.Integer)</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.couldNotInvokeStep(PickleStepDefinitionMatch.java:130) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:65) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)</p> | FAILED | 0.001 s |


| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| | <pre> at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: io.cucumber.core.backend.CucumberBackendException: Failed to invoke public void demo.com.tutorialsninja.steps.ProductPageSteps.iEnterQtyUsingSelectClass(java.lang.String) at io.cucumber.java.Invoker.doInvoke(Invoker.java:68) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) ... 39 more Caused by: java.lang.IllegalArgumentException: argument type mismatch at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) </pre> | | |
| 10 | And I click on Add to cart | SKIPPED | 0.000 s |
| 11 | And I click on shopping cart link | SKIPPED | 0.000 s |
| 12 | And I Verify the text Shopping Cart | SKIPPED | 0.000 s |
| 13 | And I Verify the Product name "MacBook" | SKIPPED | 0.000 s |
| 14 | And I Verify the Model "Product 16" | SKIPPED | 0.000 s |
| 15 | And I Verify the Total "£368.73" | SKIPPED | 0.001 s |
| | AFTER - demo.com.tutorialsninja.steps.Hooks.tearDown(io.cucumber.java.Scenario) | PASSED | 0.253 s |
| | verifyProductAddedToShoppingCartSuccessfully | | |
| |  | | |

verifyProductAddedToShoppingCartSuccessfully



| | | | | |
|---|--------------------------------|---|--|--|
| <div>FAILED</div> | <div>DURATION - 30.731 s</div> | <div></div> | <div>Steps</div> <div>Total - 15</div> <div>Pass - 8</div> <div>Fail - 1</div> <div>Skip - 6</div> | <div></div> |
| <div>/ 5:44:06.651 pm // 5:44:37.382 pm /</div> | | | | |
| <div>Login Feature</div> | | | | |
| <div>@sanity</div> | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given I am on home page | PASSED | 0.000 s |
| 2 | And I hover mouse on Currency Dropdown and click | PASSED | 0.165 s |
| 3 | And I hover mouse on £Pound Sterling and click | PASSED | 1.061 s |
| 4 | And I hover mouse on Desktops tab and click | PASSED | 0.065 s |
| 5 | And I click on show AllDesktops | PASSED | 4.428 s |
| 6 | And I select sort by position "Name (A - Z)" | PASSED | 0.483 s |
| 7 | And I select product "MacBook Air" | PASSED | 3.977 s |
| 8 | And I verify the text "MacBook Air" | PASSED | 0.022 s |
| 9 | And I enter Qty 1 using select class | FAILED | 0.001 s |
| io.cucumber.core.exception.CucumberException: Could not invoke step [I enter Qty {int} using select class] defined at 'demo.com.tutorialsninja.steps.ProductPageSteps.iEnterQtyUsingSelectClass(java.lang.String)'. It appears there was a problem with the step definition. The converted arguments types were (java.lang.Integer) at io.cucumber.core.runner.PickleStepDefinitionMatch.couldNotInvokeStep(PickleStepDefinitionMatch.java:130) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:65) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | | |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| | <pre> at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: io.cucumber.core.backend.CucumberBackendException: Failed to invoke public void demo.com.tutorialsninja.steps.ProductPageSteps.iEnterQtyUsingSelectClass(java.lang.String) at io.cucumber.java.Invoker.doInvoke(Invoker.java:68) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) ... 39 more Caused by: java.lang.IllegalArgumentException: argument type mismatch at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) </pre> | | |
| 10 | And I click on Add to cart | SKIPPED | 0.000 s |


| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| 11 | And I click on shopping cart link | SKIPPED | 0.000 s |
| 12 | And I Verify the text Shopping Cart | SKIPPED | 0.000 s |
| 13 | And I Verify the Product name "MacBook Air" | SKIPPED | 0.000 s |
| 14 | And I Verify the Model "Product 17" | SKIPPED | 0.000 s |
| 15 | And I Verify the Total "£736.23" | SKIPPED | 0.001 s |
| | AFTER - demo.com.tutorialsninja.steps.Hooks.tearDown(io.cucumber.java.Scenario) | PASSED | 0.257 s |
| | verifyProductAddedToShoppingCartSuccessfully | | |
| |  | | |

verifyProductAddedToShoppingCartSuccessfully

| | | | | |
|--------------------------------------|---------------------|--|--|---|
| FAILED | DURATION - 33.401 s |  | Steps Total - 15 Pass - 8 Fail - 1 Skip - 6 |  |
| / 5:44:37.389 pm // 5:45:10.790 pm / | | | | |
| Login Feature | | | | |
| @sanity | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given I am on home page | PASSED | 0.000 s |
| 2 | And I hover mouse on Currency Dropdown and click | PASSED | 0.170 s |
| 3 | And I hover mouse on £Pound Sterling and click | PASSED | 0.803 s |
| 4 | And I hover mouse on Desktops tab and click | PASSED | 0.067 s |
| 5 | And I click on show AllDesktops | PASSED | 4.867 s |
| 6 | And I select sort by position "Name (A - Z)" | PASSED | 0.470 s |
| 7 | And I select product "Sony VAIO" | PASSED | 5.501 s |
| 8 | And I verify the text "Sony VAIO" | PASSED | 0.026 s |
| 9 | And I enter Qty 1 using select class | FAILED | 0.000 s |
| | io.cucumber.core.exception.CucumberException: Could not invoke step [I enter Qty {int} using select class] defined at 'demo.com.tutorialsninja.' | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <p>steps.ProductPageSteps.iEnterQtyUsingSelectClass(java.lang.String)'. It appears there was a problem with the step definition. The converted arguments types were (java.lang.Integer)</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.couldNotInvokeStep(PickleStepDefinitionMatch.java:130)</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:65)</p> <p>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p> <p>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)</p> <p>at io.cucumber.core.runner.TestStep.run(TestStep.java:56)</p> <p>at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)</p> <p>at io.cucumber.core.runner.TestCase.run(TestCase.java:84)</p> <p>at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)</p> <p>at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)</p> <p>at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:568)</p> <p>at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)</p> <p>at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)</p> <p>at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)</p> <p>at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)</p> <p>at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)</p> <p>at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)</p> <p>at org.testng.TestRunner.privateRun(TestRunner.java:848)</p> <p>at org.testng.TestRunner.run(TestRunner.java:621)</p> <p>at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)</p> <p>at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)</p> <p>at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)</p> <p>at org.testng.SuiteRunner.run(SuiteRunner.java:336)</p> <p>at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)</p> <p>at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)</p> <p>at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)</p> <p>at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)</p> <p>at org.testng.TestNG.runSuites(TestNG.java:1114)</p> <p>at org.testng.TestNG.run(TestNG.java:1082)</p> | | |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| | <pre> at com.intelliJ.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intelliJ.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: io.cucumber.core.backend.CucumberBackendException: Failed to invoke public void demo.com.tutorialsninja.steps.ProductPageSteps.iEnterQtyUsingSelectClass(java.lang.String) at io.cucumber.java.Invoker.doInvoke(Invoker.java:68) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) ... 39 more Caused by: java.lang.IllegalArgumentException: argument type mismatch at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) </pre> | | |
| 10 | And I click on Add to cart | SKIPPED | 0.000 s |
| 11 | And I click on shopping cart link | SKIPPED | 0.000 s |
| 12 | And I Verify the text Shopping Cart | SKIPPED | 0.000 s |
| 13 | And I Verify the Product name "Sony VAIO" | SKIPPED | 0.000 s |
| 14 | And I Verify the Model "Product 19" | SKIPPED | 0.000 s |
| 15 | And I Verify the Total "£736.23" | SKIPPED | 0.000 s |
| | AFTER - demo.com.tutorialsninja.steps.Hooks.tearDown(io.cucumber.java.Scenario) | PASSED | 0.253 s |
| | verifyProductAddedToShoppingCartSuccessfully | | |
| |  | | |