

Cucumber Report

18 Dec 2023, 22:47:54

Start : Dec 18, 10:44:44.638 pm

End : Dec 18, 10:47:53.557 pm

Duration : 3 m 8.919 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 2


FAILED - 4

SKIPPED - 0

PASSED - 84

FAILED - 4


SKIPPED - 8




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login Feature</u>	3 m 8.919 s	6	2	4	0	96	84	4	8

#	Feature Name	Scenario Name
1	<u>Login Feature</u>	<u>verifyProductAddedToShoppingCartSuccessfully</u>
2		<u>verifyProductAddedToShoppingCartSuccessfully</u>
3		<u>verifyProductAddedToShoppingCartSuccessfully</u>
4		<u>verifyProductAddedToShoppingCartSuccessfully</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@ajit	6	2	4	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	Login Feature	6	2	4	0	3 m 8.919 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login Feature</u>	<u>verifyProductAddedToShoppingCartSuccessfully</u>	16	16	0	0	13.129 s
2		<u>verifyProductAddedToShoppingCartSuccessfully</u>	16	16	0	0	12.607 s
3		<u>verifyProductAddedToShoppingCartSuccessfully</u>	16	13	1	2	35.533 s
4		<u>verifyProductAddedToShoppingCartSuccessfully</u>	16	13	1	2	31.675 s
5		<u>verifyProductAddedToShoppingCartSuccessfully</u>	16	13	1	2	1 m 2.222 s
6		<u>verifyProductAddedToShoppingCartSuccessfully</u>	16	13	1	2	33.695 s

Login Feature

FAILED	DURATION - 3 m 8.919 s	Scenarios		Steps	
/ 10:44:44.638 pm // 10:47:53.557 pm /		Total - 6		Total - 96	
		Pass - 2		Pass - 84	
		Fail - 4		Fail - 4	
		Skip - 0		Skip - 8	



verifyProductAddedToShoppingCartSuccessfully

<div>PASSED</div> <div>DURATION - 13.129 s</div>	<div></div>	Steps	<div></div>
<div>/ 10:44:44.641 pm // 10:44:57.770 pm /</div>		Total - 16	
<div>Login Feature</div>		Pass - 16	
<div>@ajit</div>		Fail - 0	
		Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.000 s
2	And I hover mouse on Currency Dropdown and click	PASSED	0.185 s
3	And I hover mouse on £Pound Sterling and click	PASSED	0.863 s
4	And I hover mouse on Desktops tab and click	PASSED	0.077 s
5	And I click on show AllDesktops	PASSED	1.367 s
6	And I select sort by position "Name (A - Z)"	PASSED	0.576 s
7	And I select product "HTC Touch HD"	PASSED	1.163 s
8	And I verify the text "HTC Touch HD"	PASSED	0.028 s
9	And I enter Qty using select class	PASSED	0.108 s
10	And I click on Add to cart	PASSED	0.062 s
11	And I verify message Success: You have added "HTC Touch HD" to your shopping cart!	PASSED	0.399 s
12	And I click on shopping cart link	PASSED	0.535 s
13	And I Verify the text Shopping Cart	PASSED	0.029 s
14	And I Verify the Product name "HTC Touch HD"	PASSED	0.032 s
15	And I Verify the Model "Product 1"	PASSED	0.032 s


#	Step / Hook Details	Status	Duration
16	And I Verify the Total "£74.73"	PASSED	0.031 s

verifyProductAddedToShoppingCartSuccessfully


PASSED	DURATION - 12.607 s		Steps Total - 16 Pass - 16 Fail - 0 Skip - 0	
/ 10:44:57.790 pm // 10:45:10.397 pm /				
Login Feature				
@ajit				

#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.000 s
2	And I hover mouse on Currency Dropdown and click	PASSED	0.153 s
3	And I hover mouse on £Pound Sterling and click	PASSED	0.809 s
4	And I hover mouse on Desktops tab and click	PASSED	0.068 s
5	And I click on show AllDesktops	PASSED	1.487 s
6	And I select sort by position "Name (A - Z)"	PASSED	0.446 s
7	And I select product "iPhone"	PASSED	1.185 s
8	And I verify the text "iPhone"	PASSED	0.030 s
9	And I enter Qty using select class	PASSED	0.090 s
10	And I click on Add to cart	PASSED	0.065 s
11	And I verify message Success: You have added "iPhone" to your shopping cart!	PASSED	0.302 s
12	And I click on shopping cart link	PASSED	0.519 s
13	And I Verify the text Shopping Cart	PASSED	0.029 s
14	And I Verify the Product name "iPhone"	PASSED	0.026 s
15	And I Verify the Model "product 11"	PASSED	0.027 s
16	And I Verify the Total "£75.46"	PASSED	0.023 s


verifyProductAddedToShoppingCartSuccessfully




#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.000 s
2	And I hover mouse on Currency Dropdown and click	PASSED	0.161 s
3	And I hover mouse on £Pound Sterling and click	PASSED	0.846 s
4	And I hover mouse on Desktops tab and click	PASSED	0.063 s
5	And I click on show AllDesktops	PASSED	2.077 s
6	And I select sort by position "Name (A - Z)"	PASSED	0.469 s
7	And I select product "iPod Classic"	PASSED	1.769 s
8	And I verify the text "iPod Classic"	PASSED	0.029 s
9	And I enter Qty using select class	PASSED	0.084 s
10	And I click on Add to cart	PASSED	0.050 s
11	And I verify message Success: You have added "iPod Classic" to your shopping cart!	PASSED	0.360 s
12	And I click on shopping cart link	PASSED	0.547 s
13	And I Verify the text Shopping Cart	PASSED	0.026 s
14	And I Verify the Product name "iPod Classic"	FAILED	20.032 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//body[1]/div[2]/div[2]/div[1]/form[1]/div[1]/table[1]/tbody[1]"} (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0249af61de13a55ff375e44a4d9c5bd9, findElement {using=xpath, value=//body[1]/div[2]/div[2]/div[1]/form[1]/div[1]/table[1]/tbody[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\appat\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56178}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:56178/devtoo..., se.cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0249af61de13a55ff375e44a4d9c5bd9</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.getText(Unknown Source) at demo.com.tutorialsninja.utility.Utility.getTextFromElement(Utility.java:66) at demo.com.tutorialsninja.pages.ShoppingCartPage.getProductText(ShoppingCartPage.java:83) at demo.com.tutorialsninja.steps.ShoppingCartPageSteps.iVerifyTheProductName(ShoppingCartPageSteps.java:17) at ?.I Verify the Product name "iPod Classic"(file:///C:/Users/appat/IdeaProjects/tutorialsninja-com-demo-6/src/test/resources/features/desktopstest.feature:21) * Not displayable characters are replaced by '?'. </pre>		
15	And I Verify the Model "product 20"	SKIPPED	0.001 s
16	And I Verify the Total "£74.73"	SKIPPED	0.000 s
	AFTER - demo.com.tutorialsninja.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.271 s
	verifyProductAddedToShoppingCartSuccessfully		
			

verifyProductAddedToShoppingCartSuccessfully




#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.000 s
2	And I hover mouse on Currency Dropdown and click	PASSED	0.164 s
3	And I hover mouse on £Pound Sterling and click	PASSED	0.807 s
4	And I hover mouse on Desktops tab and click	PASSED	0.062 s
5	And I click on show AllDesktops	PASSED	1.478 s
6	And I select sort by position "Name (A - Z)"	PASSED	0.444 s
7	And I select product "MacBook"	PASSED	1.443 s
8	And I verify the text "MacBook"	PASSED	0.026 s
9	And I enter Qty using select class	PASSED	0.084 s
10	And I click on Add to cart	PASSED	0.069 s
11	And I verify message Success: You have added "MacBook" to your shopping cart!	PASSED	0.305 s
12	And I click on shopping cart link	PASSED	0.986 s
13	And I Verify the text Shopping Cart	PASSED	0.031 s
14	And I Verify the Product name "MacBook"	FAILED	20.058 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//body[1]/div[2]/div[2]/div[1]/form[1]/div[1]/table[1]/tbody[1]"} (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java. version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6e104a04cbacd2ceef8187a850f81f13, findElement {using=xpath, value=//body[1]/div[2]/div[2]/div[1]/form[1]/div[1]/table[1]/tbody[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\appat\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56222}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:56222/devtoo..., se.cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6e104a04cbacd2ceef8187a850f81f13 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.getText(Unknown Source) at demo.com.tutorialsninja.utility.Utility.getTextFromElement(Utility.java:66) at demo.com.tutorialsninja.pages.ShoppingCartPage.getProductText(ShoppingCartPage.java:83) at demo.com.tutorialsninja.steps.ShoppingCartPageSteps.iVerifyTheProductName(ShoppingCartPageSteps.java:17) at ?.I Verify the Product name "MacBook"(file:///C:/Users/appat/IdeaProjects/tutorialsninja-com-demo-6/src/test/resources/features/desktopstest.feature:21) * Not displayable characters are replaced by '?'. </pre>		
15	And I Verify the Model "Product 16"	SKIPPED	0.000 s
16	And I Verify the Total "£368.73"	SKIPPED	0.000 s
	AFTER - demo.com.tutorialsninja.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.280 s
	verifyProductAddedToShoppingCartSuccessfully		
			


verifyProductAddedToShoppingCartSuccessfully

FAILED	DURATION - 1 m 2.222 s		Steps Total - 16 Pass - 13 Fail - 1 Skip - 2	
/ 10:46:17.634 pm // 10:47:19.856 pm /				
Login Feature				
@ajit				

#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.000 s
2	And I hover mouse on Currency Dropdown and click	PASSED	0.156 s
3	And I hover mouse on £Pound Sterling and click	PASSED	1.895 s
4	And I hover mouse on Desktops tab and click	PASSED	0.062 s
5	And I click on show AllDesktops	PASSED	9.216 s
6	And I select sort by position "Name (A - Z)"	PASSED	0.687 s
7	And I select product "MacBook Air"	PASSED	7.876 s
8	And I verify the text "MacBook Air"	PASSED	0.024 s
9	And I enter Qty using select class	PASSED	0.080 s
10	And I click on Add to cart	PASSED	0.054 s
11	And I verify message Success: You have added "MacBook Air" to your shopping cart!	PASSED	0.439 s
12	And I click on shopping cart link	PASSED	0.635 s
13	And I Verify the text Shopping Cart	PASSED	0.027 s
14	And I Verify the Product name "MacBook Air"	FAILED	20.044 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//body[1]/div[2]/div[2]/div[1]/form[1]/div[1]/table[1]/tbody[1]"} (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java. version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [92b0bc85065111f7e1dfe1a17ca94512, findElement {using=xpath, value=//body[1]/div[2]/div[2]/div[1]/form[1]/div[1]/table[1]/tbody[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\appat\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56261}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:56261/devtoo..., se.cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 92b0bc85065111f7e1dfe1a17ca94512 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.getText(Unknown Source) at demo.com.tutorialsninja.utility.Utility.getTextFromElement(Utility.java:66) at demo.com.tutorialsninja.pages.ShoppingCartPage.getProductText(ShoppingCartPage.java:83) at demo.com.tutorialsninja.steps.ShoppingCartPageSteps.iVerifyTheProductName(ShoppingCartPageSteps.java:17) at ?.I Verify the Product name "MacBook Air"(file:///C:/Users/appat/IdeaProjects/tutorialsninja-com-demo-6/src/test/resources/features/desktopstest.feature:21) * Not displayable characters are replaced by '?'. </pre>		
15	And I Verify the Model "Product 17"	SKIPPED	0.001 s
16	And I Verify the Total "£736.23"	SKIPPED	0.000 s
	AFTER - demo.com.tutorialsninja.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.266 s
	verifyProductAddedToShoppingCartSuccessfully		
			

verifyProductAddedToShoppingCartSuccessfully



#	Step / Hook Details	Status	Duration
1	Given I am on home page	PASSED	0.000 s
2	And I hover mouse on Currency Dropdown and click	PASSED	0.161 s
3	And I hover mouse on £Pound Sterling and click	PASSED	0.823 s
4	And I hover mouse on Desktops tab and click	PASSED	0.074 s
5	And I click on show AllDesktops	PASSED	1.469 s
6	And I select sort by position "Name (A - Z)"	PASSED	0.490 s
7	And I select product "Sony VAIO"	PASSED	1.591 s
8	And I verify the text "Sony VAIO"	PASSED	0.026 s
9	And I enter Qty using select class	PASSED	0.081 s
10	And I click on Add to cart	PASSED	0.062 s
11	And I verify message Success: You have added "Sony VAIO" to your shopping cart!	PASSED	0.522 s
12	And I click on shopping cart link	PASSED	0.520 s
13	And I Verify the text Shopping Cart	PASSED	0.031 s
14	And I Verify the Product name "Sony VAIO"	FAILED	20.015 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//body[1]/div[2]/div[2]/div[1]/form[1]/div[1]/table[1]/tbody[1]"} (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java. version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2389f0d6b02c45341e5cb83f3351148c, findElement {using=xpath, value=//body[1]/div[2]/div[2]/div[1]/form[1]/div[1]/table[1]/tbody[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\appat\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56321}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:56321/devtoo..., se.cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2389f0d6b02c45341e5cb83f3351148c at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.getText(Unknown Source) at demo.com.tutorialsninja.utility.Utility.getTextFromElement(Utility.java:66) at demo.com.tutorialsninja.pages.ShoppingCartPage.getProductText(ShoppingCartPage.java:83) at demo.com.tutorialsninja.steps.ShoppingCartPageSteps.iVerifyTheProductName(ShoppingCartPageSteps.java:17) at ?.I Verify the Product name "Sony VAIO"(file:///C:/Users/appat/IdeaProjects/tutorilalsninja-com-demo-6/src/test/resources/features/desktopstest.feature:21) * Not displayable characters are replaced by '?'. </pre>		
15	And I Verify the Model "Product 19"	SKIPPED	0.000 s
16	And I Verify the Total "£736.23"	SKIPPED	0.000 s
	AFTER - demo.com.tutorialsninja.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.279 s
	verifyProductAddedToShoppingCartSuccessfully		
	