Patient Record — ID 1784

Age	28	**Sex**	F
Race/Ethnicity	Non-Hispanic White	**Insurance**	Private PPO
Total Encounters	7	**Generation Seed**	3723

Primary Diagnoses

• Physiologic dyspnea of pregnancy
• Pregnancy (second trimester)
• Acute fatty liver of pregnancy
• Gastroschisis
• Myelomeningocele with Chiari II malformation and hydrocephalus
• Physiologic pruritus gravidarum

Comorbidities

• Pregnancy (second trimester)

Patient Profile

Sex	F
Age at First Encounter	28
Race/Ethnicity	Non-Hispanic White
Insurance	Private PPO
Occupation	Retail store manager
Smoking Status	Never smoker
Alcohol Use	None

Allergies:

• Latex (Type I hypersensitivity)
• Sulfa drugs (rash)

Chronic Conditions:

• Polycystic ovary syndrome
• Iron deficiency anemia
• Generalized anxiety disorder

Home Medications:

• Prenatal vitamin (high-dose folic acid) - 1 tablet PO daily (containing folate 4mg)
• Ferrous sulfate - 325mg (65mg elemental iron) PO daily
• Metformin - 500mg PO twice daily

Surgical History:

• Tonsillectomy (age 12)
• Laparoscopic right ovarian cystectomy (corpus luteum hemorrhage, age 24)

Family History:

- Maternal first cousin with myelomeningocele
- Paternal aunt with systemic lupus erythematosus
- Mother with type 2 diabetes mellitus
- Father with essential hypertension

Encounters (7)

Encounter 1 — 2020-01-15 — Obstetrics & Gynecology

Encounter ID	7470	**Type**	outpatient
Attending	Dr. Sarah Chen	**Order**	0
Department	Obstetrics & Gynecology	**Gen. Method**	template

Structured EHR Sections:

CHIEF_COMPLAINT (modified)

Routine prenatal visit at 16 weeks of gestation

HPI

She reports feeling well with no complaints.

PMH (modified)

Active Problem List:
- Polycystic ovary syndrome
- Iron deficiency anemia
- Generalized anxiety disorder

Her previous pregnancy was uncomplicated, and she delivered a healthy full-term infant.

PSH (modified)

- Tonsillectomy (age 12)
- Laparoscopic right ovarian cystectomy (corpus luteum hemorrhage, age 24)

MEDICATIONS (modified)

Home Medications:
- Prenatal vitamin (high-dose folic acid) 1 tablet PO daily (containing folate 4mg)
- Ferrous sulfate 325mg (65mg elemental iron) PO daily
- Metformin 500mg PO twice daily

ALLERGIES (modified)

Latex (Type I hypersensitivity), Sulfa drugs (rash)

FAMILY_HISTORY

Her family history is non-contributory.

SOCIAL_HISTORY

She does not smoke, drink alcohol, or use illicit drugs.

VITALS

On examination, her blood pressure is 120/78 mmHg, heart rate is 72 beats per minute

PHYSICAL_EXAM

Her abdomen is consistent with a 16-week gestation.

LABS

Her routine second-trimester maternal serum screening returns with the following results:

- Human chorionic gonadotropin (hCG): within normal limits
- Unconjugated estriol (uE3): within normal limits
- Inhibin A: within normal limits
- Alpha-fetoprotein (AFP): significantly elevated

IMAGING

An ultrasound is performed to evaluate the fetal anatomy. The ultrasound reveals a single fetus with a normal amount of amniotic fluid and no evidence of neural tube defects. However, the fetus has an anterior abdominal wall defect with herniation of the bowel.

ASSESSMENT

Based on the clinical scenario and the ultrasound findings,

Encounter 2 — 2020-03-15 — Obstetrics & Gynecology

Encounter ID	7467	**Type**	outpatient
Attending	Dr. Sarah Chen	**Order**	1
Department	Obstetrics & Gynecology	**Gen. Method**	template

Structured EHR Sections:

CHIEF_COMPLAINT (modified)

Routine prenatal visit, feeling well with no complaints

PMH (modified)

Active Problem List:
- Gastroschisis (diagnosed 2020-01-15)
- Polycystic ovary syndrome
- Iron deficiency anemia
- Generalized anxiety disorder

She has had an uncomplicated pregnancy thus far.

PSH (modified)

- Tonsillectomy (age 12)
- Laparoscopic right ovarian cystectomy (corpus luteum hemorrhage, age 24)

MEDICATIONS (modified)

Home Medications:
- Prenatal vitamin (high-dose folic acid) 1 tablet PO daily (containing folate 4mg)
- Ferrous sulfate 325mg (65mg elemental iron) PO daily
- Metformin 500mg PO twice daily

ALLERGIES (modified)

Latex (Type I hypersensitivity), Sulfa drugs (rash)

FAMILY_HISTORY (modified)

- Maternal first cousin with myelomeningocele
- Paternal aunt with systemic lupus erythematosus
- Mother with type 2 diabetes mellitus
- Father with essential hypertension

SOCIAL_HISTORY (modified)

Smoking: Never smoker. Alcohol: None. Occupation: Retail store manager.

VITALS

Her blood pressure is 120/75 mmHg, and her pulse is 78 beats per minute.

PHYSICAL_EXAM

Physical examination is normal with no signs of edema.

LABS

Laboratory tests reveal the following:

- Hemoglobin: 11.2 g/dL

- Hematocrit: 33%
- Blood urea nitrogen (BUN): 8 mg/dL
- Serum creatinine: 0.5 mg/dL
- Urine protein: 150 mg/24 hours

Encounter 3 — 2020-06-15 — Obstetrics & Gynecology

Encounter ID	7472	**Type**	outpatient
Attending	Dr. Maria Rodriguez	**Order**	2
Department	Obstetrics & Gynecology	**Gen. Method**	hybrid

Structured EHR Sections:

CHIEF_COMPLAINT (modified)

Sharp, intermittent right-sided lower abdominal and pelvic pain

HPI (modified)

The 28-year-old with PCOS and iron deficiency anemia returns for prenatal care of pregnancy with fetal gastroschisis. She reports a 5-day history of sharp, intermittent right-sided lower abdominal and pelvic pain that worsens with sudden movements and when changing positions, and that the pain sometimes radiates to her right groin and vaginal area. She denies vaginal bleeding, contractions, or urinary symptoms.

PMH (modified)

Active Problem List:
- Gastroschisis (diagnosed 2020-01-15)
- Pregnancy (second trimester) (diagnosed 2020-03-15)
- Polycystic ovary syndrome
- Iron deficiency anemia
- Generalized anxiety disorder

Her prenatal course has been uncomplicated so far, and she is otherwise healthy.

PSH (modified)

- Tonsillectomy (age 12)
- Laparoscopic right ovarian cystectomy (corpus luteum hemorrhage, age 24)

MEDICATIONS (modified)

Home Medications:
- Prenatal vitamin (high-dose folic acid) 1 tablet PO daily (containing folate 4mg)
- Ferrous sulfate 325mg (65mg elemental iron) PO daily
- Metformin 500mg PO twice daily

ALLERGIES (modified)

Latex (Type I hypersensitivity), Sulfa drugs (rash)

FAMILY_HISTORY (modified)

- Maternal first cousin with myelomeningocele
- Paternal aunt with systemic lupus erythematosus
- Mother with type 2 diabetes mellitus
- Father with essential hypertension

SOCIAL_HISTORY (modified)

Smoking: Never smoker. Alcohol: None. Occupation: Retail store manager.

PHYSICAL_EXAM

On examination, her abdomen is soft and non-tender except for mild discomfort on deep palpation over the right lower quadrant. The uterus is palpable at the level of the umbilicus, consistent with gestational age, and there is

no cervical dilation.

ASSESSMENT

The clinician suspects that her symptoms are due to stretching of a specific pelvic structure associated with the expanding uterus.

Encounter 4 — 2023-01-15 — Obstetrics & Gynecology

Encounter ID	7471	**Type**	outpatient
Attending	Dr. Aisha Patel	**Order**	3
Department	Obstetrics & Gynecology	**Gen. Method**	hybrid

Structured EHR Sections:

CHIEF_COMPLAINT (modified)

First prenatal visit at 18 weeks gestation

HPI (modified)

This 31-year-old with PCOS and prior 2020 pregnancy complicated by gastroschisis presents at 18 weeks for initial prenatal care. She reports that she did not know she was pregnant until 2 months ago.

PMH (modified)

Active Problem List:
- Gastroschisis (diagnosed 2020-01-15)
- Pregnancy (second trimester) (diagnosed 2020-03-15)
- Physiologic pruritus gravidarum (diagnosed 2020-06-15)
- Polycystic ovary syndrome
- Iron deficiency anemia
- Generalized anxiety disorder

PSH (modified)

- Tonsillectomy (age 12)
- Laparoscopic right ovarian cystectomy (corpus luteum hemorrhage, age 24)

MEDICATIONS (modified)

Home Medications:
- Prenatal vitamin (high-dose folic acid) 1 tablet PO daily (containing folate 4mg)
- Ferrous sulfate 325mg (65mg elemental iron) PO daily
- Metformin 500mg PO twice daily

ALLERGIES (modified)

Latex (Type I hypersensitivity), Sulfa drugs (rash)

FAMILY_HISTORY (modified)

- Maternal first cousin with myelomeningocele
- Paternal aunt with systemic lupus erythematosus
- Mother with type 2 diabetes mellitus
- Father with essential hypertension

SOCIAL_HISTORY (modified)

Smoking: Never smoker. Alcohol: None. Occupation: Retail store manager.

IMAGING

Fetal ultrasound reveals a posterior spinal defect with a protruding sac.

ASSESSMENT

A defect of

Encounter 5 — 2023-03-15 — Obstetrics & Gynecology

Encounter ID	7469	**Type**	outpatient
Attending	Dr. Aisha Patel	**Order**	4
Department	Obstetrics & Gynecology	**Gen. Method**	hybrid

Structured EHR Sections:

CHIEF_COMPLAINT (modified)

Shortness of breath for the past two weeks

HPI (modified)

The patient returns for prenatal follow-up of her current pregnancy complicated by fetal myelomeningocele, following a prior pregnancy with gastroschisis. She reports dyspnea more pronounced lying flat and improving sitting up, denying chest pain, cough, or wheezing.

PMH (modified)

Active Problem List:
- Gastroschisis (diagnosed 2020-01-15)
- Pregnancy (second trimester) (diagnosed 2020-03-15)
- Physiologic pruritus gravidarum (diagnosed 2020-06-15)
- Myelomeningocele with Chiari II malformation and hydrocephalus (diagnosed 2023-01-15)
- Polycystic ovary syndrome
- Iron deficiency anemia
- Generalized anxiety disorder

She has had an uncomplicated pregnancy thus far.

PSH (modified)

- Tonsillectomy (age 12)
- Laparoscopic right ovarian cystectomy (corpus luteum hemorrhage, age 24)

MEDICATIONS (modified)

Home Medications:
- Prenatal vitamin (high-dose folic acid) 1 tablet PO daily (containing folate 4mg)
- Ferrous sulfate 325mg (65mg elemental iron) PO daily
- Metformin 500mg PO twice daily

ALLERGIES (modified)

Latex (Type I hypersensitivity), Sulfa drugs (rash)

FAMILY_HISTORY (modified)

- Maternal first cousin with myelomeningocele
- Paternal aunt with systemic lupus erythematosus
- Mother with type 2 diabetes mellitus
- Father with essential hypertension

SOCIAL_HISTORY (modified)

Smoking: Never smoker. Alcohol: None. Occupation: Retail store manager.

VITALS

On examination, her respiratory rate is 18 breaths per minute, heart rate is 88 beats per minute, blood pressure is 120/75 mmHg, and oxygen saturation is 98% on room air.

PHYSICAL_EXAM

Lung auscultation reveals clear breath sounds bilaterally. Cardiac examination is normal with no murmurs, rubs, or gallops. Lower extremity examination shows no edema.

LABS

Laboratory tests reveal the following:

- Hemoglobin: 11.5 g/dL
- Hematocrit: 34%
- Platelet count: 220,000/mm³
- Arterial blood gas (ABG):
- pH: 7.44
- PaCO2: 30 mmHg
- PaO2: 105 mmHg
- HCO3-: 18 mEq/L

Encounter 6 — 2023-05-15 — Obstetrics & Gynecology

Encounter ID	7466	**Type**	outpatient
Attending	Dr. Priya Sharma	**Order**	5
Department	Obstetrics & Gynecology	**Gen. Method**	hybrid

Structured EHR Sections:

CHIEF_COMPLAINT (modified)

Recent changes in her appearance including facial hair growth and acne

HPI (modified)

The patient is a 31-year-old with polycystic ovary syndrome who returns for continued prenatal care following her recent evaluation for dyspnea. She presents with her husband, concerned about recent changes in her appearance. She reports a significant increase in facial hair growth, deepening of her voice, and acne over the past two months. She denies any visual changes, headaches, or abdominal pain.

PMH (modified)

Active Problem List:
- Gastroschisis (diagnosed 2020-01-15)
- Pregnancy (second trimester) (diagnosed 2020-03-15)
- Physiologic pruritus gravidarum (diagnosed 2020-06-15)
- Myelomeningocele with Chiari II malformation and hydrocephalus (diagnosed 2023-01-15)
- Physiologic dyspnea of pregnancy (diagnosed 2023-03-15)
- Polycystic ovary syndrome
- Iron deficiency anemia
- Generalized anxiety disorder

Her pregnancy has been uncomplicated thus far.

PSH (modified)

- Tonsillectomy (age 12)
- Laparoscopic right ovarian cystectomy (corpus luteum hemorrhage, age 24)

MEDICATIONS (modified)

Home Medications:
- Prenatal vitamin (high-dose folic acid) 1 tablet PO daily (containing folate 4mg)
- Ferrous sulfate 325mg (65mg elemental iron) PO daily
- Metformin 500mg PO twice daily

ALLERGIES (modified)

Latex (Type I hypersensitivity), Sulfa drugs (rash)

FAMILY_HISTORY (modified)

- Maternal first cousin with myelomeningocele
- Paternal aunt with systemic lupus erythematosus
- Mother with type 2 diabetes mellitus
- Father with essential hypertension

SOCIAL_HISTORY (modified)

Smoking: Never smoker. Alcohol: None. Occupation: Retail store manager.

VITALS

Her blood pressure is 120/78 mmHg, heart rate is 72 beats per minute

PHYSICAL_EXAM

On physical examination, she appears well. She has noticeable facial hirsutism and temporal balding.

LABS

Her laboratory tests are as follows:

- Hemoglobin: 12.5 g/dL
- Platelets: 250,000/mm^3
- Fasting glucose: 88 mg/dL
- Total testosterone: 150 ng/dL (normal non-pregnant female range: 15-70 ng/dL)
- Dehydroepiandrosterone sulfate (DHEAS): 180 µg/dL (normal non-pregnant female range: 35-430 µg/dL)

IMAGING

Pelvic ultrasound reveals bilateral, multicystic ovarian masses measuring 3 cm on the right and 4 cm on the left. There are no signs of fetal distress or abnormalities.

Encounter 7 — 2023-07-15 — Obstetrics & Gynecology

Encounter ID	7468	**Type**	inpatient
Attending	Dr. James O'Brien	**Order**	6
Department	Obstetrics & Gynecology	**Gen. Method**	hybrid

Structured EHR Sections:

CHIEF_COMPLAINT (modified)

Routine prenatal visit with malaise and palpitations

HPI (modified)

The patient with prior gastroschisis returns for prenatal care and reports feeling generally well but mentions occasional palpitations and increased sweating, which she attributes to her pregnancy.

PMH (modified)

Active Problem List:
- Gastroschisis (diagnosed 2020-01-15)
- Pregnancy (second trimester) (diagnosed 2020-03-15)
- Physiologic pruritus gravidarum (diagnosed 2020-06-15)
- Myelomeningocele with Chiari II malformation and hydrocephalus (diagnosed 2023-01-15)
- Physiologic dyspnea of pregnancy (diagnosed 2023-03-15)
- Polycystic ovary syndrome
- Iron deficiency anemia
- Generalized anxiety disorder

PSH (modified)

- Tonsillectomy (age 12)
- Laparoscopic right ovarian cystectomy (corpus luteum hemorrhage, age 24)

MEDICATIONS (modified)

Home Medications:
- Prenatal vitamin (high-dose folic acid) 1 tablet PO daily (containing folate 4mg)
- Ferrous sulfate 325mg (65mg elemental iron) PO daily
- Metformin 500mg PO twice daily

ALLERGIES (modified)

Latex (Type I hypersensitivity), Sulfa drugs (rash)

FAMILY_HISTORY

Her family history is noncontributory.

SOCIAL_HISTORY (modified)

Smoking: Never smoker. Alcohol: None. Occupation: Retail store manager.

VITALS

Her blood pressure is 118/76 mmHg, heart rate is 88 beats per minute

PHYSICAL_EXAM

She appears euthyroid. Her thyroid is not enlarged or tender on palpation, and no nodules are palpable. Reflexes are normal, and no tremor is noted.

LABS

Routine laboratory tests were performed, and the results are as follows:

- Human chorionic gonadotropin (hCG): Elevated for gestational age
- Thyroid-stimulating hormone (TSH): Slightly decreased
- Free thyroxine (FT4): Upper limit of normal
- Total thyroxine (TT4): Elevated