

Developer Mock Test Results

Name:	N/A	Student ID:	17619
Date:	2026-03-05 11:08:47	Performance:	■ Average
Overall Score:	10/25 (40.0%)	Test ID:	bc3e2758-ad20-4115...
Warnings:	0/3	Status:	Completed ■

Section-wise Performance

Section	Score	Percentage	Status
■ Aptitude	2/10	20.0%	■■ Needs Work
■ MCQ/Theory	3/10	30.0%	■■ Needs Work
■ Coding	5/5	100.0%	■ Pass

Detailed Question Review

■ APTITUDE SECTION (2/10 - 20.0%)

■ Q1. A product is on sale for 20% off its original price of \$80. How much will you pay for the product?

Your Answer: \$65

Correct Answer: \$64

■ To find the sale price, calculate 20% of the original price of \$80 and subtract it from \$80. The key calculation step is: $\$80 \times 0.20 = \16 , then $\$80 - \$16 = \$64$. The user's answer of \$65 is likely incorrect because they may have made a calculation error, such as incorrectly calculating the discount amount.

■ Q2. If it is true that all cats are animals and all dogs are animals, what can be concluded about cats and dogs?

Your Answer: They are different species

Correct Answer: They are both animals

■ The correct answer is "They are both animals" because the given statements establish a common category between cats and dogs, which is that they are both classified as animals. The user's answer, "They are different species", is likely incorrect because the statements do not provide information about their species classification, only that they share the characteristic of being animals. The user's mistake is likely assuming that the statements imply a comparison of their species, when in fact they only establish a shared trait.

■ Q3. A mixture is made of 2 parts water and 3 parts juice. What is the ratio of water to the total mixture?

Your Answer: 3/5

Correct Answer: 2/5

■ The correct answer is 2/5 because the mixture is made of 2 parts water and 3 parts juice, making a total of $2 + 3 = 5$ parts. The ratio of water to the total mixture is then 2/5, since 2 out of the 5 parts are water. The user's likely mistake was incorrectly counting the parts, as they chose 3/5, which would be the ratio of juice to the total mixture, not water.

■ Q4. If 8 workers can build a house in 12 days, how many days will it take for 6 workers to build the same house?

Your Answer: 20 days

Correct Answer: 16 days

■ To find the number of days it will take for 6 workers to build the house, we can use the formula: (number of workers original) * (number of days original) = (number of workers new) * (number of days new). So, $8 * 12 = 6 * x$, where x is the number of days. The key calculation step is: $8 * 12 = 96$, and then $96 / 6 = 16$. The user's likely mistake was in calculating the number of days, possibly not using the correct formula or not dividing correctly. The correct answer is indeed 16 days, which is the result of the calculation.

■ Q5. A product is on sale for 20% off its original price. If the original price is \$100, how much will you pay for the product after the discount?

Your Answer: \$80

■ Correct! Well done.

■ Q6. A mixture of juice and water is in the ratio 5:6. If 2 cups of juice are added to the mixture, what is the new ratio of juice to water?

Your Answer: 6:5

Correct Answer: 7:6

■ To find the new ratio, let's assume the original mixture has $5x$ cups of juice and $6x$ cups of water. When 2 cups of juice are added, the total juice becomes $5x + 2$, and the water remains $6x$. The key calculation step is to find the new ratio: $(5x + 2) / 6x$. The user's likely mistake is not considering the original amount of juice and water in terms of a variable (x) and not calculating the new ratio based on the added juice. The correct calculation would show that the new ratio is indeed 7:6 when the added juice (2 cups) is factored into the equation and simplified.

■ Q7. If it is true that all A are B and all B are C, what can be concluded about A and C?

Your Answer: All A are C

■ Well done!

■ Q8. If 18 workers can build a house in 12 days, how many workers will be needed to build the same house in 10 days?

Your Answer: 20 workers

Correct Answer: 22 workers

■ To find the number of workers needed, we can use the formula: workers * days = constant. Given that 18 workers can build a house in 12 days, we have $18 * 12 = 216$ worker-days. To build the same house in 10 days, we need to find the number of workers that gives us 216 worker-days in 10 days. The key calculation step is: workers * 10 = 216, which gives us workers = $216 / 10 = 21.6$. The user's answer of 20 workers is likely an underestimation, as the calculation shows that more than 20 workers are needed to build the house in 10 days, but since we can't have a fraction of a worker, we round up to the nearest whole number, which would be 22 workers in a real-world context, but based on the calculation, the correct answer would be approximately 22 workers, which matches the given correct answer.

■ Q9. A store buys a product for \$30 and sells it for \$25. What is the loss percentage?

Your Answer: 12%

Correct Answer: 16.67%

■ To find the loss percentage, we need to calculate the loss amount and divide it by the cost price, then multiply by 100. The key calculation step is: Loss percentage = $((\text{Cost price} - \text{Selling price}) / \text{Cost price}) * 100 = ((30 - 25) / 30) * 100 = (5 / 30) * 100 = 16.67\%$. The user's answer of 12% is likely incorrect because they may have made a calculation error or misunderstood the formula for loss percentage.

■ Q10. A product is on sale for 30% off its original price of \$150. How much will you pay for the product?

Your Answer: \$100

Correct Answer: \$105

■ To find the sale price, calculate 30% of the original price of \$150 and subtract it from \$150. The key calculation step is: $\$150 * 0.30 = \45 , then $\$150 - \$45 = \$105$. The user's answer of \$100 is likely incorrect because they may have miscalculated the discount amount or subtracted incorrectly.

■ MCQ SECTION (3/10 - 30.0%)

■ Q1. What type of applications can be built using Java?

Your Answer: Web development, mobile apps

■ Excellent! Right answer.

■ Q2. What is required to be installed on the system to start Java programming?

Your Answer: Java Development Kit (JDK)

■ Correct! Well done.

■ Q3. What are the data types in Java?

Your Answer: Int, double, char, String

Correct Answer: All of the above

■ The correct answer is "All of the above" because Java supports a wide range of data types, including primitive types like int, double, char, boolean, and float, as well as reference types like String and array. The user's answer, "Int, double, char, String", is partially correct but incomplete, as it misses other important data types in Java. The user's likely mistake is not considering the full scope of Java's data types, which includes both primitive and reference types.

■ Q4. What is abstraction in Java?

Your Answer: The concept of showing all internal details and hiding no information

Correct Answer: The concept of showing only necessary information and hiding internal details

■ The correct answer is A) The concept of showing only necessary information and hiding internal details, because abstraction in Java is a fundamental concept that enables developers to expose only the necessary information to the outside world while concealing the internal implementation details. This helps to reduce complexity, improve modularity, and increase code reusability. The user's answer, B) The concept of showing all internal details and hiding no information, is likely incorrect because it describes the opposite of abstraction, where all internal details are exposed, which can lead to tight coupling and increased complexity.

■ Q5. What is a benefit of using Java?

Your Answer: All of the above

■ Excellent! Right answer.

■ Q6. What is logging in Java?

Your Answer:

The process of recording events and exceptions in a program

Correct Answer:

The process of recording events and errors in a program

■ The correct answer is A) The process of recording events and errors in a program. This is because logging in Java refers to the process of tracking and recording significant events, such as errors, warnings, and informational messages, that occur during the execution of a program. The user's answer, B) The process of recording events and exceptions in a program, is close but not entirely accurate, as logging is not limited to just exceptions, but also includes errors and other types of events.

■ Q7. What is the next step after creating a new Java file?

Your Answer: Install Java (JDK) on your system

Correct Answer: Write your code

■ The correct answer is "Write your code" because after creating a new Java file, the next logical step is to start writing the code that will be executed by the Java program. The user's answer, "Install Java (JDK) on your system", is likely incorrect because installing Java is a prerequisite step that should be done before creating a new Java file, not after. The user probably misunderstood the sequence of steps involved in setting up and writing a Java program.

■ Q8. What is required to run Java programs?

Your Answer: Java SDK

Correct Answer: Java JDK

■ The correct answer is Java JDK (Java Development Kit) because it includes the Java Runtime Environment (JRE) and development tools, which are necessary to compile and run Java programs. The user's answer, Java SDK, is likely incorrect because SDK (Software Development Kit) is an older term that was used for Java versions prior to Java 10, and it has been replaced by JDK. The JDK provides the necessary tools to develop, compile, and run Java programs, making it the required component.

■ Q9. What is concurrency in Java?

Your Answer: The ability of a program to execute a single thread or process sequentially

Correct Answer: The ability of a program to execute multiple threads or processes concurrently

■ The correct answer is A) The ability of a program to execute multiple threads or processes concurrently, because concurrency in Java refers to the ability of a program to execute multiple threads or processes simultaneously, improving responsiveness and system utilization. The user's answer, D) The ability of a program to execute a single thread or process sequentially, is incorrect because it describes a sequential execution, which is the opposite of concurrency. The user's likely mistake is misunderstanding the concept of concurrency, which involves multiple threads or processes running at the same time, rather than a single thread or process running alone.

■ Q10. What is a deadlock in Java?

Your Answer: A situation where a single thread is blocked indefinitely

Correct Answer: A situation where two or more threads are blocked indefinitely

■ The correct answer is A) A situation where two or more threads are blocked indefinitely, because a deadlock in Java occurs when multiple threads are unable to proceed due to each thread waiting for the other to release a resource. This results in a permanent standoff, where none of the threads can continue execution. The user's answer, C) A situation where a single thread is blocked indefinitely, is incorrect because it describes a situation that is more akin to a thread being stuck in an infinite loop or waiting for a resource that is never released, rather than a deadlock involving multiple threads.

■ CODING SECTION (5/5 - 100.0%)

■ Q1. Write a Java program that reads a string from stdin and counts the frequency of each word, sorting the results by frequency. ****Input Format:**** - Line...

Your Answer:

```
import java.util.*;

public class Main {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);

        String line = sc.nextLine();
        String[] words = line.split(" ");

        HashMap<String, Integer> map = new HashMap<>();

        for (String word : words) {
            map.put(word, map.getOrDefault(word, 0) + 1);
        }

        List<Map.Entry<String, Integer>> list = new ArrayList<>(map.entrySet());
        list.sort((a, b) -> b.getValue() - a.getValue());

        for (Map.Entry<String, Integer> entry : list) {
            System.out.print(entry.getKey() + ":" + entry.getValue() + " ");
        }
    }
}
```

■ Your code has successfully passed all test cases, demonstrating a thorough understanding of the problem and its solution. Great job on achieving an "Accepted" status, indicating that your code is correct and efficient.

■ Q2. Write a Java program that reads a stack of integers from stdin and finds the sum of its elements.

****Input Format:**** - Line 1: The number of elements ...

Your Answer:

```
import java.util.Scanner;
import java.util.Stack;

public class Main {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        Stack<Integer> stack = new Stack<>();

        int n = sc.nextInt();

        for (int i = 0; i < n; i++) {
            stack.push(sc.nextInt());
        }

        int sum = 0;

        while (!stack.isEmpty()) {
            sum += stack.pop();
        }

        System.out.println(sum);
    }
}
```

■ Your code has successfully passed all test cases, indicating that it is correct and functions as intended. Great job on achieving an "Accepted" status, keep up the good work!

■ Q3. Write a program that reads a list of integers and prints the sorted list. ****Input Format:**** - Line 1: Number of integers (integer) - Line 2: List of ...

Your Answer:

```
import java.util.*;

public class Main {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);

        int n = sc.nextInt();
        int[] arr = new int[n];

        for (int i = 0; i < n; i++) {
            arr[i] = sc.nextInt();
        }

        Arrays.sort(arr);

        for (int num : arr) {
            System.out.print(num + " ");
        }
    }
}
```

■ Your code has successfully passed all test cases, indicating that it is correct and functions as intended. Great job on writing accurate and effective code that meets the requirements.

■ Q4. Write a program that reads a dictionary of word frequencies and prints the word with the lowest frequency. ****Input Format:**** - Line 1: Number of word...

Your Answer:

```

import java.util.Scanner;

public class Main {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);

        int n = sc.nextInt();
        String minWord = "";
        int minFreq = Integer.MAX_VALUE;

        for (int i = 0; i < n; i++) {
            String word = sc.next();
            int freq = sc.nextInt();

            if (freq < minFreq) {
                minFreq = freq;
                minWord = word;
            }
        }

        System.out.println(minWord);
    }
}

```

■ Your code has successfully passed all test cases, indicating a correct and effective implementation of the problem solution. Great job on achieving an "Accepted" status, keep up the good work!

■ **Q5. Write a program that calculates a student's grade based on their scores in multiple subjects. **Input Format:** - Line 1: Number of subjects (integer...**

Your Answer:

```

import java.util.Scanner;

public class Main {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);

        int n = sc.nextInt();
        int total = 0;

        for (int i = 0; i < n; i++) {
            String subject = sc.next();
            int score = sc.nextInt();
            total += score;
        }

        int avg = total / n;
        char grade;

        if (avg >= 90) grade = 'A';
        else if (avg >= 80) grade = 'B';
        else if (avg >= 70) grade = 'C';
        else if (avg >= 60) grade = 'D';
        else grade = 'F';

        System.out.println(grade);
    }
}

```

■ Your code has successfully passed all test cases, demonstrating a thorough understanding of the problem and effective implementation. Great job on achieving an "Accepted" status, indicating that your solution meets all the requirements.

■ Recommendations

Areas that need improvement:

- **Aptitude:** Practice more logical reasoning, quantitative aptitude, and problem-solving questions.
- **MCQ/Theory:** Review programming concepts, data structures, and algorithms theory.