

Pending Basic AWS Task


1. Create IAM user with group policy must be apply on group.
2. Create VPC standalone.
3. Create 2 public subnet and 2 private subnet.
4. Internet gateway
5. Created nat gateway.
6. Create public linux server.
7. Create Elastic ip and attach to public ec2 server.
8. Install apache services on linux server and try to access apache on local machine browser.
9. Install nginx, tomcat.
10. Install LAMP setup in linux

Solution:

Login to your AWS account with credentials and required verification.

1. (<https://signin.aws.amazon.com/>)

My account – AWS Management Console- Sign in



2. Create a Group and Attach a Policy

- Go to the AWS Management Console → IAM → Groups → Create group.

Identity and Access Management (IAM)

Dashboard

▼ Access management

- User groups
- Users
- Roles
- Policies
- Identity providers
- Account settings
- Root access management
- Temporary delegation requests

▼ Access reports

- Access Analyzer
- Resource analysis
- Unused access
- Analyzer settings
- Credential report
- Organization activity

Create user group

Name the group

User group name
Enter a meaningful name to identify this group.

CI-group

Maximum 128 characters. Use alphanumeric and '+', '@', '-', '_' characters.

Add users to the group - Optional (0)

An IAM user is an entity that you create in AWS to represent the person or application that uses it to interact with AWS.

Search

< 1 >

☐ User name ▲ | Group: ▼ | Last activity ▼ | Creation time ▼

No resources to display

Attach permissions policies - Optional (1/1109)

You can attach up to 10 policies to this user group. All the users in this group will have permissions that are defined in the selected policies.

Search: amazonssm Filter by Type: All types 9 matches < 1 >

☐	Policy name	Type	Used as	Description
☐	AmazonSSMAutomationApprove...	AWS managed	None	Provides access to view automation ex...
☐	AmazonSSMAutomationRole	AWS managed	None	Provides permissions for EC2 Automati...
☐	AmazonSSMDirectoryServiceAcc...	AWS managed	None	This policy allows SSM Agent to access...
☐	AmazonSSMFullAccess	AWS managed	None	Provides full access to Amazon SSM.
☐	AmazonSSMMaintenanceWindo...	AWS managed	None	Service Role to be used for EC2 Mainte...
☐	AmazonSSMManagedEC2Instanc...	AWS managed	None	This policy enables AWS Systems Man...
☒	AmazonSSMManagedInstanceCore	AWS managed	Permissions policy (1)	The policy for Amazon EC2 Role to ena...
☐	AmazonSSMPatchAssociation	AWS managed	None	Provide access to child instances for pa...
☐	AmazonSSMReadOnlyAccess	AWS managed	None	Provides read only access to Amazon S...

Cancel Create user group

You can add user as per your need.

3. Crete a VPC

- GOTO VPC- Create VPC

☰ VPC > Your VPCs > Create VPC

A VPC is an isolated portion of the AWS Cloud populated by AWS objects, such as Amazon EC2 instances.

VPC settings

Resources to create [Info](#)
Create only the VPC resource or the VPC and other networking resources.

☒ VPC only ☐ VPC and more

Name tag - optional [Info](#)
Creates a tag with a key of 'Name' and a value that you specify.

my-vpc

IPv4 CIDR block [Info](#)
☒ IPv4 CIDR manual input
☐ IPAM-allocated IPv4 CIDR block

IPv4 CIDR
10.0.0.0/16
CIDR block size must be between /16 and /28.

IPv6 CIDR block [Info](#)
☒ No IPv6 CIDR block
☐ IPAM-allocated IPv6 CIDR block
☐ Amazon-provided IPv6 CIDR block
☐ IPv6 CIDR owned by me

Tenancy [Info](#)
Default

VPC encryption control (\$) [Info](#)
Monitor mode provides visibility into encryption status without blocking traffic. Enforce mode prevents unencrypted traffic. [Additional charges apply](#)

☒ None ☐ Monitor mode ☐ Enforce mode

4. Create 2 public subnet and 2 private subnet

GOTO VPC- subnets- Create subnet

Public 1

☰ VPC > Subnets > Create subnet

VPC

VPC ID
Create subnets in this VPC.
vpc-0876693384dc46530 (my-vpc)

Associated VPC CIDRs
IPv4 CIDRs
10.0.0.0/16

Subnet settings

Specify the CIDR blocks and Availability Zone for the subnet.

Subnet 1 of 1

Subnet name [Info](#)
Create a tag with a key of 'Name' and a value that you specify.
publicsubnet1
The name can be up to 256 characters long.

Availability Zone [Info](#)
Choose the zone in which your subnet will reside, or let Amazon choose one for you.
United States (N. Virginia) / us-east-1a

IPv4 VPC CIDR block [Info](#)
Choose the VPC's IPv4 CIDR block for the subnet. The subnet's IPv4 CIDR must lie within this block.
10.0.0.0/16

IPv4 subnet CIDR block
10.0.1.0/24 256 IPs

Private 1

VPC

VPC ID
Create subnets in this VPC.
vpc-0876693384dc46530 (my-vpc)

Associated VPC CIDRs

IP-v4 CIDRs:
10.0.0.0/16

Subnet settings
Specify the CIDR blocks and Availability Zone for the subnet.

Subnet 1 of 1

Subnet name
Create a tag with a key of 'Name' and a value that you specify.
privatesubnet1
The name can be up to 256 characters long.

Availability Zone Info
Choose the zone in which your subnet will reside, or let Amazon choose one for you.
United States (N. Virginia) / us-east-1a (us-east-1a)

IP-v4 VPC CIDR block Info
Choose the VPC's IP-v4 CIDR block for the subnet. The subnet's IP-v4 CIDR must lie within this block.
10.0.0.0/16

IP-v4 subnet CIDR block
10.0.2.0/24 256 IPs

follow same for more subnet.

VPC dashboard **Subnets (7)** info

You have successfully created 1 subnet: subnet-030cd29680e5e8111

Find subnets by attribute or tag

☐	Name	Subnet ID	State	VPC	Block Public...	IPv4 CIDR	IPv6 CIDR	IPv6 CID
☐	-	subnet-0c91bca361724df93	Available	vpc-02486129ea4c880ca	Off	172.31.16.0/20	-	-
☐	-	subnet-07590d87089319da1	Available	vpc-02486129ea4c880ca	Off	172.31.32.0/20	-	-
☐	-	subnet-061f011c161aa745c	Available	vpc-02486129ea4c880ca	Off	172.31.64.0/20	-	-
☐	publicsubnet1	subnet-0cdad740f469d90cf	Available	vpc-0876693384dc46530 my-...	Off	10.0.1.0/24	-	-
☐	privatesubnet1	subnet-011ce9a09945882df	Available	vpc-0876693384dc46530 my-...	Off	10.0.2.0/24	-	-
☐	publicsubnet2	subnet-0baec9cd2cb58c5c1	Available	vpc-0876693384dc46530 my-...	Off	10.0.3.0/24	-	-
☐	privatesubnet2	subnet-030cd29680e5e8111	Available	vpc-0876693384dc46530 my-...	Off	10.0.4.0/24	-	-

Select a subnet

5. Internet gateway

- GOTO VPC- Internet Gateway – Create Internet Gateway
- Attach to VPC

VPC dashboard **Internet gateways** **igw-00acfd1cefccfb720**

Internet gateway igw-00acfd1cefccfb720 successfully attached to vpc-0876693384dc46530

igw-00acfd1cefccfb720 / my-igw Actions

Details info

Internet gateway ID: igw-00acfd1cefccfb720 | State: Attached | VPC ID: vpc-0876693384dc46530 | my-vpc | Owner: 798974631771

Tags (1) Manage tags

Key	Value
Name	my-igw

6. Create A NAT Gateway

GOTO – VPC- NAT gateway-Create NAT Gateway

☰ VPC > NAT gateways > Create NAT gateway ⓘ

Name - optional
Create a tag with a key of 'Name' and a value that you specify.
my-nat
The name can be up to 256 characters long.

Availability mode ⓘ
Choose whether to deploy across all zones in the region or restrict to a single availability zone.

☒ **Regional - new**
Scales automatically across all regional AZs, simplifying management for multi AZ deployments.

☐ **Zonal**
Provides granular control within a specific availability zone, adhering to subnet level settings.

VPC
Select a VPC in which to create the regional NAT gateway.
vpc-0876693384dc46530 (my-vpc) ▼

Connectivity type
Select a connectivity type for the NAT gateway.

☒ **Public**

☐ Private

Method of Elastic IP (EIP) allocation ⓘ
Choose how IP addresses are associated with NAT gateways.

☒ **Automatic**
AWS automatically manages EIPs and AZ coverage for NAT gateways. This ensures easy scaling-- adding AZs automatically allocates EIPs, simplifying management.

☐ **Manual**
Manually assigns specific IP addresses for compliance or whitelisting. Note: Requires manual scaling to new AZs as workloads expand.

Tags
A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.

Key **Value - optional**

Q Name X Q my-nat X Remove

[Add new tag](#)

7. Create public linux server.

☰ EC2 > Instances > Launch an instance ⓘ

Key pair (optional) ⓘ
You can use a key pair to securely connect to your instance. Ensure that you have access to the selected key pair before you launch the instance.

Key pair name - required

Proceed without a key pair (Not recommended) Default value ▼ Create new key pair

Network settings ⓘ [Edit](#)

Network ⓘ
vpc-02486129ea4c880ca

Subnet ⓘ
No preference (Default subnet in any availability zone)

Auto-assign public IP ⓘ
Enable

Firewall (security groups) ⓘ
A security group is a set of firewall rules that control the traffic for your instance. Add rules to allow specific traffic to reach your instance.

☒ Create security group ☐ Select existing security group

We'll create a new security group called 'launch-wizard-1' with the following rules:

☒ Allow SSH traffic from
Helps you connect to your instance Anywhere 0.0.0.0/0 ▼

☒ Allow HTTPS traffic from the internet
To set up an endpoint, for example when creating a web server

☒ Allow HTTP traffic from the internet
To set up an endpoint, for example when creating a web server

⚠ Rules with source of 0.0.0.0/0 allow all IP addresses to access your instance. We recommend setting security group rules to allow access from known IP addresses only. X

Summary

Number of instances ⓘ
1

Software Image (AMI)
Amazon Linux 2023 AMI 2023.9.2...read more
ami-068c0051a15c8b816

Virtual server type (instance type)
t2.micro

Firewall (security group)
New security group

Storage (volumes)
1 volume(s) - 8 GiB

Cancel [Launch instance](#) [Preview code](#)

EC2 > Instances

EC2 Dashboard
EC2 Global View
Events

▼ Instances
Instances
Instance Types
Launch Templates
Spot Requests

Instances (1) info

Last updated less than a minute ago

Connect Instance state Actions Launch instances

Find Instance by attribute or tag (case-sensitive)

All states

Name	Instance ID	Instance state	Instance type	Status check	Alarm status	Availability Zone	Public IP v4 DNS	Public
linuxserver	i-0b4c5ad5428624fd6	Running	t2.micro	Initializing	View alarms +	us-east-1c	ec2-98-84-104-242.co...	98.84.1

8. Create Elastic ip and attach to public ec2 server.

VPC > Elastic IP addresses

VPC dashboard AWS Global View
Filter by VPC

▼ Virtual private cloud
Your VPCs

Elastic IP addresses (1) info

Find elastic IP addresses by attribute or tag

Actions Allocate Elastic IP address

Name	Allocated IPv4 address	Type	Allocation ID	Reverse DNS record	Associated instance ID
Public IP	18.235.60.204	Public IP	elalloc-0dad1649a3650f7a2	-	-

VPC > Elastic IP addresses > Associate Elastic IP address

Associate Elastic IP address info

Choose the instance or network interface to associate to this Elastic IP address (18.235.60.204)

Elastic IP address: 18.235.60.204

Resource type
Choose the type of resource with which to associate the Elastic IP address.

☒ Instance
☐ Network interface

Instance
i-0b4c5ad5428624fd6

Private IP address
The private IP address with which to associate the Elastic IP address.
Choose a private IP address

Reassociation
Specify whether the Elastic IP address can be reassociated with a different resource if it already associated with a resource.
☐ Allow this Elastic IP address to be reassociated

Cancel Associate

9. Install apache services on linux server and try to access apache on local machine browser.

```
Verifying      : httpd-filesystem-2.4.65-1.amzn2023.0.2.noarch      8/13
Verifying      : httpd-tools-2.4.65-1.amzn2023.0.2.x86_64        9/13
Verifying      : libbrotli-1.0.9-4.amzn2023.0.2.x86_64          10/13
Verifying      : mailcap-2.1.49-3.amzn2023.0.3.noarch            11/13
Verifying      : mod_http2-2.0.27-1.amzn2023.0.3.x86_64          12/13
Verifying      : mod_lua-2.4.65-1.amzn2023.0.2.x86_64            13/13

Installed:
apr-1.7.5-1.amzn2023.0.4.x86_64      apr-util-1.6.3-1.amzn2023.0.2.x86_64      apr-util-openssl-1.6.3-1.amzn2023.0.2.x86_64      httpd-filesystem-2.4.65-1.amzn2023.0.2.noarch
generic-logos-httpd-18.0.0-12.amzn2023.0.3.noarch      httpd-2.4.65-1.amzn2023.0.2.x86_64      httpd-core-2.4.65-1.amzn2023.0.2.x86_64      libbrotli-1.0.9-4.amzn2023.0.2.x86_64      mailcap-2.1.49-3.amzn2023.0.3.noarch      mod_http2-2.0.27-1.amzn2023.0.3.x86_64
httpd-tools-2.4.65-1.amzn2023.0.2.x86_64      libbrotli-1.0.9-4.amzn2023.0.2.x86_64      mod_lua-2.4.65-1.amzn2023.0.2.x86_64

Complete!
[ec2-user@ip-10-0-1-148 ~]$ sudo systemctl start httpd
[ec2-user@ip-10-0-1-148 ~]$ sudo systemctl enable httpd
Created symlink /etc/systemd/system/multi-user.target.wants/httpd.service → /usr/lib/systemd/system/httpd.service.
[ec2-user@ip-10-0-1-148 ~]$ sudo systemctl status httpd
* httpd.service - The Apache HTTP Server
   Loaded: loaded (/usr/lib/systemd/system/httpd.service; enabled; preset: disabled)
   Active: active (running) since Wed 2025-12-24 10:04:32 UTC; 33s ago
     Docs: man:httpd.service(8).
   Main PID: 26203 (httpd)
   Status: "Total requests: 0; Idle/Busy workers 100/0; Requests/sec: 0; Bytes served/sec: 0 B/sec"
    Tasks: 177 (limit: 1120)
   Memory: 12.9M
      CPU: 81ms
   CGroup: /system.slice/httpd.service
           └─26203 /usr/sbin/httpd -DFOREGROUND
             └─26204 /usr/sbin/httpd -DFOREGROUND
               └─26205 /usr/sbin/httpd -DFOREGROUND
                 └─26206 /usr/sbin/httpd -DFOREGROUND
                   └─26207 /usr/sbin/httpd -DFOREGROUND

Dec 24 10:04:32 ip-10-0-1-148.ec2.internal systemd[1]: Starting httpd.service - The Apache HTTP Server...
Dec 24 10:04:32 ip-10-0-1-148.ec2.internal systemd[1]: Started httpd.service - The Apache HTTP Server.
Dec 24 10:04:32 ip-10-0-1-148.ec2.internal httpd[26203]: Server configured, listening on: port 80
[ec2-user@ip-10-0-1-148 ~]$
```

← → 🔍 ⚙️ ⚠️ Not secure 3.211.152.109 ☆ 📄 ⓘ ⋮

Apache is running on server

10. Install nginx, tomcat.

```
[ec2-user@ip-10-0-1-148 ~]$ sudo yum install nginx -y
Last metadata expiration check: 0:09:27 ago on Wed Dec 24 10:04:08 2025.
Package nginx-1:1.28.0-1.amzn2023.0.2.x86_64 is already installed.
Dependencies resolved.
Nothing to do.
Complete!
[ec2-user@ip-10-0-1-148 ~]$ sudo systemctl start nginx
Job for nginx.service failed because the control process exited with error code.
See "systemctl status nginx.service" and "journalctl -xeu nginx.service" for details.
[ec2-user@ip-10-0-1-148 ~]$ sudo ss -tulnp | grep :80
tcp    LISTEN 0      511          *:*          *:*          users: (("httpd",pid=26207,fd=4), ("httpd",pid=26206,fd=4), ("httpd",pid=26205,fd=4), ("httpd",pid=26203,fd=4))
[ec2-user@ip-10-0-1-148 ~]$ sudo systemctl stop httpd
Removed "/etc/systemd/system/multi-user.target.wants/httpd.service".
[ec2-user@ip-10-0-1-148 ~]$ sudo systemctl start nginx
[ec2-user@ip-10-0-1-148 ~]$ sudo systemctl enable nginx
Failed to enable unit: Unit file nginx.service does not exist.
[ec2-user@ip-10-0-1-148 ~]$ sudo systemctl enable nginx
[ec2-user@ip-10-0-1-148 ~]$ sudo systemctl status nginx
* nginx.service - The nginx HTTP and reverse proxy server
   Loaded: loaded (/usr/lib/systemd/system/nginx.service; enabled; preset: disabled)
   Active: active (running) since Wed 2025-12-24 10:15:37 UTC; 55s ago
     Main PID: 27914 (nginx)
    Tasks: 2 (limit: 1120)
   Memory: 2.5M
      CPU: 58ms
   CGroup: /system.slice/nginx.service
           └─27914 *nginx: master process /usr/sbin/nginx*
             └─27920 *nginx: worker process*

Dec 24 10:15:37 ip-10-0-1-148.ec2.internal systemd[1]: Starting nginx.service - The nginx HTTP and reverse proxy server...
Dec 24 10:15:37 ip-10-0-1-148.ec2.internal nginx[27887]: nginx: the configuration file /etc/nginx/nginx.conf syntax is ok
Dec 24 10:15:37 ip-10-0-1-148.ec2.internal nginx[27887]: nginx: configuration file /etc/nginx/nginx.conf test is successful
Dec 24 10:15:37 ip-10-0-1-148.ec2.internal systemd[1]: Started nginx.service - The nginx HTTP and reverse proxy server.
[ec2-user@ip-10-0-1-148 ~]$
```

← → 🔍 ⚙️ ⚠️ Not secure 3.211.152.109 ☆ 📄 ⓘ ⋮

Welcome to nginx!


If you see this page, the nginx web server is successfully installed and working. Further configuration is required.

For online documentation and support please refer to nginx.org.
Commercial support is available at nginx.com.

Thank you for using nginx.

Install tomcat

```
(ec2-user@ip-10-0-1-148 tmp)$ ls -lh apache-tomcat-9.0.83.tar.gz
-rw-r--r-- 1 ec2-user ec2-user 12M Nov  9 2023 apache-tomcat-9.0.83.tar.gz
(ec2-user@ip-10-0-1-148 tmp)$ sudo mkdir -p /opt/tomcat
(ec2-user@ip-10-0-1-148 tmp)$ sudo tar -xzf apache-tomcat-9.0.83.tar.gz -C /opt/tomcat --strip-components=1
(ec2-user@ip-10-0-1-148 tmp)$ ls /opt/tomcat
ls: cannot open directory '/opt/tomcat': Permission denied
(ec2-user@ip-10-0-1-148 tmp)$ sudo ls /opt/tomcat
BUILDING.txt  CONTRIBUTING.md  LICENSE  NOTICE  README.md  RELEASE-NOTES  RUNNING.txt  bin  conf  lib  logs  temp  webapps  work
(ec2-user@ip-10-0-1-148 tmp)$ cd
(ec2-user@ip-10-0-1-148 ~)$ sudo chown -R tomcat:tomcat /opt/tomcat
sudo chmod -R 755 /opt/tomcat
(ec2-user@ip-10-0-1-148 ~)$ sudo systemctl daemon-reload
(ec2-user@ip-10-0-1-148 ~)$ sudo systemctl start tomcat
Failed to start tomcat.service: Unit tomcat.service not found.
(ec2-user@ip-10-0-1-148 ~)$ sudo nano /etc/systemd/system/tomcat.service
(ec2-user@ip-10-0-1-148 ~)$ ls
(ec2-user@ip-10-0-1-148 ~)$ sudo systemctl daemon-reload
sudo systemctl daemon-reload
(ec2-user@ip-10-0-1-148 ~)$ sudo systemctl start tomcat
sudo systemctl enable tomcat
Created symlink /etc/systemd/system/multi-user.target.wants/tomcat.service → /etc/systemd/system/tomcat.service.
(ec2-user@ip-10-0-1-148 ~)$ sudo systemctl status tomcat
* tomcat.service - Apache Tomcat
   Loaded: loaded (/etc/systemd/system/tomcat.service; enabled; preset: disabled)
   Active: active (running) since Wed 2025-12-24 10:25:50 UTC; 16s ago
     Main PID: 28721 (java)
       Tasks: 28 (limit: 1120)
      Memory: 72.8M
         CPU: 3.331s
    CGroup: /system.slice/tomcat.service
            └─28721 /usr/lib/jvm/java-11-amazon-corretto/bin/java -Djava.util.logging.config.file=/opt/tomcat/conf/logging.properties -Djava.util.logging.manager=org.apache.juli.Class
Dec 24 10:25:50 ip-10-0-1-148.ec2.internal systemd[1]: Starting tomcat.service - Apache Tomcat...
Dec 24 10:25:50 ip-10-0-1-148.ec2.internal startup.sh[28714]: Tomcat started.
Dec 24 10:25:50 ip-10-0-1-148.ec2.internal systemd[1]: Started tomcat.service - Apache Tomcat.
lines 1-13/13 (END)
```



11. Install LAMP setup in linux

Create a sh file to create setup of LAMP

```
#!/bin/bash
```

```
# LAMP Setup Script for Amazon Linux / CentOS
```

```
# Apache will use default port 80
```



```
# Update system
sudo yum update -y
```

```
# Install Apache
sudo yum install httpd -y
sudo systemctl enable httpd
sudo systemctl start httpd
```

```
# Install MariaDB (MySQL)
sudo dnf install mariadb-server mariadb -y
sudo systemctl enable mariadb
sudo systemctl start mariadb
```

```
# Secure MariaDB (optional, interactive)
# sudo mysql_secure_installation
```

```
# Install PHP and common modules
sudo yum install php php-mysqlnd php-cli php-fpm -y
```

```
# Restart Apache to load PHP
sudo systemctl restart httpd
```

```
# Firewall: allow HTTP (80) and HTTPS (443)
sudo firewall-cmd --permanent --add-service=http
sudo firewall-cmd --permanent --add-service=https
sudo firewall-cmd --reload
```

```
echo "LAMP Setup Completed!"
echo "Apache is running on port 80"
echo "Visit: http://<your-server-ip>"
```

```
After save and exit
Sudo chmod +x lamp.sh
To run
./lamp.sh
```

```
Installing      : php8.4-process-8.4.14-1.amzn2023.0.1.x86_64 7/13
Installing      : libxslt-1.1.43-1.amzn2023.0.3.x86_64 8/13
Installing      : php8.4-xml-8.4.14-1.amzn2023.0.1.x86_64 9/13
Installing      : libsodium-1.0.19-4.amzn2023.x86_64 10/13
Installing      : php8.4-sodium-8.4.14-1.amzn2023.0.1.x86_64 11/13
Installing      : php8.4-8.4.14-1.amzn2023.0.1.x86_64 12/13
Installing      : php8.4-mysqld-8.4.14-1.amzn2023.0.1.x86_64 13/13
Running scriptlet: php8.4-mysqld-8.4.14-1.amzn2023.0.1.x86_64 13/13
Verifying       : libsodium-1.0.19-4.amzn2023.x86_64 1/13
Verifying       : libxslt-1.1.43-1.amzn2023.0.3.x86_64 2/13
Verifying       : php8.4-8.4.14-1.amzn2023.0.1.x86_64 3/13
Verifying       : php8.4-cli-8.4.14-1.amzn2023.0.1.x86_64 4/13
Verifying       : php8.4-common-8.4.14-1.amzn2023.0.1.x86_64 5/13
Verifying       : php8.4-fpm-8.4.14-1.amzn2023.0.1.x86_64 6/13
Verifying       : php8.4-mbstring-8.4.14-1.amzn2023.0.1.x86_64 7/13
Verifying       : php8.4-mysqld-8.4.14-1.amzn2023.0.1.x86_64 8/13
Verifying       : php8.4-opcache-8.4.14-1.amzn2023.0.1.x86_64 9/13
Verifying       : php8.4-pdo-8.4.14-1.amzn2023.0.1.x86_64 10/13
Verifying       : php8.4-process-8.4.14-1.amzn2023.0.1.x86_64 11/13
Verifying       : php8.4-sodium-8.4.14-1.amzn2023.0.1.x86_64 12/13
Verifying       : php8.4-xml-8.4.14-1.amzn2023.0.1.x86_64 13/13

Installed:
libsodium-1.0.19-4.amzn2023.x86_64      libxslt-1.1.43-1.amzn2023.0.3.x86_64      php8.4-8.4.14-1.amzn2023.0.1.x86_64      php8.4-cli-8.4.14-1.amzn2023.0.1.x86_64
php8.4-common-8.4.14-1.amzn2023.0.1.x86_64  php8.4-fpm-8.4.14-1.amzn2023.0.1.x86_64  php8.4-mbstring-8.4.14-1.amzn2023.0.1.x86_64  php8.4-mysqld-8.4.14-1.amzn2023.0.1.x86_64
php8.4-opcache-8.4.14-1.amzn2023.0.1.x86_64  php8.4-pdo-8.4.14-1.amzn2023.0.1.x86_64  php8.4-process-8.4.14-1.amzn2023.0.1.x86_64  php8.4-sodium-8.4.14-1.amzn2023.0.1.x86_64
php8.4-xml-8.4.14-1.amzn2023.0.1.x86_64

Complete!
sudo: firewall-cmd: command not found
sudo: firewall-cmd: command not found
sudo: firewall-cmd: command not found
LAMP Setup Completed!
Apache is running on port 80
Visit: http://<your-server-ip>
[ec2-user@ip-10-0-1-148 ~]$ ls
```

PHP Version 8.4.14	
	
System	Linux ip-10-0-1-148 ec2 internal 6.1.158-180.294.amzn2023.x86_64 #1 SMP PREEMPT_DYNAMIC Mon Dec 1 05:36:50 UTC 2025 x86_64
Build Date	Oct 21 2025 19:23:55
Build System	Linux
Build Provider	Amazon Linux
Compiler	gcc (GCC) 11.5.0 20240719 (Red Hat 11.5.0-5)
Architecture	x86_64
Server API	FPM/FastCGI
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/etc
Loaded Configuration File	/etc/php.ini
Scan this dir for additional .ini files	/etc/php.d
Additional .ini files parsed	/etc/php.d/10-opcache.ini, /etc/php.d/20-bz2.ini, /etc/php.d/20-calendar.ini, /etc/php.d/20-ctype.ini, /etc/php.d/20-curl.ini, /etc/php.d/20-dom.ini, /etc/php.d/20-exif.ini, /etc/php.d/20-fileinfo.ini, /etc/php.d/20-ftp.ini, /etc/php.d/20-gdtext.ini, /etc/php.d/20-iconv.ini, /etc/php.d/20-mbstring.ini, /etc/php.d/20-mysqli.ini, /etc/php.d/20-pdo.ini, /etc/php.d/20-phar.ini, /etc/php.d/20-posix.ini, /etc/php.d/20-shmop.ini, /etc/php.d/20-simplexml.ini, /etc/php.d/20-sockets.ini, /etc/php.d/20-sodium.ini, /etc/php.d/20-sqlite3.ini, /etc/php.d/20-sysvmsg.ini, /etc/php.d/20-sysvsem.ini, /etc/php.d/20-sysvshm.ini, /etc/php.d/20-tokenizer.ini, /etc/php.d/20-xml.ini, /etc/php.d/20-xmlwriter.ini, /etc/php.d/20-xsl.ini, /etc/php.d/30-mysqli.ini, /etc/php.d/30-pdo_mysqli.ini, /etc/php.d/30-pdo_sqlite.ini, /etc/php.d/30-xmlreader.ini
PHP API	20240924
PHP Extension	20240924
Zend Extension	420240924
Zend Extension Build	API420240924.NTS
PHP Extension Build	API20240924.NTS
PHP Integer Size	64 bits
Debug Build	no
Thread Safety	disabled
Zend Signal Handling	enabled



Apache is runnig on server