


Task:

- Create an **EC2 server** and **host a website** on it.
- Set up a **Start/Stop script on the EC2 instance using a cron job**

Solution:

- ❖ Create an **EC2 server** and **host a website** on it.

1. Log in to Root User AWS account.
2. Go to Ec2 and Select Instance to launch a Virtual Server.



3. By following Step by step launch server including all its requirements.
E.g - Security Groups, .ppm or .ppk file for connectivity
4. After launching it, connect it with sh console.
5. Update the console

sudo yum update

6. Install a web server on instance. Such server like Apache, Nginx
Follows cmd to install apache server on instance

Sudo yum install httpd -y

- install apache server on instance

Sudo systemctl start httpd

- Start apache server

Sudo systemctl enable httpd

-start by default when logged into server.

Sudo systemctl status httpd

- check running status of apache server

7.go to html folder of instance

Cd /var/www/html

8. Create an html for instance which should host by the server

E.g - index.html

<html>


<head> <title> Website</title>

<body>

<h1> Website launched on Server</h1>


</body>

</html>

A screenshot of an AWS CLI terminal window. The terminal has a dark background with light-colored text. The command prompt shows the user is in the directory /var/www/html. The user has entered the command 'echo <html><head><title> Website</title></head><body><h1>Hello </h1></body></html>' and the output shows the command being executed successfully. The terminal window has a title bar with the AWS logo, a search bar, and various icons on the right side. The account ID is 7989 and the region is Europe (Stockholm).

```
awscli [Alt+S] Europe (Stockholm) Account ID: 7989
/var/www/html$ echo <html><head><title> Website</title></head><body><h1>Hello </h1></body></html>
/var/www/html$
```

9. copy ip address of instance and paste it into new tab to check website is running.



Website is hosted on server.

❖ Set up a **Start/Stop script on the EC2 instance using a cron job**

Solution:

1. For configuring cron job on server install cron .

Sudo yum install crontabs -y

- install cron job on console

Sudo systemctl start crond

- start cron

Sudo systemctl enable crond

- start by default

Sudo systemctl status crond

-check running status

2. Create .sh files to start and stop server by using crontab

.sh file For **start** server

#!/bin/bash

aws ec2 start-instances --instance-ids i-00bd2443022949f36 --region eu-north-1

.sh file for **stop** server

#!/bin/bash

```
aws ec2 start-instances --instance-ids i-00bd2443022949f36 --region eu-north-1a
```


3. Give permission to both files

```
Sudo chmod +x start.sh
```

```
Sudo chmod +x stop.sh
```

4. Write script for crontab to execute file in given time.

Crontab -e



This will apply at specific time to given to server.

Crotab -l

This will return the running cron job on the server.

After Successfully running sh files. :

```
aws | [Search] [Alt+S]

[ec2-user@ip-172-31-19-40 ~]$ ls
ec2-cronjob
[ec2-user@ip-172-31-19-40 ~]$ cd ec2-cronjob/
[ec2-user@ip-172-31-19-40 ec2-cronjob]$ ls
start.sh stop.sh
[ec2-user@ip-172-31-19-40 ec2-cronjob]$ ./stop.sh
{
  "StoppingInstances": [
    {
      "InstanceId": "i-00bd2443022949f36",
      "CurrentState": {
        "Code": 64,
        "Name": "stopping"
      },
      "PreviousState": {
        "Code": 16,
        "Name": "running"
      }
    }
  ]
}
[ec2-user@ip-172-31-19-40 ec2-cronjob]$
```

Instances (1/1) Info

Last updated 2 minutes ago

Connect

Instance state

Actions

Launch instances

Find Instance by attribute or tag (case-sensitive)

All states

Name	Instance ID	Instance state	Instance type	Status check	Alarm status	Availability Zone	Public IPv4
testserver	i-00bd2443022949f36	Running	t3.micro	Initializing	View alarms +	eu-north-1a	ec2-16-16-1

Instances (1/1) Info

Last updated less than a minute ago

Connect

Instance state

Actions

Launch instances

Find Instance by attribute or tag (case-sensitive)

All states

Name	Instance ID	Instance state	Instance type	Status check	Alarm status	Availability Zone	Public IPv4
testserver	i-00bd2443022949f36	Stopped	t3.micro	-	View alarms +	eu-north-1a	-