

This site uses cookies to provide you with a better experience. For information on our cookie policy, please visit [this page](#). By continuing to use the site or closing this banner, you are agreeing to our terms of use.



Have library access? [Log in through your library](#)



[Advanced Search](#) [Browse](#) [Tools](#)

[Log in](#) | [Register](#)

[About](#) [Support](#) [Log in](#) | [Register](#)



JOURNAL ARTICLE

Regression Models and Life-Tables

D. R. Cox

Journal of the Royal Statistical Society. Series B (Methodological)
[Vol. 34, No. 2 \(1972\)](#), pp. 187-220 (34 pages)

Published By: Wiley

<https://www.jstor.org/stable/2985181>

[Cite this Item](#)

Read and download

[Log in through your school or library](#)

Alternate access options

[For independent researchers](#)



Abstract

The analysis of censored failure times is considered. It is assumed that on each individual are available values of one or more explanatory variables. The hazard function (age-specific failure rate) is taken to be a function of the explanatory variables and unknown regression coefficients multiplied by an arbitrary and unknown function of time. A conditional likelihood is obtained, leading to inferences about the unknown regression coefficients. Some generalizations are outlined.

Journal Information

Series B (Statistical Methodology) of the Journal of the Royal Statistical Society started out simply as the Supplement to the Journal of the Royal Statistical Society in the Society's centenary year of 1934. The journal now publishes high quality papers on the methodological aspects of statistics. The objective of papers is to contribute to the understanding of statistical methodology and/or to develop and improve statistical methods. JSTOR provides a digital archive of the print version of Journal of the Royal Statistical Society, Series B: Statistical Methodology. The electronic version of Journal of the Royal Statistical Society, Series B: Statistical Methodology is available at <http://www.blackwell-synergy.com/servlet/useragent?func=showIssues&code=rssb>. Authorized users may be able to access the full text articles at this site.

Publisher Information

Wiley is a global provider of content and content-enabled workflow solutions in areas of scientific, technical, medical, and scholarly research; professional development; and education. Our core businesses produce scientific, technical, medical, and scholarly journals, reference works, books, database services, and advertising; professional books, subscription products, certification and training services and online applications; and education content and services including integrated online teaching and learning resources for undergraduate and graduate students and lifelong learners. Founded in 1807, John Wiley & Sons, Inc. has been a valued source of information and understanding for more than 200 years, helping people around the world meet their needs and fulfill their aspirations. Wiley has published the works of more than 450 Nobel laureates in all categories: Literature, Economics, Physiology or Medicine, Physics, Chemistry, and Peace. Wiley has partnerships with many of the world's leading societies and publishes over 1,500 peer-reviewed journals and 1,500+ new books annually in print and online, as well as databases, major reference works and laboratory protocols in STMS subjects. With a growing open access offering, Wiley is committed to the widest possible dissemination of and access to the content we publish and supports all sustainable models of access. Our online platform, Wiley Online Library (wileyonlinelibrary.com) is one of the world's most extensive multidisciplinary collections of online resources, covering life, health, social and physical sciences, and humanities.

Rights & Usage

This item is part of JSTOR collection

For terms and use, please refer to our [Terms and Conditions](#)

Journal of the Royal Statistical Society. Series B (Methodological) © 1972 [Royal Statistical Society](#)

[Request Permissions](#)



1972]

187

Regression Models and Life-Tables

By D. R. Cox

Imperial College, London

[Read before the ROYAL STATISTICAL SOCIETY, at a meeting organized by the Research Section, on Wednesday, March 8th, 1972, Mr M. J. R. HEALY in the Chair]

SUMMARY

The analysis of censored failure times is considered. It is assumed that on each individual are available values of one or more explanatory variables. The hazard function (age-specific failure rate) is taken to be a function of the explanatory variables and unknown regression coefficients multiplied by an arbitrary and unknown function of time. A conditional likelihood is obtained, leading to inferences about the unknown regression coefficients. Some generalizations are outlined.

Keywords: LIFE TABLE; HAZARD FUNCTION; AGE-SPECIFIC FAILURE RATE; PRODUCT LIMIT ESTIMATE; REGRESSION; CONDITIONAL INFERENCE; ASYMPTOTIC THEORY; CENSORED DATA; TWO-SAMPLE RANK TESTS; MEDICAL APPLICATIONS; RELIABILITY THEORY; ACCELERATED LIFE TESTS.

I. INTRODUCTION

LIFE tables are one of the oldest statistical techniques and are extensively used by medical statisticians and by actuaries. Yet relatively little has been written about their more formal statistical theory. Kaplan and Meier (1958) gave a comprehensive review of earlier work and many new results. Chiang in a series of papers has, in particular, explored the connection with birth-death processes; see, for example, Chiang (1968). The present paper is largely concerned with the extension of the results of Kaplan and Meier to the comparison of life tables and more generally to the incorporation of regression-like arguments into life-table analysis. The arguments are asymptotic but are relevant to situations where the sampling fluctuations are large enough to be of practical importance. In other words, the applications are more likely to be in industrial reliability studies and in medical statistics than in actuarial science. The procedures proposed are, especially for the two-sample problem, closely related to procedures for combining contingency tables; see Mantel and Haenzel (1959), Mantel (1963) and, especially for the application to life tables, Mantel (1966). There is also a strong connection with a paper read recently to the Society by R. and J. Peto (1972).

We consider a population of individuals; for each individual we observe either the time to "failure" or the time to "loss" or censoring. That is, for the censored individuals we know only that the time to failure is greater than the censoring time.

Denote by T a random variable representing failure time; it may be discrete or continuous. Let $\mathcal{F}(t)$ be the survivor function,

$$\mathcal{F}(t) = \text{pr}(T \geq t)$$

and let $\lambda(t)$ be the hazard or age-specific failure rate. That is,

$$\lambda(t) = \lim_{\Delta t \rightarrow 0+} \frac{\text{pr}(t \leq T < t + \Delta t | t \leq T)}{\Delta t}.$$

(1)

View Preview

Explore JSTOR

By Subject

By Title

By Collections

By Publisher

Get Access

Support LibGuides

Research Basics

About JSTOR

Mission and History

What's in JSTOR

Get JSTOR News

JSTOR Labs

JSTOR Daily

Careers

For Librarians

For Publishers

JSTOR is part of ITHAKA, a not-for-profit organization helping the academic community use digital technologies to preserve

Advanced
Search

Data for
Research

Webinars

Contact
Us

the scholarly record and to
advance research and
teaching in sustainable
ways.

©2000-2020 ITHAKA. All
Rights Reserved. JSTOR®,
the JSTOR logo, JPASS®,
Artstor®, Reveal Digital™
and ITHAKA® are
registered trademarks of
ITHAKA.

Terms & Conditions of Use Privacy Policy Cookie Policy

Select Language 

Accessibility